Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



SEED BOUN SEEDS

SERVICE SE

24

SATISFACTIO

KNOX SEED CO. STOCKTON, CAL.

Read Carefully Before Ordering

			ear		STILE	31 U.		De	TOI.	•
Z02	NES	1st	2d	3rd	4th	5th	6th	7th	8th	
		Up to	50 to		300 to	600 to	1000to	1400to	Over	
Wt.		50	150 miles	300	600 miles	1000	1400	1800	1800	
in.	Local	miles	from	miles		from	miles	miles	miles	
Lbs.		Stock-	Stock-	Stock-	Stock-	Stock-	Stook-	Stock-	Stock.	
LIVS.		ton	ton	ton	ton	ton	ton	ton	ton	
1	80.05	80.05	80.05	80.06	\$0.07	80.08	80.09	80.11	\$0.12	-
$\hat{2}$.06	.06	.06	.08	.11	.14	.17	.21	.24	
3	.06	.07	.07	.10	.15	.20	.25	.31	. 36	
4	.07	.08	.08	.12	. 19	.26	. 33	.41	.48	
5	.07	.09	.09	.14	.23	, 32	.41	.51	. 60	
6	.08	. 10	.10	.16	. 27	.38	, 49	. 6.t	.72	
7.8	.08	.11	.11	.18	.31	.44	.57	.71	.84	
8	.09	.12	.12	.20	. 35	.50	. 65	.81	.96	
10	.10	.14	.13	:24	.39	.56	.73	1.01	$\frac{1.08}{1.20}$	
11	.10	.15	.15	.26	.47	.68	.89	1.11	1.32	
12	.11	.16	.16	.28	.51	.74	.97	1.21	1.44	
13	.11	.17	.17	.30	.55	.80	1.05	1.31	1.56	
14	.12	.18	.18	.32	. 59	.86	1.13	1.41	1.68	
15	. 12	.19	.19	. 34	. 63	. 92	1.21	1.51	1.80	
16	. 13	.20	.20	. 36	. 67	.98	1.29	1 61	1.92	1
18	.14	.22	.22	. 40	. 75	1.10	1.45	1.81	2.16	
19	.14	.23	.23	. 42	.79	1.16	1.53	1.91	2.28	
20 22	.15	.24	.24	.44	. 83	1.22	1.61	2.01	2.40	
23	. 16	27	.26 .27	$.48 \\ .50$.91	1.34	1.77	2.21	2.64	-
24	.17	:28	.28	.52	. 95 . 99	1.40 1.46	$\begin{bmatrix} 1.85 \\ 1.93 \end{bmatrix}$	$\frac{2.31}{2.41}$	$\substack{2.76 \\ 2.88}$	
25	.17	.29	.29	.54	1.03	1.52	$\frac{1.03}{2.01}$	$\frac{2.41}{2.51}$	3.00	
26	.18	.30	.30	.56	1.07	1.58	2.09	2.61	3.12	
28	.19	.32	.32	.60	1.15	1.70	2.25	2.81	3.36	
29	. 19	.33	. 33	. 62	1.19	1.76	2.33	2.91	3.48	
30	,20	. 34	.34	. 64	1.23	1.82	2.41	3.01	3.60	1
32	.21	.36	. 36	. 68	1.31	1.94	2.57	3 21	3.84]
33	.21	.37	.37	. 70	1.35	2.00	2,65	3.31	3.96	4
35 36	.22	.39	.39	.74 .76	1.43	2.12	2.81	3.51	4.20	(
38	.24	.40	.40	.80	$\frac{1.47}{1.55}$	2.18	2.89	3.61	4.32	(
39	.24	.43	.43	.82	$\begin{array}{c} 1.55 \\ 1.59 \end{array}$	$egin{array}{c} 2.30 \\ 2.36 \\ \end{array}$	$\frac{3.05}{3.13}$	3.81	4.56	1
40	.25	.44	.44	.84	1.63	2.30	$\frac{3.13}{3.21}$	3.91 4.01	4.68	2
42	.26	.46	46	.88	1.71	2.54	3,37	4.21	5.04	
43	.26	47	. 47	.90	1.70	2.60	3.45	4.31	5.16	,
44	. 27	.48	.48	.92	1.79	2.66	3.53	4.41	5.28	
46	.28	.50	.50	.96	1.87	2.78	3.69	4.61	5.52	
48	. 29	.52	.52	1.00	1.95	2.90	3.85	4.81	5.76	
49	.29	.53	. 53	1.02	1.99	2.96	3.93	4.91	5.88	
50	.30	.54	.54	1.04	2.03	3.02	[4.01]	5.01	6.00	1
51 52	.30	.55	.55	$\frac{1.06}{1.08}$	-					
53	.31	.57	. 57	1.10		ance e	xtra, 3	c. for		9
54	.32	.58	.58	1.12	packag		to \$5.00		to to	j
55	.32	.59	.59	1.14	\$25.00,	roe up	(0 500			
56	.33	.60	.60	1.16	PAT	RCEL	POST	TEICH	rans .	3
5.7	22		61		1 ZX I		OSI I	121.00.0		1

PARCEL POST WEIGHT LIMIT.

The weight limit within the Local, 1st, 2d and 3rd Zones is seventy (70) pounds, within the other Zones it is fifty (50) pounds and the size limit eighty-four (84) inches for combined length and largest girth.

girth.

Packages of seed weighing 8 oz. or less can be forwarded anywhere in the U. S. at a cost of one cent for each two ounces or fraction thereof.

INDEX

Alfalfa	29 De
Artichokes	5 Di
Artichoke Roots	5 E:
Asparagns	5 E1
Asparagus Roots	5 Fe
Bacteria	31 Fi
Beans	6-7 FI
Beets	8 G:
Beets, Sugar	8 G:
Bird Seed	31 Ga
Bird Foods	31 Ge
Black Leaf 40	44 Ge
Broccoli	
Brooders	48 G1
Brussels Sprouts	5 Gi
Buttermilk	44 G1
Cabbage	9 H
Calf Meal	44 H
Carrots	
Cauliflower	10 In
Celery	11 K:
Celeriac	11 K
Chard. Swiss	11 La
Chicory	11 Le
Clovers	
Corn ,12-13	3-14 M:
Cover Crops	31 M

.61

.62

.63

. 64

. 65

. 66

. 67

.69 .70 .71 .72 .73

61

62

63

64

. 65

66

.67

. 69

.70 .71 .72 .73 .74

1.18

1.20

 $1.22 \\ .1 24$

1.26

1.30

1.34

1.36

1.38

1.40

1.42

33

34

34

35

35

26

36

37

37

38

38

39

57 58

59

60

61

62

63

65

56

67

68

69

Alfalfa 29	Dog Food and Remedies 31
Artichokes 5	Dusters 43
Artichoke Roots 5	Egg Plant
Asparagns 5	Endive
Asparagus Roots 5	Fertilizers 44
Bacteria 31	Fish Soap 44
Beans6-7	Flower Seeds32-42
Beets 8	Garden Implements 43
Beets, Sngar 8	Garden Hose 43
Bird Seed 31	Garlie 15
Bird Foods 31	Gopher Gun
Black Leaf 40 44	Gopher Poison 43
Broccoli 5	Grains, etc., 30
Brooders 48	Grasses, lawn
Brussels Sprouts 5	Grass Seeds 30
Buttermilk 44	Grasshopper Poison 44
Cabbage 9	Herbs 15
Calf Meal 44	Hot Kaps 44
Carrots 10	Insecticides
Cauliflower 10	Incubators 48
Celery 11	Kale 18
Celeriac	Kohl-Rabi 15
Chard. Swiss 11	Lawn Mowers 27
Chicory 11	Leek 18
Clovers 29	Lettrice
Corn	Mangel Wurzels 8
Cover Crops	Millets 31
Cucumbers 15	Mushrooms 20

Muskmelou 16
Mustard 20
0kra 20
Onions 19
Onion Sets
Oyster Plant 20
Parsley 20
Parsnips
Peas
Peanuts 20
Peppers
Plant Setter 20
Potatoes
Poultry Supplies45-48
Pumpkins 23
Pumpkins
Radishes
Radishes 24 Rutabaga 27
Radishes 24 Rutabaga 27 Salsify 20
Radishes 24 Rutabaga 27 Salsify 20 Seed Sowers 29
Radishes 24 Rutabaga 27 Salsify 20 Seed Sowers 29 Spinneh 24
Radishes 24 Rutabaga 27 Salsify 20 Seed Sowers 29 Spinach 24 Spray Material 42-43-44-45
Radishes 24 Rutabaga 27 Salsify 20 Seed Sowers 29 Spinuch 24 Spray Material 42-43-44-45 Sprayers (see inside back cover)
Radishes 24 Rutabaga 27 Salsify 20 Seed Sowers 29 Spinneh 24 Spray Material .42-43-44-45 Sprayers (see inside back cover) 29 Squash .25
Radishes 24 Ratabaga 27 Salsify 20 Seed Sowers 29 Spinach 24 Spray Material 42-43-44-45 Sprayers (see inside back cover) Squash Sulphur 43
Radishes 24 Rutabaga 27 Salsify 20 Seed Sowers 29 Spinneh 24 Spray Material 42-43-44-45 Sprayers (see inside back cover) 5 Sulphur 43 Tomatoes 26
Radishes 24 Rutabaga 27 Salsify 20 Seed Sowers 29 Spinach 24 Spray Material 42-43-44-45 Sprayers (see inside back cover) 8 Squash 25 Sulphur 43 Tomatoes 26 Tools and Requisites 43
Radishes 24 Rutabaga 27 Salsify 20 Seed Sowers 29 Spinneh 24 Spray Material 42-43-44-45 Sprayers (see inside back cover) 5 Sulphur 43 Tomatoes 26

HOW TO ORDER.

Write your name, postoffice and county plainly.

Remittances should be made by postoffice. express money order or exchange on Stockton, New York or San Francisco. For small items stamps will be accepted, preferably in 2-cent denominations.

KEEP A COPY OF YOUR ORDER Check goods received with this copy. Sometimes items are sold out, or will follow later, in which case a slip is enclosed with other goods or notice sent. In case of error, notify us immediately, that correction may be

made.

ABOUT UNSIGNED ORDERS

Every season we receive orders without signatures. and frequently without postoffice address. All we can do in this case is to hold them awaiting complaints. Sometimes it happens an order is lost in the mails, so if you do not hear from us in a reasonable length of time after ordering, send us a duplicate order telling us the date order telling was sent, length of time after ordering, send us a duplicate order telling us the date on which the first order was sent, and the amount of money enclosed. We will then investigate the matter, and if we find that your order has not already been filled, the duplicate order will go forward at once.

SHIPPING

We will use our best judgment as to the best way of shipping goods unless specific shipping directions are given. If express or freight office is different from postoffice, state in space on order sheet. We prepay express or parcel post charges on all garden seeds up to ten pounds.

NON-WARRANTY.

While we exercise great care to have all seeds pure, reliable and true to name, contracting and buying direct to name, contracting and buying direct from the largest and most reliable growers in this and other countries, we give no warranty, expressed or implied, as to description, purity, productiveness or any other matter of any seeds we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are to be returned at once. returned at once.

returned at once.

DO YOU WANT THIS CATALOG?

Be sure to send us an order for seeds if you want this catalog next year. If you do not send us an order your name is taken from our mailing list, believing you have changed your address, or you may have come to the store, where you can get a catalog at the counter. We prefer to have you on our list as an annual customer; then you will always get our catalog as soon as it comes from the press.

When you change your address notify us if you want this eatalog.







To Our Friends and Patrons

We take great pleasure in presenting our Seed Book for the year 1924.

We feel grateful for the business you have given us during the past year, and wish to thank our many friends for the continued confidence they have placed in us and for the many commendable and kind words spoken to their neighbors and friends regarding our Seeds.

The many letters received during the past season expressing satisfaction with the results obtained by planting our Seeds is certainly pleasing and encouraging.

We know you want the best Seeds obtainable. Our motto has been, "Seeds, Service, Satisfaction," and we assure you that in the future, as in the past we will offer you only the very best obtainable. In so doing we hope to be favored with a continuance of your good will and patronage.

Yours very truly,

KNOX SEED COMPANY.









What to Plant Each Month

JANUARY

VEGETABLES—Seeds of Asparagus, Beets, Brussel Sprouts, Cabbage, Carrots, Chicory, Corn Salad, Cress, Egg Plant, Kale, Kohl Rabi, Lettuce, Mustard, Onions, Parsley, Feas, Peppers, Potatoes, Radish, Rhubarb, Salsify, Spinach, (Winter) Tomatoes,

FLOWERS—Sow seeds of hardy annuals open ground, Acroclinium, Alyssuni, Antirrhinum, Calendula, Calliopsis, Candytuft, Centaurea, Annual Chrysanthemums, Clarkia, Larkspur, Lupin, Mignonette, Nigella, Poppies, California Poppy, Wild Flower Seed and Sweet Peas.

FEBRUARY

VEGETABLES—Seeds of Asparagus. Beets, Beans, Cabbage, Carrots, Celery, Chives, Chicory, Corn, Corn Salad, Cucumbers, Egg Plant, Horse Radish, Kale, Kohl Rabi, Lettuce, Mustard, Onions, Parsnip, Peas, Peppers, Potatoes, Sweet Potatoes, Squash, Radish, Rhurbarb, Salsify, Spinach, (Summer) Tomatoes, Turnips.

matoes, Turnips.

FLOWERS—Sow Seeds in open ground; Acroclinnium, Antirrhinum, Caledula, Calliopsis, Centaurea, Early Flowering Cosmos, California Poppy, Larkspur, Linum, Lupins, Mignonette, Nemophila, Nigella, Poppies, Scabiosa and Sweet Peas.

Sow in seed boxes—Balsam, Begonia, Coreopsis, Gaillardia, Hollyhock, Hunnemannia, Lobelia, Mimulus, Pentstemon, Petunia, Perennial Poppies, Salvi, Stocks and Viola Cornuta.

MARCH

VEGETABLES—Seeds of Artichoke, Asparagus, Beets, Beans, Cabbage, Chicory, Corn, (Sweet and Field) Cucumbers, Egg Plant, Kale, Lettuce, Melons, (Musk and Water) Okra, Onions, Parsley, Parsnip, Potatoes, Sweet Potatoes, Pumpkin, Radish, Rhubarb Seed, Salsify, Spinach, (Summer) Squashes,

Tomatoes.

FLOWERS—Sow seeds in open ground; Acroclinium, Ageratum, Alyssum, Antirrhinium, Arctotis, Amaranthus, Balsm, Brachycome, Bartonia, Calendula, Calliopsis, Candytuft, Centaurea, Clarkia, Annual Chrysanthemum, Early Flowering Cosmos, Daisies, Four O'Clocks, Godetia, Gomphrena, Gypsophila, Helichrysum, Larkspur, Linum, Lupin, Marigold, Migonette, Nasturtium, Nemesia, Nemophila, Nigella, Phlox, Poppy, Scabiosa, Sunflower and Sweet Peas.

phila, Helichrysum, Larkspur, Linuin, Lupin, Martgold, Migonette, Nasturtium, Nemesia, Nemophila, Nigella, Phlox, Poppy, Scabiosa, Sunflower and Sweet Peas.

Sow in seed boxes or with some protection for transplanting later: Asters, Begonia, Bellis, Daisy, Celosia, Columbine, Canterbury Bells, Coreopsis, Cyclamen, Dahlia, Gaillardia, Gerbera, Heliotrope, Hunnemannia, Lobelia, Matricaria, Mysotis, Pentstemon, Petunia, Poppies, Salvi, Shasta Daisy, Statice, Sweet William, Verbena, Viola, Wallflower, Zinnia. Sow seeds of Vines.

VEGETABLES-Seeds of Artichoke Seed, Asparagus, Beets, Beans, Carrots, Cabbage, Celery, Corn. (Sweet and Field) Cress, Egg Plant, Kale, Lettuce, Melons, (Musk, Water, and Casabas) Okra, Onions, Parsley, Peas, Peppers, Parsnip, Potatoes, Sweet Potatoes, Pumpkin, Radish, Rhubarb Seed, Salsify, Spinach (Summer) Squash, Tomatoes.

Spinach (Summer) Squash, Tomatoes.

FLOWERS—Seeds of Abronia, Acroclinum, Ageratum Antirrhinium, Ameranthus, Asters, Balsam, Aquilegia, Begonia, Bellis, Brachycome, Calendula, Calliopsis, Candytuft. Canterbury Bells, Carnation, Annual Chrysanthemum, Celosia, Cantaurea Clarkia, Coreopsis, Cosmos, Cyclamen, Dahlia, Daisies, Delphinium, Digitalis, Dianthus, Gaillardia, Godetia, Gerbera, Gypsophila, Gomphrena, Heliotrope, Helichrysum, Hunnemannia, Hollyhock, Larksmpur, Lobelia, Linum, Lupin, Marigold, Myosotis Mirabilis, Mimulus, Mignonette, Nasturtium, Nemesia, Nicotiana, Nigella, Pentstemon, Petunia, Phlox, Poppies, Portulaca, Salva, Salpiglosis, Scabiosa, Schizanthus, Stevia, Stocks, Statice, Sweet William, Vervena, Viola, Sunflower, Wallflower, Zinnia.

MAY

VEGETABLES—Seeds of Artichoke, Asparagus, Beets, Beans, Cabbage, Carrots, Celery Plants, Corn, (Sweet and Field) Cucumber. Egg Plant, Lettuce, Melons (Musk, Water, and Casabas) Okra, Onions, Parsley, Parsnip, Peas, Peppers: Transplant Potatoes, Sweet Potatoes (Plants) Pumpkin, Radish, Rhubarb, Salsify, Spinach, (Summer) Squash, Tomato.

mato. FLOWERS-FLOWERS—Seeds of Abronia, Acroclinium, Ageratum, Amaranthus, Asters, Balsam, Carnation, Calendula, Celosia, Centaurea, Calliopsis, Cosmos, Daisies, Annual Chrysanthemum, Candytuft, Dianthus, Gailladia, Gomphrena, Gypsophila, Helichrysum, Hunnemannia, Lobelia, Larkspur, Marigold, Matricaria, Nasturtium, Nemesia, Nicotiana, Nigella, Phlox, Petunia, Portulaca, Salvia, Salpiglossis, Scabiosa, Schizanthus, Stevia, Sunflower, Statice, Zinnia.

JUNE AND JULY

VEGETABLES—Seeds of Artichoke, Beets, Beans, Cabbage, Carrots, Celery Plants, Corn, (Sweet and Field) Cucumber, Egg Plant, Lettuce, Melons, (Musk, Water and Casabas) Okra, Parsley, Parsnip, Peas, Pepper, Plants, Potatoes, Sweet Potatoes, (Plants) Pumpkin, Radish, Spinach, (Summer) To-

FLOWERS—Seeds of Calendula, Candytuft, Cosmos, Centaurea, Cineraria, Daisies, Marigold, Nasturtium, Portulaca, Poppies, Salpiglossis, Zinnia.

AUGUST

VEGETABLES — Artichoke, Beets, Beans, early varieties, Brussel Sprouts, Cabbage, Cauliflower, Carrots, Chicory, Corn, Cress, Cucumber, Egg Plant, Endive. Garlic, Kale, Kohl Rabi, Leek, Lettuce, Mustard, Onion, Parsley, Parsnip, Peas, Potatoes, Radish, Salsify, Spinach, (Summer) Turnips.

FLOWERS—Calendula, Cineraria, Centaurea, Cosmos, Pansies, Primula, Stocks, Sweet Peas. Begin sowing seeds of hardy perennials for next year's flowering, such as Aquilegia, Bellis, Daisy, Canterbury, Bells, Coreopsis, Cyclamen, Delphinium, Digitalis, Forget-me-not, Gaillardia, Hollyhocks, Pentstemon, Perennial Poppies, Phlox, Pyrenthrum, Snapdragons, Verbena, Viola and Wallflower.

SEPTEMBER

VEGETABLES—Seeds of Artichoke, Beets, Brussel Sprouts, Cabbage, Carrots, Cauliflower, Chicory, Cress, Cucumber, Endive, Garlic, Kale, Kohl Rabi, Leek, Lettuce, Mustard, Onions, Parsley Parsnip, Peas, Potatoes, Radish, Salsify, Spinach, (Winter)

Turnips.

FLOWERS—Seeds of Calendula, Centaurea, Cineraria, African Daisy, Nemesis, Cosmos, Pansy, Primula, Stocks and Winter Sweet Peas. Continue sowing hardy perennials for next year's flowering, such as Aquilegia, Bellis Daisy, Canterbury Bells, Coreopsis, Cyclamen, Delphinium, Digitalis, Forgetme-not, Gaillardia, Hollyhocks, Pentstemon, Perennial Poppies, Phlox, Pyrethrum Snapdragon, Verbena, Viola, and Wallflower.

OCTOBER

VEGETABLES—Seeds of Beets, Brussel Sprouts, Cabbage, Carrots, Chicory, Cress, Endive, Garlic, Kale, Kohl Rabi, Leek, Lettuce, Mustard Onions, Parsley, Parsnip, Peas, Radish, Salsify Spinach, Turnips.

FLOWERS — Continue sowing seeds for winter blooming of Calendula, Centaurea, Cincraria, Cos-mos, African Daisy, Dianthus, Nemesis, Phlox, Pansy, Primula, Scabiosa, Stocks and Winter Sweet Peas.

Begin sowing annuals in open ground for early spring blooming, Acroclinium, Alyssum, Antirrhinum, Bartonia, Candytuft, Caliopsis, Clarkia, Annual Chrysanthemums, California Poppy, Larkspur, Lupin, Mignonette, Nigella, Poppies, California Wild Flowers, Continue sowing perennials for next year's flowering—Aquilegia, Bellis, Canterbury, Bells, Coreopsis, Cyclamen, Delphinium, Digitalis, Forgetme-not, Gaillardia, Hollyhocks, Pentstemon Perennial Poppies and Phlox, Pyrenthrum, Snapdragon, Verbena, Viola, and Wallflower.

NOVEMBER

VEGETABLES.—Seeds of Beets, Brussel Sprouts, Cabbage, Carrots, Chicory, Cress, Garlic, Kale, Kohl Rabi, Lettuce. Leek, Mustard, Onions Parsley Peas, Radish, Salsify, Spinach (Winter) Turnips.

FLOWERS.—Seeds of hardy annuals, Acroclinium, Alyssum, Antirrhinium, Bartonia, Calendula, Candytuft, Calliopsis, Clarkia, Annual Chrysanthemums, California Poppy, Dianthus, Larkspur, Lupin, Mignonette, Nigella, Nemesia, Pansy, Phlox, Stocks, Winter Sweet Peas and California Wild Flowers.

DECEMBER

VEGETABLES — Artichoke Plants, Asparagus Roots, Seeds of Beets, Brussel Sprouts, Cabbage, Chicory, Cress, Endive, Garlic, Horse Radish, Kale, Kohl Rabi, Leek, Lettuce, Mustard, Onions, Parsley, Parsnips, Peas, Potatoes, Radish, Rhubarb Roots, Salsify Spinach (Winter) Turnips, Onion sets.

FLOWERS—Sow seeds of hardy annuals, Acroclinium, Alyssum, Antirrhinium, Bartonia, Calendula, Candytuft, Calliopsis, Clarkia, Annual Chrysanthemums, California Poppy, Dianthus, Larkspur, Lupin, Mignonette, Nigella, Nemesia, Pansy, Phlox, Stocks, Winter Sweet Peas and California Wild Flowers. Flowers.

Knox's Planting Guide

COMPLETE INFORMATION IN A SIMPLIFIED FORM

| inch | | ıΩ | | ches | 201 | | | | | inch | | × |

 | | | |

 | |

 | | | :

 | |

 |

 |

 | |

 | | | M | | | | | | , | |
 | | | : | | |
|-----------------|--|--|---|--|--|---|--|---|--|---|---|---
--
--
--
--|--|---|--
--
--
--
--|--
--
--
---|---

--
--
---|---
--
--
--
--
--
--
--
--
--
--
---|---|------------------
--|--|------------------|------------------|----------------------------------|------------------|---|--|--|---------------------------------------
--|--|--|-------------------|
| ┼╴ | | . s inche | | . 1 to 2 in | . % inch | . 1 inch | . % inch | . % Inch | . 's inch | \Q | . 1/2 inch | . very snallow | . 's inch

 | . % inch | ,°; | · ¼ inch | ₹_

 | - | . s inch

 | · ½ inch | . % Inc. |

 | · 1/2 inch | . % inch

 | . 1/2 inch

 | . i inch

 | inch | 1 inch

 | . I inch | | Very shallo | . ½ inch | 1/2 inch | inches inches | . 1 inch | . 1/2 inch | . % inches | 1 inch | i inch
 | .11 1/2 inch | . \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | . % inch | |
| | Next Spring | | | 2 to 3 Months | 3 to 3% Months | 4 to 6 Months | 3 1/2 Months | 2 to 4 Months | 4 to 5 Months | 4 Months | 4 to 6 Months | 4 to a Months | 2 Months

 | 3 to 4 Months | 4 Months | 2 to 3 Months | 24 to 3 Months

 | 2 to 3 Months | 3 Months

 | 4 Months | 5 to 6 Months | 6 Months

 | 2 to 3 Months | 4 Months

 | 2 to 3 Months

 | 3 to 4 Months

 | 3 to 4 Months | 3 Months

 | 4 1/2 to 6 Months | 2 to 3 Months | 3 Months | 4 Months | 4 | .o ~ | | _ ` | Znd Spring | 4 Months | 40 to 65 Days
 | 2 Months | 4 to 5 Months | oo - | * 4 | |
| 3 ft | 3 ft. | 3 ft. | 1 f: | 6 in. | 1 ½ IU. | 1 ft. | 1 ft. | 1 ½ It. | 2 II. | 6 in. | 2 1/2 ft. | 6 in. | 5 ½ I.

 | 2 in: | 15 in. | % in: | 8 In.

 | 4 ft. | 10 in.

 | 2 ft. | o in. | 18 in.

 | 18 in. | 6 in.

 | × o ×

 | 4 ft.

 | 6 ft. | 2 /2

 | 50 in. | o In. | 6 in. | » « | 18 in. | 10 in. | 8 ft. | 3 ft. | ;;
;; | 4 in. | 2 in.
 | 3 ft
4 t | 3 ft. | 3 ft. | 8 in: | |
| 5 ft | 5 ft. | 4 ft. | 4 ft. | 3 ft. | 2 II. | 3 ft. | 2½ ft. | 2 ½ II. | 2.72 I.L. | 24 in. | 3 ft. | 3 ft. | 108

 | 0000 | 30 | 30 in. | 36 in

 | 6 ft. | 30 in.

 | t 30 in. | 30 in. | 30 in.

 | 30 in. | 30 in.

 | 24 in.

 | 6 ft.

 | 8 ft. | 3 ft.

 | 24 in. | 18 in. | 24 in. | 30 in. | | | 36 III.
10 ft. | 18 in. | 5 ft. | 30 in. | 24 in.
 | • • • • • • • • • • • • • • • • • • • | 50 ft. | 5 ft. | 24 in. | |
| October to May | Dec. to April | December to May | December to May | Jan. to September | Jan. to September
All vear | September to May | Nov. to April | October to May | All Year | All Year | June to Janaury | January to May | January to may

 | September to May | All Year | September to May | Feb. to Nov.

 | March to Sept. | Sept. to April

 | January to Augus | August to May | December to May

 | All Year | All Year

 | Sept. to April

 | March to July

 | March to July | April to July

 | Sept. to April | All Year | All Year | All Year | January to July | Dec. to Sept. | March to July
March to August | All Year | January to April | February to Oct. | All Year
 | | | _ | All Year | |
| 19 oz T | 3000 P. | lbs. | ь.
Б. | _ | 50 lbs. | 8 lbs. | 4 oz. T. | | 8 0Z. T. | | 4 oz. T. | | 6 0Z.

 | 2 lbs. | 8 oz. T. | 4 lbs. | 5 Ibs.

 | 2 lbs. | % 1b.

 | 4 oz. T. | |

 | _ | 4 lbs.

 | 4 lbs.

 | _

 | | 8 10s.

 | _ | | | 6 lbs. | | | | 12 lbs. | 4 ozs. | | 20 lbs.
 | o lbs. | 2 Ibs.
3 oz. T. | 3000 P. | 3 lbs. | |
| | | 3 lbs. | 32 Plants | 1 lb. | % 10. | 2 oz. | 1 Pkt. | 2 Pkts. | 1 PKt. | 1 02. | 1/4 OZ. | 2 Pkts. | PKI.

 | 2 Pkts. | 1 Pkt. | 2 Pkts. | 1 oz.

 | % Pkts. | 1 Pkt.

 | 1 Pkt. | 1 oz. | 70 Plants

 | 2 Pkts. | 1 Pkt.

 | % 0Z.

 | 2 Pkts.

 | 1 oz. | 1 P.K.

 | ½ oz. | 2 lbs. | 1 Pkt. | 2 Pkts. | 1 Pkt. | 5 lbs. | 70 Plants
2 Pkts. | 1 oz. | | | 1 oz.
 | - 2 Pkts. | 2 PKts.
1 Pkt. | 35 Plants | 210. | |
| Artichoke Globe | Artichoke, Plants | Artichoke, Jerusalem | Asparagus Plants | Beans, Bush | Beans, Fole | Beet Stock | Broccoli | Brussels Sprouts | Cappage, | | | _ |

 | _ | | |

 | Cucumber | Dandelion

 | | Endive (sofe) |

 | Kale | Kohlra

 |

 |

 | | _

 | | | | | | | | Radish | Rhubarb | Khubarb Koots | Spinach
 | Squash, Bush | Squash, Running | Tomato, Plants | Turnip Sweds or Bulahaga | Tumb sucas a |
| | 9 Plrts 19 oz Tr October to May 5 ft 2nd | 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 12 oz. T. Dec. to April 5 ft. 3 ft. 1 | ts 32 Plants 3000 P. December to May 5 ft. 3 ft. Late St salem 3 lbs. 300 lbs. Pennary to May 6 ft. 3 ft. Third | 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 3 ft. 2 nd Spring m 3 lbs. 300 lbs. December to May 4 ft. 3 ft. Late Spring m 1 oz. 2 lbs. T. Pebruary to May 6 ft. 3 ft. Third Spring m 32 Plants 1 log. 2 lbs. T. December to May 4 ft. 1 ft. Next Spring | 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 2 nd Spring .m 3 lbs. 300 lbs. Dec. to April 5 ft. 3 ft. Late Spring .m 3 lbs. 2 lbs. T. Pebruary to May 4 ft. 3 ft. Late Summer 1 oz. 2 lbs. T. Pebruary to May 6 ft. 3 ft. Third Spring 3 2 lbants 11000 P. December to May 4 ft. 1 ft. Next Spring 1 lb. 60 lbs. Jan. to September 3 ft. 6 in. 2 to 3 Months | 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 2nd Spring 3 22 Plants 3000 P. December to May 5 ft. 3 ft. Late Summer 1 oz. 2 lbs. T. Pebruary to May 4 ft. 3 ft. Third Spring 2 lbs. T. December to May 4 ft. 1 ft. Next Spring 3 22 Plants 11000 P. December to May 4 ft. 1 ft. Next Spring 3 22 Plants 1 lb. 50 lbs. Jan. to September 2 ft. 1 ft. 2 to 3 Months 3 to 3 % Months | 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 2nd Spring 3 lbs. 300 lbs. December to May 5 ft. 3 ft. Late Summer 1 lb. 50 lbs. Jan. to September 3 ft. 1 lt. 1 lbs. 50 lbs. Jan. to September 3 ft. 1 lt. 2 to 3 Months 2 los. September to May 4 ft. 1 ft. 1 lt. 2 to 3 Months 2 los. 3 los. 3 los. 3 ft. 4 to 6 Months 3 los. 3 los. | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Index Spring Artichoke, Plants 3 Phants 3000 P. Dec. to April 5 ft. 3 ft. Late Summer Asparagus Seed 1 oz. 2 lbs. December to May 4 ft. 3 ft. Third Spring Asparagus Plants 32 Plants 1000 P. February to May 4 ft. 1 ft. Next Spring Beans, Bush 32 Plants 1100 P. Jan. to September 3 ft. 6 in. 2 to 3 Months Beat, Table 2 oz. 10 lbs. All year. 2 ft. 6 in. 4 to 6 Months Beet, Table 2 oz. 8 lbs. September to May 2 ft. 6 in. 4 to 6 Months Beet, Table 2 oz. 1 Pkt. 4 oz. T. 1 ft. 3 ft. 4 to 6 Months | Articloke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 2 nd Spring Articloke, Plants 3000 P. Dec. to April 5 ft. 3 ft. Interest Spring Articloke, Plants 1 bs. 3000 P. December to May 4 ft. 3 ft. Late Spring Asparagus Seed 1 oz. 2 lbs. Thereave to May 4 ft. 3 ft. Third Spring Asparagus Plants 1 lb. 50 lbs. Jan. to September 3 ft. 1 ft. 2 to 3 Months Beans, Bush 3 lb. 50 lbs. Jan. to September 3 ft. 6 in. 2 to 3 Months Beet, Table 2 oz. 8 lbs. September to May 3 ft. 6 in. 3 to 3 Months Beet, Table 2 oz. 8 lbs. September to May 3 ft. 6 in. 3 to 3 Months Broccoli 1 pkt. 4 oz. 1 ft. 3 ft. 4 to 6 Months Brussels Sprouts 2 pkts. 4 oz. 0 ctober to May 2 ft. 4 ft. 3 ft. 4 to 4 Months | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 2 nd Spring Artichoke, Plants 3 1bs. 3 000 P. December to May 5 ft. 3 ft. Inket Summer Asparagus Beed 1 oz. 1 bs. 2 bs. 1 Pebruary to May 6 ft. 3 ft. Third Spring Asparagus Plants 3 plants 1 oz. 1 bcember to May 6 ft. 3 ft. Third Spring Beans, Bush 1 lb. 50 lbs. Jan. to September 3 ft. 6 in. 2 to 3 Months Beet, Table 2 oz. 8 lbs. All year. 3 ft. 1 ft. 4 to 6 Months Broccoll 1 pkt. 4 oz. Nov. to Aprill 2 ft. 4 to 6 Months 2 oz. 2 pkts. 4 oz. Nov. to Aprill 2 ft. 4 to 6 Months 2 pkts. 4 oz. All year 2 ft. 4 to 6 Months 2 pkts. 4 oz. All year 2 ft. 4 to 6 Months | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 2 nd Spring Artichoke, Plants 32 Plants 3000 P. Dec. to April 5 ft. 3 ft. Late Suring Asparagus Seed 3 lbs. 300 lbs. December to May 4 ft. 3 ft. Late Suring Asparagus Plants 32 Plants 1000 P. December to May 4 ft. 1 ft. Next Spring Beans, Bush 32 Plants 1000 P. December to May 4 ft. 1 ft. 2 to 3 Months Beet, Table 2 oz. 8 lbs. Jan. to September 3 ft. 6 in. 2 to 3 Months Broccoli 1 Pkt. 4 oz. Nov. to April 2 ft. 6 in. 4 to 6 Months Broccoli 1 Pkt. 4 oz. All Year 2 ft. 5 Months Cabbage, Barly 1 Pkt. 8 oz. All Year 2 ft. 4 to 6 Months Cabbage, Late 1 pkt. 8 oz. All Year 2 ft. 4 to 6 Months | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 3 lbs. 300 lbs. December to May 4 ft. 3 ft. Late Summer Asparagus Seed 3 lbs. 2 lbs. December to May 4 ft. 3 ft. Third Spring Asparagus Seed 32 Plants 1100 lbs. Pocember to May 4 ft. 1 ft. Next Spring Beans, Bush 32 Plants 11 lb. 60 lbs. Jan. to September 3 ft. 6 lm. 2 to 3 Months Beat, Table 2 oz. 10 lbs. All year 3 ft. 6 lm. 2 to 3 Months Broccoli 2 oz. 8 lbs. September to May 3 ft. 6 lm. 2 to 3 Months Beet, Table 2 oz. 8 lbs. September to May 3 ft. 4 to 6 Months Broccoli 1 pkt. 4 oz. Nov. to April 2 ft. 4 to 6 Months Cabbage, Barly 1 pkt. 8 oz. A li Year 2 ft. 4 to 6 Months C | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 2 nd Spring Artichoke, Plants 32 Plants 3000 Ps. Dec. to April 5 ft. 3 ft. Inket Summer Asparagus Seed 1 oz. 1 oz. 1 oz. 1 oz. 1 c. 2 c. 2 c. 2 c. 3 c. 4 c. <td< td=""><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Znd Spring Artichoke, Plants 32 Plants 300 P. December to May 5 ft. 3 ft. Late Summer Asparagus Seed 3 lbs. 1 oz. 1 oz. 1 c. 2 c. 2 lbs. 1 lb. 3 ft. Init de Summer Asparagus Plants 3 lbs. 1 lb. 1 lb. 1 lb. 2 lbs. 1 lb. 3 ft. 1 lit. 2 to 3 Months Beans, Pole 2 lb. 2 lbs. 3 lbs. 4 to 6 lbn. 4 to 6 lbn.</td><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 2 nd Spring Artichoke, Plants 32 Plants 3000 P. December to May 4 ft. 3 ft. Late Summer Asparagus Seed 3 lbs. 1 oz. 1 lbs. 1 bcember to May 4 ft. 3 ft. Inted Spring Asparagus Plants 32 Plants 1 lb. 1 bcember to May 4 ft. 1 ft. 1 lnd Spring Beans, Bush 32 Plants 1 lb. 50 lbs. Jan. to September of ft. 4 ft. 1 ft. 2 to 3 Months Beet, Table 2 oz. 8 lbs.
September of ft. 3 ft. 6 in. 2 to 3 Months Broccols 2 oz. 8 lbs. September of ft. 1 ft. 4 to 6 Months Broccols 1 Pkt. 4 oz. A ly c. A li ft. 1 ft. 4 to 6 Months Broccols 2 pkts. 4 oz. A li ft. 1 ft. 4 to 5 Months Broccols 3 pkts. 4 oz. A li ft. 4 to 6 Months Cabb</td><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 32 Plants 3000 P. Dec. to April 5 ft. 3 ft. Incomber to May 5 ft. 3 ft. Inter Summer Asparagus Seed 3 lbs. 1000 P. December to May 6 ft. 3 ft. Inter Summer Asparagus Seed 1 lb. 50 lbs. December to May 6 ft. 3 ft. Third Spring Beans, Bush 1 lb. 50 lbs. Jan. to September 3 ft. 6 in. 2 to 3 Months Best Stock 2 oz. 8 lbs. September to May 3 ft. 1 ft. 4 to 6 Months Broscols 1 Pkt. 4 oz. 1 kt. 1 ft. 4 to 6 Months Broscols 2 oz. 8 lbs. September to May 2 ft. 1 ft. 4 to 6 Months Broscols 1 pkt. 4 oz. A lbs. A lb</td><td>Articloke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Index Spring Articloke, Plants 3 lbs. 3000 P. Dec. to April 5 ft. 3 ft. Index Spring Asparagus Seed 1 oz. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 2 lbs. 2 lbs. 2 lbs. 2 lbs. 3 lbs.<td>Articloke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Index Spring Articloke, Plants 3 lbs. 3 lbs. 3 lbs. 3 lbs. 3 ft. Interest Spring Asparagus Seed 1 oz. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 2 lbs. 2 lbs. 2 lbs. 2 lbs. 3 lbs. 4 lbs. 2 lbs. 4 lbs.</td><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Index Spring Artichoke, Plants 3 lbs. 3000 P. December to May 4 ft. 3 ft. Late Summer Asparagus Seed 1 lbs. 1 lbs. 2 lbs. Tebruary to May 4 ft. 1 ft. Inted Spring Asparagus Plants 1 lb 50 lbs. 1 lb 50 lbs. Jan. to September to May 4 ft. 1 ft. 1 kt. 2 to 3 Months Beans, Bush 2 lbs. 1 lb 50 lbs. Jan. to September to May 4 ft. 1 ft. 2 to 3 Months Beet, Table 2 oz. 8 lbs. All year 2 ft. 6 in. 2 to 3 Months Beet, Table 2 oz. 8 lbs. September to May 3 ft. 4 to 6 Months Beet, Table 2 oz. 8 lbs. All year 2 ft. 6 in. 4 to 6 Months Broccoli 1 Pkt. 4 oz. All Year All Year 2 ft. 4 to 6 Months Cabbage, Late 1 pkt. 4 oz.<td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 32 Plants 3000 P. Dec. to April 5 ft. 3 ft. Inter Summer Asparagus Seed 1 oz. 1 oz. 1 b. 300 Ps. December to May 6 ft. 3 ft. Third Spring Asparagus Plants 1 oz. 1 b. 50 lbs. December to May 4 ft. 1 ft. Third Spring Beans, Bush 2 oz. 1 lb. 50 lbs. Jan. to September 3 ft. 6 in. 2 to 3 Months Beat Stock 2 oz. 8 lbs. September to May 3 ft. 1 ft. 4 to 6 Months Best Stock 1 Pkt. 4 oz. Cotober to May 3 ft. 1 ft. 4 to 6 Months Best Stock 2 oz. 1 Pkt. 4 oz. A lb. 1 ft. 4 to 6 Months Brossels Sprouts 1 Pkt. 8 oz. A lb. A lb. 2 ft. 4 to 6 Months Brossels Sprouts 1 oz. 4 oz.</td><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 3 2 Plants 3000 P. Dec. to April 5 ft. 3 ft. Inter Summer Asparagus Seed 3 1 bs. 3000 P. December to May 6 ft. 7 Third Spring Asparagus Plants 3 1 bs. 1 bb. 50 lbs. Jan. to September 3 ft. 7 Third Spring Beans, Pole 3 bb. 50 lbs. Jan. to September 3 ft. 1 ft. Next Spring Bears, Pole 3 bb. 5 lbs. All year. 5 ft. 1 ft. 2 to 3 Months Beat, Table 2 oz. 8 lbs. All year. 5 ft. 1 ft. 4 to 6 Months Beet Stoods 1 pkt. 4 oz. Cotober to May 3 ft. 1 ft. 4 to 6 Months Brussels Sprouts 1 pkt. 4 oz. All Year 2 ft. 1 ft. 4 to 6 Months Cabbage, Late 1 pkt. 8 oz. All Year All Year 2 ft. 4 to 6 Months</td><td>Articloke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Articloke, Plants 3 poz. 2 Pkts. 10 sz. 2 plants 300 lbs. December to May 4 ft. 3 ft. Inte Summer Asparagus Seed 3 plants 10 sz. 2 lbs. T December to May 4 ft. 1 ft. Noxt Spring Beans, Plants 1 lb. 50 lbs. Jan. to September 3 ft. 1 ft. Noxt Spring Bear, Pole 2 lb. 3 lb. All year. 2 ft. 4 ft. 6 lm. 3 Months Beet Stock 2 lb. 3 lbs. September to May 3 ft. 1 ft. 2 to 3 Months Beet Stock 2 lb. 4 lb. 5 lbs. All year. 2 lb. 3 ft. 1 ft. 4 lb. 4 lb. 4 lb. 5 lb. 4 lb. 3 lb. 4 lb.<!--</td--><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to April 5 ft. 3 ft. Next Spring Artichoke, Plants 3000 P. December to April 5 ft. 3 ft. Next Spring Artichoke, Plants 3000 P. December to April 5 ft. 3 ft. This Spring Asparagus Seed 32 Plants 1000 P. December to May 6 ft. 3 ft. This Spring Asparagus Plants 32 Plants 1000 P. December to May 6 ft. 3 ft. This Spring Beans, Bush Bash 32 Plants 1000 P. Jan to September 3 ft. 1 ft. Nat Spring Beet Slock To December to May 3 ft. 1 ft. 1 ft. 2 to 3 Months Beet Slock Sprouts 5 pkts 4 oz. All year 2 ft. 6 lm. 4 to 6 Months Bressels Sprouts 1 pkt. 8 oz. All Year All Year 1 ft. 3 ft. 1 ft. 3 ft. 1 ft. 3 ft. 1 ft. 4 to 6 Months Cabbage, Late <</td><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Thide Spring Asparagus Seed 1 0z. 2 lbs. Pebruary to May 6 ft. 3 ft. Thide Spring Asparagus Seed 1 0z. 2 lbs. Jan. to September 3 ft. 1 ft. 1 to 3 Months Beans, Bush 2 oz. 1 lbs. Jan. to September 3 ft. 1 ft. 2 to 3 Months Beats, Bush 2 oz. 1 lbs. All vear. All vear. 2 ft. 1 ft. 2 to 3 Months Beet Table 5 lbs. All vear. September to May 2 ft. 1 ft. 3 ft. 1 ft. 4 to 3 ft. 3 Months Beet Shrouts 1 pkt. 8 oz. All vear. October to May 2 ft. 1 ft. 3 ft. 1 ft. 4 to 3 ft. 4 to 4 to 6 Months Cabbage, Early 1 pkt. 8 oz. All Year. All Year. 2 ft.
 4 to 6 Months <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nox Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Tate Summer Asparagus Seed 1 0z. 2 lbs. T. December to May 6 ft. 3 ft. Theat Summer Asparagus Seed 3 lbs. 1 lb. 1 lb. 3 lb. 1 lb. 1 lb. 2 lbs. 1 lb. 2 lbs. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 2 lb. 3 lb. 3 lb. 3 lb. 3 lb. 4 lb. <td< td=""><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nad Spring Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 3 ft. Inc. to April Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 1 c. Inc. to Spiral Asparagus Seed 3 2 Plants 300 bs. Percember to May 5 ft. 1 c. Inc. to Spiral Beans, Bush 2 oz. 10 bs. Jan. to September 3 ft. 1 c. 2 to 3 Months Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 c. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. A by Inc. A by Inc. 3 ft. 4 ft. 5 ft. Bert, Sprouts 2 oz. 1 pkt. 4 oz. A line to January 2 ft. <td< td=""><td>Artichoke, Globe 2 Pktts. 12 oz. T. October to May 5 ft. 3 ft. Znd Spring Artichoke, Flants 3 lbs. 3 pants 300 lbs. Poccober to April 5 ft. 3 ft. Late Summer Asparagus Plants 3 lbs. 3 pants 300 lbs. Pebruary to May 6 ft. 3 ft. Tate Summer Asparagus Plants 3 lbs. 3 pants 10 lbs. 3 lbs. Pebruary to May 6 ft. 3 ft. 1 lbs. 3 lbs. Beens, Bush 2 lbs. 3 lbs. 4 lbs. <</td><td>Artichoke, Globe 2 Pikts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring. Artichoke, Plants 3 1 ps. 2 Pikts. 3 10 ps. Dec. to Abrill 5 ft. 1 Late Summer Asparagus Seed 3 1 ps. 2 piks. 2 piks. 2 piks. 2 piks. 2 piks. 3 piks. 4 piks.<td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ff. 3 ff. 7 ff. 8 ff. 7 ff. 8 ff. 8 ff. 8 ff. 8 ff. 9 ff. 1 ff. 1 ff. 1 ff.</td><td> Artichoke, Globe</td><td> Articlooke, Globe 2 PRts. 12 oz. T. Doctober to May 5 ft. 2 ft. 12 ft. 12 ft. 12 ft. 12 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 14 ft.</td><td> Articlooke, Globe 22 Pkts. 12 oz. T. October to May 5 ft. 2 ft. Nax Spring</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Articlobe Globe Globe</td><td> Articlobe Choice 2 PRts 2 Prts </td><td> Activities Globe Paris 20 P</td><td> Artichore Golde</td><td> Appropriate Globe 2 Picks 2 Pi</td><td> Activitive Global Coccoper to May Str. Activitive Global Str. Activity (Coccope G</td><td> Actionary Company Control Research Control Re</td><td>Artichoke, Globbs</td></td></td<></td></td<></td></td></td></td></td></td<> | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Znd Spring Artichoke, Plants 32 Plants 300 P. December to May 5 ft. 3 ft. Late Summer Asparagus Seed 3 lbs. 1 oz. 1 oz. 1 c. 2 c. 2 lbs. 1 lb. 3 ft. Init de Summer Asparagus Plants 3 lbs. 1 lb. 1 lb. 1 lb. 2 lbs. 1 lb. 3 ft. 1 lit. 2 to 3 Months Beans, Pole 2 lb. 2 lbs. 3 lbs. 4 to 6 lbn. 4 to 6 lbn. | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. 2 nd Spring Artichoke, Plants 32 Plants 3000 P. December to May 4 ft. 3 ft. Late Summer Asparagus Seed 3 lbs. 1 oz. 1 lbs. 1 bcember to May 4 ft. 3 ft. Inted Spring Asparagus Plants 32 Plants 1 lb. 1 bcember to May 4 ft. 1 ft. 1 lnd Spring Beans, Bush 32 Plants 1 lb. 50 lbs. Jan. to September of ft. 4 ft. 1 ft. 2 to 3 Months Beet, Table 2 oz. 8 lbs. September of ft. 3 ft. 6 in. 2 to 3 Months Broccols 2 oz. 8 lbs. September of ft. 1 ft. 4 to 6 Months Broccols 1 Pkt. 4 oz. A ly c. A li ft. 1 ft. 4 to 6 Months Broccols 2 pkts. 4 oz. A li ft. 1 ft. 4 to 5 Months Broccols 3 pkts. 4 oz. A li ft. 4 to 6 Months Cabb | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 32 Plants 3000 P. Dec. to April 5 ft. 3 ft. Incomber to May 5 ft. 3 ft. Inter Summer Asparagus Seed 3 lbs. 1000 P. December to May 6 ft. 3 ft. Inter Summer Asparagus Seed 1 lb. 50 lbs. December to May 6 ft. 3 ft. Third Spring Beans, Bush 1 lb. 50 lbs. Jan. to September 3 ft. 6 in. 2 to 3 Months Best Stock 2 oz. 8 lbs. September to May 3 ft. 1 ft. 4 to 6 Months Broscols 1 Pkt. 4 oz. 1 kt. 1 ft. 4 to 6 Months Broscols 2 oz. 8 lbs. September to May 2 ft. 1 ft. 4 to 6 Months Broscols 1 pkt. 4 oz. A lbs. A lb | Articloke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Index Spring Articloke, Plants 3 lbs. 3000 P. Dec. to April 5 ft. 3 ft. Index Spring Asparagus Seed 1 oz. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 2 lbs. 2 lbs. 2 lbs. 2 lbs. 3 lbs. <td>Articloke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Index Spring Articloke, Plants 3 lbs. 3 lbs. 3 lbs. 3 lbs. 3 ft. Interest Spring Asparagus Seed 1 oz. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 2 lbs. 2 lbs. 2 lbs. 2 lbs. 3 lbs. 4 lbs. 2 lbs. 4 lbs.</td> <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Index Spring Artichoke, Plants 3 lbs. 3000 P. December to May 4 ft. 3 ft. Late Summer Asparagus Seed 1 lbs. 1 lbs. 2 lbs. Tebruary to May 4 ft. 1 ft. Inted Spring Asparagus Plants 1 lb 50 lbs. 1 lb 50 lbs. Jan. to September to May 4 ft. 1 ft. 1 kt. 2 to 3 Months Beans, Bush 2 lbs. 1 lb 50 lbs. Jan. to September to May 4 ft. 1 ft. 2 to 3 Months Beet, Table 2 oz. 8 lbs. All year 2 ft. 6 in. 2 to 3 Months Beet, Table 2 oz. 8 lbs. September to May 3 ft. 4 to 6 Months Beet, Table 2 oz. 8 lbs. All year 2 ft. 6 in. 4 to 6 Months Broccoli 1 Pkt. 4 oz. All Year All Year 2 ft. 4 to 6 Months Cabbage, Late 1 pkt. 4 oz.<td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 32 Plants 3000 P. Dec. to April 5 ft. 3 ft. Inter Summer Asparagus Seed 1 oz. 1 oz. 1 b. 300 Ps. December to May
6 ft. 3 ft. Third Spring Asparagus Plants 1 oz. 1 b. 50 lbs. December to May 4 ft. 1 ft. Third Spring Beans, Bush 2 oz. 1 lb. 50 lbs. Jan. to September 3 ft. 6 in. 2 to 3 Months Beat Stock 2 oz. 8 lbs. September to May 3 ft. 1 ft. 4 to 6 Months Best Stock 1 Pkt. 4 oz. Cotober to May 3 ft. 1 ft. 4 to 6 Months Best Stock 2 oz. 1 Pkt. 4 oz. A lb. 1 ft. 4 to 6 Months Brossels Sprouts 1 Pkt. 8 oz. A lb. A lb. 2 ft. 4 to 6 Months Brossels Sprouts 1 oz. 4 oz.</td><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 3 2 Plants 3000 P. Dec. to April 5 ft. 3 ft. Inter Summer Asparagus Seed 3 1 bs. 3000 P. December to May 6 ft. 7 Third Spring Asparagus Plants 3 1 bs. 1 bb. 50 lbs. Jan. to September 3 ft. 7 Third Spring Beans, Pole 3 bb. 50 lbs. Jan. to September 3 ft. 1 ft. Next Spring Bears, Pole 3 bb. 5 lbs. All year. 5 ft. 1 ft. 2 to 3 Months Beat, Table 2 oz. 8 lbs. All year. 5 ft. 1 ft. 4 to 6 Months Beet Stoods 1 pkt. 4 oz. Cotober to May 3 ft. 1 ft. 4 to 6 Months Brussels Sprouts 1 pkt. 4 oz. All Year 2 ft. 1 ft. 4 to 6 Months Cabbage, Late 1 pkt. 8 oz. All Year All Year 2 ft. 4 to 6 Months</td><td>Articloke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Articloke, Plants 3 poz. 2 Pkts. 10 sz. 2 plants 300 lbs. December to May 4 ft. 3 ft. Inte Summer Asparagus Seed 3 plants 10 sz. 2 lbs. T December to May 4 ft. 1 ft. Noxt Spring Beans, Plants 1 lb. 50 lbs. Jan. to September 3 ft. 1 ft. Noxt Spring Bear, Pole 2 lb. 3 lb. All year. 2 ft. 4 ft. 6 lm. 3 Months Beet Stock 2 lb. 3 lbs. September to May 3 ft. 1 ft. 2 to 3 Months Beet Stock 2 lb. 4 lb. 5 lbs. All year. 2 lb. 3 ft. 1 ft. 4 lb. 4 lb. 4 lb. 5 lb. 4 lb. 3 lb. 4 lb.<!--</td--><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to April 5 ft. 3 ft. Next Spring Artichoke, Plants 3000 P. December to April 5 ft. 3 ft. Next Spring Artichoke, Plants 3000 P. December to April 5 ft. 3 ft. This Spring Asparagus Seed 32 Plants 1000 P. December to May 6 ft. 3 ft. This Spring Asparagus Plants 32 Plants 1000 P. December to May 6 ft. 3 ft. This Spring Beans, Bush Bash 32 Plants 1000 P. Jan to September 3 ft. 1 ft. Nat Spring Beet Slock To December to May 3 ft. 1 ft. 1 ft. 2 to 3 Months Beet Slock Sprouts 5 pkts 4 oz. All year 2 ft. 6 lm. 4 to 6 Months Bressels Sprouts 1 pkt. 8 oz. All Year All Year 1 ft. 3 ft. 1 ft. 3 ft. 1 ft. 3 ft. 1 ft. 4 to 6 Months Cabbage, Late <</td><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Thide Spring Asparagus Seed 1 0z. 2 lbs. Pebruary to May 6 ft. 3 ft. Thide Spring Asparagus Seed 1 0z. 2 lbs. Jan. to September 3 ft. 1 ft. 1 to 3 Months Beans, Bush 2 oz. 1 lbs. Jan. to September 3 ft. 1 ft. 2 to 3 Months Beats, Bush 2 oz. 1 lbs. All vear. All vear. 2 ft. 1 ft. 2 to 3 Months Beet Table 5 lbs. All vear. September to May 2 ft. 1 ft. 3 ft. 1 ft. 4 to 3 ft. 3 Months Beet Shrouts 1 pkt. 8 oz. All vear. October to May 2 ft. 1 ft. 3 ft. 1 ft. 4 to 3 ft. 4 to 4 to 6 Months Cabbage, Early 1 pkt. 8 oz. All Year. All Year. 2 ft. 4 to 6 Months <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nox Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Tate Summer Asparagus Seed 1 0z. 2 lbs. T. December to May 6 ft. 3 ft. Theat Summer Asparagus Seed 3 lbs. 1 lb. 1 lb. 3 lb. 1 lb. 1 lb. 2 lbs. 1 lb. 2 lbs. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 2 lb. 3 lb. 3 lb. 3 lb. 3 lb. 4 lb. <td< td=""><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nad Spring Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 3 ft. Inc. to April Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 1 c. Inc. to Spiral Asparagus Seed 3 2 Plants 300 bs. Percember to May 5 ft. 1 c. Inc. to Spiral Beans, Bush 2 oz. 10 bs. Jan. to September 3 ft. 1 c. 2 to 3 Months Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 c. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. A by Inc. A by Inc. 3 ft. 4 ft. 5 ft. Bert, Sprouts 2 oz. 1 pkt. 4 oz. A line to January 2 ft. <td< td=""><td>Artichoke, Globe 2 Pktts. 12 oz. T. October to May 5 ft. 3 ft. Znd Spring Artichoke, Flants 3 lbs. 3 pants 300 lbs. Poccober to April 5 ft. 3 ft. Late Summer Asparagus Plants 3 lbs. 3 pants 300 lbs. Pebruary to May 6 ft. 3 ft. Tate Summer Asparagus Plants 3 lbs. 3 pants 10 lbs. 3 lbs. Pebruary to May 6 ft. 3 ft. 1 lbs. 3 lbs. Beens, Bush 2 lbs. 3 lbs. 4 lbs. <</td><td>Artichoke, Globe 2 Pikts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring. Artichoke, Plants 3 1 ps. 2 Pikts. 3 10 ps. Dec. to Abrill 5 ft. 1 Late Summer Asparagus Seed 3 1 ps. 2 piks. 2 piks. 2 piks. 2 piks. 2 piks. 3 piks. 4 piks.<td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ff. 3 ff. 7 ff. 8 ff. 7 ff. 8 ff. 8 ff. 8 ff. 8 ff. 9 ff. 1 ff. 1 ff. 1 ff.</td><td> Artichoke, Globe</td><td> Articlooke, Globe 2 PRts. 12 oz. T. Doctober to May 5 ft. 2 ft. 12 ft. 12 ft. 12 ft. 12 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 14 ft.</td><td> Articlooke, Globe 22 Pkts. 12 oz. T. October to May 5 ft. 2 ft. Nax Spring</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Articlobe Globe Globe</td><td> Articlobe Choice 2 PRts 2 Prts </td><td> Activities Globe Paris 20 P</td><td> Artichore Golde</td><td> Appropriate Globe 2 Picks 2 Pi</td><td> Activitive Global Coccoper to May Str. Activitive Global Str. Activity (Coccope G</td><td> Actionary Company Control Research Control Re</td><td>Artichoke, Globbs</td></td></td<></td></td<></td></td></td></td> | Articloke, Globe 2 Pkts. 12 oz. T. October
to May 5 ft. 3 ft. Index Spring Articloke, Plants 3 lbs. 3 lbs. 3 lbs. 3 lbs. 3 ft. Interest Spring Asparagus Seed 1 oz. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 1 lbs. 2 lbs. 2 lbs. 2 lbs. 2 lbs. 2 lbs. 3 lbs. 4 lbs. 2 lbs. 4 lbs. | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Index Spring Artichoke, Plants 3 lbs. 3000 P. December to May 4 ft. 3 ft. Late Summer Asparagus Seed 1 lbs. 1 lbs. 2 lbs. Tebruary to May 4 ft. 1 ft. Inted Spring Asparagus Plants 1 lb 50 lbs. 1 lb 50 lbs. Jan. to September to May 4 ft. 1 ft. 1 kt. 2 to 3 Months Beans, Bush 2 lbs. 1 lb 50 lbs. Jan. to September to May 4 ft. 1 ft. 2 to 3 Months Beet, Table 2 oz. 8 lbs. All year 2 ft. 6 in. 2 to 3 Months Beet, Table 2 oz. 8 lbs. September to May 3 ft. 4 to 6 Months Beet, Table 2 oz. 8 lbs. All year 2 ft. 6 in. 4 to 6 Months Broccoli 1 Pkt. 4 oz. All Year All Year 2 ft. 4 to 6 Months Cabbage, Late 1 pkt. 4 oz. <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 32 Plants 3000 P. Dec. to April 5 ft. 3 ft. Inter Summer Asparagus Seed 1 oz. 1 oz. 1 b. 300 Ps. December to May 6 ft. 3 ft. Third Spring Asparagus Plants 1 oz. 1 b. 50 lbs. December to May 4 ft. 1 ft. Third Spring Beans, Bush 2 oz. 1 lb. 50 lbs. Jan. to September 3 ft. 6 in. 2 to 3 Months Beat Stock 2 oz. 8 lbs. September to May 3 ft. 1 ft. 4 to 6 Months Best Stock 1 Pkt. 4 oz. Cotober to May 3 ft. 1 ft. 4 to 6 Months Best Stock 2 oz. 1 Pkt. 4 oz. A lb. 1 ft. 4 to 6 Months Brossels Sprouts 1 Pkt. 8 oz. A lb. A lb. 2 ft. 4 to 6 Months Brossels Sprouts 1 oz. 4 oz.</td> <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 3 2 Plants 3000 P. Dec. to April 5 ft. 3 ft. Inter Summer Asparagus Seed 3 1 bs. 3000 P. December to May 6 ft. 7 Third Spring Asparagus Plants 3 1 bs. 1 bb. 50 lbs. Jan. to September 3 ft. 7 Third Spring Beans, Pole 3 bb. 50 lbs. Jan. to September 3 ft. 1 ft. Next Spring Bears, Pole 3 bb. 5 lbs. All year. 5 ft. 1 ft. 2 to 3 Months Beat, Table 2 oz. 8 lbs. All year. 5 ft. 1 ft. 4 to 6 Months Beet Stoods 1 pkt. 4 oz. Cotober to May 3 ft. 1 ft. 4 to 6 Months Brussels Sprouts 1 pkt. 4 oz. All Year 2 ft. 1 ft. 4 to 6 Months Cabbage, Late 1 pkt. 8 oz. All Year All Year 2 ft. 4 to 6 Months</td> <td>Articloke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Articloke, Plants 3 poz. 2 Pkts. 10 sz. 2 plants 300 lbs. December to May 4 ft. 3 ft. Inte Summer Asparagus Seed 3 plants 10 sz. 2 lbs. T December to May 4 ft. 1 ft. Noxt Spring Beans, Plants 1 lb. 50 lbs. Jan. to September 3 ft. 1 ft. Noxt Spring Bear, Pole 2 lb. 3 lb. All year. 2 ft. 4 ft. 6 lm. 3 Months Beet Stock 2 lb. 3 lbs. September to May 3 ft. 1 ft. 2 to 3 Months Beet Stock 2 lb. 4 lb. 5 lbs. All year. 2 lb. 3 ft. 1 ft. 4 lb. 4 lb. 4 lb. 5 lb. 4 lb. 3 lb. 4 lb.<!--</td--><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to April 5 ft. 3 ft. Next Spring Artichoke, Plants 3000 P. December to April 5 ft. 3 ft. Next Spring Artichoke, Plants 3000 P. December to April 5 ft. 3 ft. This Spring Asparagus Seed 32 Plants 1000 P. December to May 6 ft. 3 ft. This Spring Asparagus Plants 32 Plants 1000 P. December to May 6 ft. 3 ft. This Spring Beans, Bush Bash 32 Plants 1000 P. Jan to September 3 ft. 1 ft. Nat Spring Beet Slock To December to May 3 ft. 1 ft. 1 ft. 2 to 3 Months Beet Slock Sprouts 5 pkts 4 oz. All year 2 ft. 6 lm. 4 to 6 Months Bressels Sprouts 1 pkt. 8 oz. All Year All Year 1 ft. 3 ft. 1 ft. 3 ft. 1 ft. 3 ft. 1 ft. 4 to 6 Months Cabbage, Late <</td><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Thide Spring Asparagus Seed 1 0z. 2 lbs. Pebruary to May 6 ft. 3 ft. Thide Spring Asparagus Seed 1 0z. 2 lbs. Jan. to September 3 ft. 1 ft. 1 to 3 Months Beans, Bush 2 oz. 1 lbs. Jan. to September 3 ft. 1 ft. 2 to 3 Months Beats, Bush 2 oz. 1 lbs. All vear. All vear. 2 ft. 1 ft. 2 to 3 Months Beet Table 5 lbs. All vear. September to May 2 ft. 1 ft. 3 ft. 1 ft. 4 to 3 ft. 3 Months Beet Shrouts 1 pkt. 8 oz. All vear. October to May 2 ft. 1 ft. 3 ft. 1 ft. 4 to 3 ft. 4 to 4 to 6 Months Cabbage, Early 1 pkt. 8 oz. All Year. All Year. 2 ft. 4 to 6 Months <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nox Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Tate Summer Asparagus Seed 1 0z. 2 lbs. T. December to May 6 ft. 3 ft. Theat Summer Asparagus Seed 3 lbs. 1 lb. 1 lb. 3 lb. 1 lb. 1 lb. 2 lbs. 1 lb. 2 lbs. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 2 lb. 3 lb. 3 lb. 3 lb. 3 lb. 4 lb. <td< td=""><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nad Spring Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 3 ft. Inc. to April Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 1 c. Inc. to Spiral Asparagus Seed 3 2 Plants 300 bs. Percember to May 5 ft. 1 c. Inc. to Spiral Beans, Bush 2 oz. 10 bs. Jan. to September 3 ft. 1 c. 2 to 3 Months Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 c. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. A by Inc. A by Inc. 3 ft. 4 ft. 5 ft. Bert, Sprouts 2 oz. 1 pkt. 4 oz. A line to January 2 ft. <td< td=""><td>Artichoke, Globe 2 Pktts. 12 oz. T. October to May 5 ft. 3 ft. Znd Spring Artichoke, Flants 3
lbs. 3 pants 300 lbs. Poccober to April 5 ft. 3 ft. Late Summer Asparagus Plants 3 lbs. 3 pants 300 lbs. Pebruary to May 6 ft. 3 ft. Tate Summer Asparagus Plants 3 lbs. 3 pants 10 lbs. 3 lbs. Pebruary to May 6 ft. 3 ft. 1 lbs. 3 lbs. Beens, Bush 2 lbs. 3 lbs. 4 lbs. <</td><td>Artichoke, Globe 2 Pikts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring. Artichoke, Plants 3 1 ps. 2 Pikts. 3 10 ps. Dec. to Abrill 5 ft. 1 Late Summer Asparagus Seed 3 1 ps. 2 piks. 2 piks. 2 piks. 2 piks. 2 piks. 3 piks. 4 piks.<td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ff. 3 ff. 7 ff. 8 ff. 7 ff. 8 ff. 8 ff. 8 ff. 8 ff. 9 ff. 1 ff. 1 ff. 1 ff.</td><td> Artichoke, Globe</td><td> Articlooke, Globe 2 PRts. 12 oz. T. Doctober to May 5 ft. 2 ft. 12 ft. 12 ft. 12 ft. 12 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 14 ft.</td><td> Articlooke, Globe 22 Pkts. 12 oz. T. October to May 5 ft. 2 ft. Nax Spring</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Articlobe Globe Globe</td><td> Articlobe Choice 2 PRts 2 Prts </td><td> Activities Globe Paris 20 P</td><td> Artichore Golde</td><td> Appropriate Globe 2 Picks 2 Pi</td><td> Activitive Global Coccoper to May Str. Activitive Global Str. Activity (Coccope G</td><td> Actionary Company Control Research Control Re</td><td>Artichoke, Globbs</td></td></td<></td></td<></td></td></td> | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 32 Plants 3000 P. Dec. to April 5 ft. 3 ft. Inter Summer Asparagus Seed 1 oz. 1 oz. 1 b. 300 Ps. December to May 6 ft. 3 ft. Third Spring Asparagus Plants 1 oz. 1 b. 50 lbs. December to May 4 ft. 1 ft. Third Spring Beans, Bush 2 oz. 1 lb. 50 lbs. Jan. to September 3 ft. 6 in. 2 to 3 Months Beat Stock 2 oz. 8 lbs. September to May 3 ft. 1 ft. 4 to 6 Months Best Stock 1 Pkt. 4 oz. Cotober to May 3 ft. 1 ft. 4 to 6 Months Best Stock 2 oz. 1 Pkt. 4 oz. A lb. 1 ft. 4 to 6 Months Brossels Sprouts 1 Pkt. 8 oz. A lb. A lb. 2 ft. 4 to 6 Months Brossels Sprouts 1 oz. 4 oz. | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 3 2 Plants 3000 P. Dec. to April 5 ft. 3 ft. Inter Summer Asparagus Seed 3 1 bs. 3000 P. December to May 6 ft. 7 Third Spring Asparagus Plants 3 1 bs. 1 bb. 50 lbs. Jan. to September 3 ft. 7 Third Spring Beans, Pole 3 bb. 50 lbs. Jan. to September 3 ft. 1 ft. Next Spring Bears, Pole 3 bb. 5 lbs. All year. 5 ft. 1 ft. 2 to 3 Months Beat, Table 2 oz. 8 lbs. All year. 5 ft. 1 ft. 4 to 6 Months Beet Stoods 1 pkt. 4 oz. Cotober to May 3 ft. 1 ft. 4 to 6 Months Brussels Sprouts 1 pkt. 4 oz. All Year 2 ft. 1 ft. 4 to 6 Months Cabbage, Late 1 pkt. 8 oz. All Year All Year 2 ft. 4 to 6 Months | Articloke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Articloke, Plants 3 poz. 2 Pkts. 10 sz. 2 plants 300 lbs. December to May 4 ft. 3 ft. Inte Summer Asparagus Seed 3 plants 10 sz. 2 lbs. T December to May 4 ft. 1 ft. Noxt Spring Beans, Plants 1 lb. 50 lbs. Jan. to September 3 ft. 1 ft. Noxt Spring Bear, Pole 2 lb. 3 lb. All year. 2 ft. 4 ft. 6 lm. 3 Months Beet Stock 2 lb. 3 lbs. September to May 3 ft. 1 ft. 2 to 3 Months Beet Stock 2 lb. 4 lb. 5 lbs. All year. 2 lb. 3 ft. 1 ft. 4 lb. 4 lb. 4 lb. 5 lb. 4 lb. 3 lb. 4 lb. </td <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to April 5 ft. 3 ft. Next Spring Artichoke, Plants 3000 P. December to April 5 ft. 3 ft. Next Spring Artichoke, Plants 3000 P. December to April 5 ft. 3 ft. This Spring Asparagus Seed 32 Plants 1000 P. December to May 6 ft. 3 ft. This Spring Asparagus Plants 32 Plants 1000 P. December to May 6 ft. 3 ft. This Spring Beans, Bush Bash 32 Plants 1000 P. Jan to September 3 ft. 1 ft. Nat Spring Beet Slock To December to May 3 ft. 1 ft. 1 ft. 2 to 3 Months Beet Slock Sprouts 5 pkts 4 oz. All year 2 ft. 6 lm. 4 to 6 Months Bressels Sprouts 1 pkt. 8 oz. All Year All Year 1 ft. 3 ft. 1 ft. 3 ft. 1 ft. 3 ft. 1 ft. 4 to 6 Months Cabbage, Late <</td> <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Thide Spring Asparagus Seed 1 0z. 2 lbs. Pebruary to May 6 ft. 3 ft. Thide Spring Asparagus Seed 1 0z. 2 lbs. Jan. to September 3 ft. 1 ft. 1 to 3 Months Beans, Bush 2 oz. 1 lbs. Jan. to September 3 ft. 1 ft. 2 to 3 Months Beats, Bush 2 oz. 1 lbs. All vear. All vear. 2 ft. 1 ft. 2 to 3 Months Beet Table 5 lbs. All vear. September to May 2 ft. 1 ft. 3 ft. 1 ft. 4 to 3 ft. 3 Months Beet Shrouts 1 pkt. 8 oz. All vear. October to May 2 ft. 1 ft. 3 ft. 1 ft. 4 to 3 ft. 4 to 4 to 6 Months Cabbage, Early 1 pkt. 8 oz. All Year. All Year. 2 ft. 4 to 6 Months <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nox Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Tate Summer Asparagus Seed 1 0z. 2 lbs. T. December to May 6 ft. 3 ft. Theat Summer Asparagus Seed 3 lbs. 1 lb. 1 lb. 3 lb. 1 lb. 1 lb. 2 lbs. 1 lb. 2 lbs. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 2 lb. 3 lb. 3 lb. 3 lb. 3 lb. 4 lb. <td< td=""><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nad Spring Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 3 ft. Inc. to April Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 1 c. Inc. to Spiral Asparagus Seed 3 2 Plants 300 bs. Percember to May 5 ft. 1 c. Inc. to Spiral Beans, Bush 2 oz. 10 bs. Jan. to September 3 ft. 1 c. 2 to 3 Months Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 c. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. A by Inc. A by Inc. 3 ft. 4 ft. 5 ft.
 Bert, Sprouts 2 oz. 1 pkt. 4 oz. A line to January 2 ft. <td< td=""><td>Artichoke, Globe 2 Pktts. 12 oz. T. October to May 5 ft. 3 ft. Znd Spring Artichoke, Flants 3 lbs. 3 pants 300 lbs. Poccober to April 5 ft. 3 ft. Late Summer Asparagus Plants 3 lbs. 3 pants 300 lbs. Pebruary to May 6 ft. 3 ft. Tate Summer Asparagus Plants 3 lbs. 3 pants 10 lbs. 3 lbs. Pebruary to May 6 ft. 3 ft. 1 lbs. 3 lbs. Beens, Bush 2 lbs. 3 lbs. 4 lbs. <</td><td>Artichoke, Globe 2 Pikts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring. Artichoke, Plants 3 1 ps. 2 Pikts. 3 10 ps. Dec. to Abrill 5 ft. 1 Late Summer Asparagus Seed 3 1 ps. 2 piks. 2 piks. 2 piks. 2 piks. 2 piks. 3 piks. 4 piks.<td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ff. 3 ff. 7 ff. 8 ff. 7 ff. 8 ff. 8 ff. 8 ff. 8 ff. 9 ff. 1 ff. 1 ff. 1 ff.</td><td> Artichoke, Globe</td><td> Articlooke, Globe 2 PRts. 12 oz. T. Doctober to May 5 ft. 2 ft. 12 ft. 12 ft. 12 ft. 12 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 14 ft.</td><td> Articlooke, Globe 22 Pkts. 12 oz. T. October to May 5 ft. 2 ft. Nax Spring</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Articlobe Globe Globe</td><td> Articlobe Choice 2 PRts 2 Prts </td><td> Activities Globe Paris 20 P</td><td> Artichore Golde</td><td> Appropriate Globe 2 Picks 2 Pi</td><td> Activitive Global Coccoper to May Str. Activitive Global Str. Activity (Coccope G</td><td> Actionary Company Control Research Control Re</td><td>Artichoke, Globbs</td></td></td<></td></td<></td></td> | Artichoke, Globe 2 Pkts. 12 oz. T. October to April 5 ft. 3 ft. Next Spring Artichoke, Plants 3000 P. December to April 5 ft. 3 ft. Next Spring Artichoke, Plants 3000 P. December to April 5 ft. 3 ft. This Spring Asparagus Seed 32 Plants 1000 P. December to May 6 ft. 3 ft. This Spring Asparagus Plants 32 Plants 1000 P. December to May 6 ft. 3 ft. This Spring Beans, Bush Bash 32 Plants 1000 P. Jan to September 3 ft. 1 ft. Nat Spring Beet Slock To December to May 3 ft. 1 ft. 1 ft. 2 to 3 Months Beet Slock Sprouts 5 pkts 4 oz. All year 2 ft. 6 lm. 4 to 6 Months Bressels Sprouts 1 pkt. 8 oz. All Year All Year 1 ft. 3 ft. 1 ft. 3 ft. 1 ft. 3 ft. 1 ft. 4 to 6 Months Cabbage, Late < | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Thide Spring Asparagus Seed 1 0z. 2 lbs. Pebruary to May 6 ft. 3 ft. Thide Spring Asparagus Seed 1 0z. 2 lbs. Jan. to September 3 ft. 1 ft. 1 to 3 Months Beans, Bush 2 oz. 1 lbs. Jan. to September 3 ft. 1 ft. 2 to 3 Months Beats, Bush 2 oz. 1 lbs. All vear. All vear. 2 ft. 1 ft. 2 to 3 Months Beet Table 5 lbs. All vear. September to May 2 ft. 1 ft. 3 ft. 1 ft. 4 to 3 ft. 3 Months Beet Shrouts 1 pkt. 8 oz. All vear. October to May 2 ft. 1 ft. 3 ft. 1 ft. 4 to 3 ft. 4 to 4 to 6 Months Cabbage, Early 1 pkt. 8 oz. All Year. All Year. 2 ft. 4 to 6 Months <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nox Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Tate Summer Asparagus Seed 1 0z. 2 lbs. T. December to May 6 ft. 3 ft. Theat Summer Asparagus Seed 3 lbs. 1 lb. 1 lb. 3 lb. 1 lb. 1 lb. 2 lbs. 1 lb. 2 lbs. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 2 lb. 3 lb. 3 lb. 3 lb. 3 lb. 4 lb. <td< td=""><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nad Spring Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 3 ft. Inc. to April Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 1 c. Inc. to Spiral Asparagus Seed 3 2 Plants 300 bs. Percember to May 5 ft. 1 c. Inc. to Spiral Beans, Bush 2 oz. 10 bs. Jan. to September 3 ft. 1 c. 2 to 3 Months Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 c. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. A by Inc. A by Inc. 3 ft. 4 ft. 5 ft. Bert, Sprouts 2 oz. 1 pkt. 4 oz. A line to January 2 ft. <td< td=""><td>Artichoke, Globe 2 Pktts. 12 oz. T. October to May 5 ft. 3 ft. Znd Spring Artichoke, Flants 3 lbs. 3 pants 300 lbs. Poccober to April 5 ft. 3 ft. Late Summer Asparagus Plants 3 lbs. 3 pants 300 lbs. Pebruary to May 6 ft. 3 ft. Tate Summer Asparagus Plants 3 lbs. 3 pants 10 lbs. 3 lbs. Pebruary to May 6 ft. 3 ft. 1 lbs. 3 lbs. Beens, Bush 2 lbs. 3 lbs. 4 lbs. <</td><td>Artichoke, Globe 2 Pikts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring. Artichoke, Plants 3 1 ps. 2 Pikts. 3 10 ps. Dec. to Abrill 5 ft. 1 Late Summer Asparagus Seed 3 1 ps. 2 piks. 2 piks. 2 piks. 2 piks. 2 piks. 3 piks. 4 piks.<td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ff. 3 ff. 7 ff. 8 ff. 7 ff. 8 ff. 8 ff. 8 ff. 8 ff. 9 ff. 1 ff. 1 ff. 1 ff.</td><td> Artichoke, Globe</td><td> Articlooke, Globe 2 PRts. 12 oz. T. Doctober to May 5 ft. 2 ft. 12 ft. 12 ft. 12 ft. 12 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 14 ft.</td><td> Articlooke, Globe 22 Pkts. 12 oz. T. October to May 5 ft. 2 ft. Nax Spring</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Articlobe Globe Globe</td><td> Articlobe Choice 2 PRts 2 Prts </td><td> Activities Globe Paris 20 P</td><td> Artichore Golde</td><td> Appropriate Globe 2 Picks 2 Pi</td><td> Activitive Global Coccoper to May Str. Activitive Global Str. Activity (Coccope G</td><td> Actionary Company Control Research Control Re</td><td>Artichoke, Globbs</td></td></td<></td></td<></td> | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nox Spring Artichoke, Plants 3 100 P. December to May 5 ft. 3 ft. Tate Summer Asparagus Seed 1 0z. 2 lbs. T. December to May 6 ft. 3 ft. Theat Summer Asparagus Seed 3 lbs. 1 lb. 1 lb. 3 lb. 1 lb. 1 lb. 2 lbs. 1 lb. 2 lbs. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 1 lb. 2 lb. 2 lb. 2 lb. 3 lb. 3 lb. 3 lb. 3 lb. 4 lb. <td< td=""><td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nad Spring Artichoke, Jennste 3 basts 10 c. December to May
5 ft. 3 ft. Inc. to April Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 1 c. Inc. to Spiral Asparagus Seed 3 2 Plants 300 bs. Percember to May 5 ft. 1 c. Inc. to Spiral Beans, Bush 2 oz. 10 bs. Jan. to September 3 ft. 1 c. 2 to 3 Months Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 c. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. A by Inc. A by Inc. 3 ft. 4 ft. 5 ft. Bert, Sprouts 2 oz. 1 pkt. 4 oz. A line to January 2 ft. <td< td=""><td>Artichoke, Globe 2 Pktts. 12 oz. T. October to May 5 ft. 3 ft. Znd Spring Artichoke, Flants 3 lbs. 3 pants 300 lbs. Poccober to April 5 ft. 3 ft. Late Summer Asparagus Plants 3 lbs. 3 pants 300 lbs. Pebruary to May 6 ft. 3 ft. Tate Summer Asparagus Plants 3 lbs. 3 pants 10 lbs. 3 lbs. Pebruary to May 6 ft. 3 ft. 1 lbs. 3 lbs. Beens, Bush 2 lbs. 3 lbs. 4 lbs. <</td><td>Artichoke, Globe 2 Pikts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring. Artichoke, Plants 3 1 ps. 2 Pikts. 3 10 ps. Dec. to Abrill 5 ft. 1 Late Summer Asparagus Seed 3 1 ps. 2 piks. 2 piks. 2 piks. 2 piks. 2 piks. 3 piks. 4 piks.<td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ff. 3 ff. 7 ff. 8 ff. 7 ff. 8 ff. 8 ff. 8 ff. 8 ff. 9 ff. 1 ff. 1 ff. 1 ff.</td><td> Artichoke, Globe</td><td> Articlooke, Globe 2 PRts. 12 oz. T. Doctober to May 5 ft. 2 ft. 12 ft. 12 ft. 12 ft. 12 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 14 ft.</td><td> Articlooke, Globe 22 Pkts. 12 oz. T. October to May 5 ft. 2 ft. Nax Spring</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Articlobe Globe Globe</td><td> Articlobe Choice 2 PRts 2 Prts </td><td> Activities Globe Paris 20 P</td><td> Artichore Golde</td><td> Appropriate Globe 2 Picks 2 Pi</td><td> Activitive Global Coccoper to May Str. Activitive Global Str. Activity (Coccope G</td><td> Actionary Company Control Research Control Re</td><td>Artichoke, Globbs</td></td></td<></td></td<> | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ft. 3 ft. Nad Spring Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 3 ft. Inc. to April Artichoke, Jennste 3 basts 10 c. December to May 5 ft. 1 c. Inc. to Spiral Asparagus Seed 3 2 Plants 300 bs. Percember to May 5 ft. 1 c. Inc. to Spiral Beans, Bush 2 oz. 10 bs. Jan. to September 3 ft. 1 c. 2 to 3 Months Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 c. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. September to May 3 ft. 1 ft. 3 ft. Beet, Table 2 oz. 8 bs. A by Inc. A by Inc. 3 ft. 4 ft. 5 ft. Bert, Sprouts 2 oz. 1 pkt. 4 oz. A line to January 2 ft. <td< td=""><td>Artichoke, Globe 2 Pktts. 12 oz. T. October to May 5 ft. 3 ft. Znd Spring Artichoke, Flants 3 lbs. 3 pants 300 lbs. Poccober to April 5 ft. 3 ft. Late Summer Asparagus Plants 3 lbs. 3 pants 300 lbs. Pebruary to May 6 ft. 3 ft. Tate Summer Asparagus Plants 3 lbs. 3 pants 10 lbs. 3 lbs. Pebruary to May 6 ft. 3 ft. 1 lbs. 3 lbs. Beens, Bush 2 lbs. 3 lbs. 4 lbs. <</td><td>Artichoke, Globe 2 Pikts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring. Artichoke, Plants 3 1 ps. 2 Pikts. 3 10 ps. Dec. to Abrill 5 ft. 1 Late Summer Asparagus Seed 3 1 ps. 2 piks. 2 piks. 2 piks. 2 piks. 2 piks. 3 piks. 4 piks.<td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ff. 3 ff. 7 ff. 8 ff. 7 ff. 8 ff. 8 ff. 8 ff. 8 ff. 9 ff. 1 ff. 1 ff. 1 ff.</td><td> Artichoke, Globe</td><td> Articlooke, Globe 2 PRts. 12 oz. T. Doctober to May 5 ft. 2 ft. 12 ft. 12 ft. 12 ft. 12 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 14 ft.</td><td> Articlooke, Globe 22 Pkts. 12 oz. T. October to May 5 ft. 2 ft. Nax Spring</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Artichoke, Globe</td><td> Articlobe Globe Globe</td><td> Articlobe Choice 2 PRts 2 Prts </td><td> Activities Globe Paris 20 P</td><td> Artichore Golde</td><td> Appropriate Globe 2 Picks 2 Pi</td><td> Activitive Global Coccoper to May Str. Activitive Global Str. Activity (Coccope G</td><td> Actionary Company Control Research Control Re</td><td>Artichoke, Globbs</td></td></td<> | Artichoke, Globe 2 Pktts. 12 oz. T. October to May 5 ft. 3 ft. Znd Spring Artichoke, Flants 3 lbs. 3 pants 300 lbs. Poccober to April 5 ft. 3 ft. Late Summer Asparagus Plants 3 lbs. 3 pants 300 lbs. Pebruary to May 6 ft. 3 ft. Tate Summer Asparagus Plants 3 lbs. 3 pants 10 lbs. 3 lbs. Pebruary to May 6 ft. 3 ft. 1 lbs. 3 lbs. Beens, Bush 2 lbs. 3 lbs. 4 lbs. < | Artichoke, Globe 2 Pikts. 12 oz. T. October to May 5 ft. 3 ft. Next Spring. Artichoke, Plants 3 1 ps. 2 Pikts. 3 10 ps. Dec. to Abrill 5 ft. 1 Late Summer Asparagus Seed 3 1 ps. 2 piks. 2 piks. 2 piks. 2 piks. 2 piks. 3 piks. 4 piks. <td>Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ff. 3 ff. 7 ff. 8 ff. 7 ff. 8 ff. 8 ff. 8 ff. 8 ff. 9 ff. 1 ff. 1 ff. 1 ff.</td> <td> Artichoke, Globe</td> <td> Articlooke, Globe 2 PRts. 12 oz. T. Doctober to May 5 ft. 2 ft. 12 ft. 12 ft. 12 ft. 12 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 14 ft.</td> <td> Articlooke, Globe 22 Pkts. 12 oz. T. October to May 5 ft. 2 ft. Nax Spring</td> <td> Artichoke, Globe</td> <td> Artichoke, Globe</td> <td> Artichoke, Globe</td> <td> Artichoke, Globe</td> <td> Articlobe Globe Globe</td> <td> Articlobe Choice 2 PRts 2 Prts </td> <td> Activities Globe Paris 20 P</td> <td> Artichore Golde</td> <td> Appropriate Globe 2 Picks 2 Pi</td> <td> Activitive Global Coccoper to May Str. Activitive Global Str. Activity (Coccope G</td> <td> Actionary Company Control Research Control Re</td> <td>Artichoke, Globbs</td> | Artichoke, Globe 2 Pkts. 12 oz. T. October to May 5 ff. 3 ff. 7 ff. 8 ff. 7 ff. 8 ff. 8 ff. 8 ff. 8 ff. 9 ff. 1 ff. 1 ff. 1 ff. | Artichoke, Globe | Articlooke, Globe 2 PRts. 12 oz. T. Doctober to May 5 ft. 2 ft. 12 ft. 12 ft. 12 ft. 12 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 13 ft. 12 ft. 14 ft. | Articlooke, Globe 22 Pkts. 12 oz. T. October to May 5 ft. 2 ft. Nax Spring | Artichoke, Globe | Artichoke, Globe | Artichoke, Globe | Artichoke, Globe | Articlobe Globe | Articlobe Choice 2 PRts 2 Prts | Activities Globe Paris 20 P | Artichore Golde | Appropriate Globe 2 Picks 2 Pi | Activitive Global Coccoper to May Str. Activitive Global Str. Activity (Coccope G | Actionary Company Control Research Control Re | Artichoke, Globbs |

T.—In the quantity column means these varieties are to be sown in hot bed and transplanted to the field.

Suggestions for Gardeners

Our interest in the seeds and plants we sell does not end when the sale is made, for we want you to get satisfactory results. From our experience we offer a few suggestions that may be helpful.

VEGETABLES

First plan your complete garden on paper. Arrange for several crops during a season, as no ground should be idle during the growing season. For example, early peas can be followed by the second crop of sweet corn on the same ground. Early corn can be followed by cabbage, celery, or string beans. Quick crops, such as radishes and lettuce can be grown between rows of potatoes or corn and will mature before the main crop is large enough to crowd.

to crowd.

A few cool weather vegetables, such as lettuce, cabbage and peas can be sown very early in cold, wet soil, but in general, do not sow seed until weather is settled and the ground is warm and dry. It is a waste of time, seed and patience to try to "rush the season." Do not set out small vegetable plants directly from the warm window or green house to the garden. First accustom them to garden conditions by setting them outside for gradually increasing periods each day to harden them to exposure. posure.

Decide early how much ground you will use and what you will plant.

When you water do it thoroughly, don't sprinkle, soak.

For large head lettuce, thin out to at least six inches.

Get a good spray and use it.

Plant, small, quick growers like lettuce, radishes, etc., between the rows of larger slower maturing sorts. In the case of early sorts such as spinach, start tomatoes, corn, etc., between the rows to occupy the ground after the former is harvested.

Good hot-beds can be made by digging down about three feet and filling the excavation with rather fresh horse manure in which there is a good deal of bedding straw. About 18 inches of this manure is sufficient and then fill in on top of it with about one foot of good soil mixed with sand. This manure pile will be compressed and will soon begin to ferment and will then keep the top soil warm and cause the seed to sprout quickly and the young plants will grow very fast. It is best to enclose the hot bed with boards making what is called a cold-frame; this is done by running the length of the bed east and west and by making the north side about two feet high and the south side not more than six inches. The ends also should be enclosed and a sash of glass should be hung on hinges at the highest end. This sash should be raised for ventilation during most of the day, since the bed gets very warm and the atmosphere very close if kept too tightly closed for too long a time. As the plants grow, the sash should have a very sunny location. The hot-bed should have a very sunny location.

HOT BEDS

The hot-bed should have a very sunny location near a hedge or some building, well protected from

the prevailing wind.

The object of the cold-frame is to make an artificial heat, and to protect the plants from frost during the winter. Seed may be started at any time during the winter, and the plants can be ready to set out just as soon as danger of frost is over.

As the sun gets too hot it is necessary to shade the bed and the glass should be whitewashed or covered with sacking if necessary. Too much heat is fatal to the tender young plants.

THINGS THAT MAKE YOUR FLOWERS BETTER

In planting very small seeds such as Begonia, Petunia, etc., do not cover to a depth exceeding the diameter of seed and very fine, light soil should be used for covering. Water very carefully in order not to disturb seeds. All seeds need plenty of fresh air when germination begins.

Seeds of hardy Parennials should be planted in the Fall if possible; they germinate slowly and irregularly, some even taking two years. In general Perennial seeds are poor germinators as compared to Annuals. Plant plenty of seed to allow for loss. Never work among flowers or vegetables when they are wet, except when transplanting seedlings. Always shade young plants for several days after transplanting. Good seed alone will not produce

fine flowers. Proper cultivation and clean healthy growth are necessary to develop the typical form and color of blooms. In general, seed should not be allowed to form on flowering plants; as soon as seed is formed the plant will discontinue blooming. Therefore, remove faded flowers. This applies particularly to Sweet Peas. We urge our customers to learn the proper method of pruning their flowering shrubs and to do it regularly each year. There is no gardening operation so generally neglected or improperly performed as pruning and none that gives greater return for a little attention.

Let us hear from you. We enjoy learning of your successes and we can often readily point out the cause of trouble in case of failure.

cause of trouble in case of failure.

Names of Vegetables in Foreign Languages

English	French	Italian	Polish	German	Spanish	Scandinavian
Asparagus	Asperge	.Sparagio	Szparagi	Spargei	Esparrago	Asparges
					Habichuela	
					.Remolacha	
Cabbage	Chou	Cavolo Cappuccio	Kapusta	.Kopfkohl	.Col repello	.Kaal
					Zanahoria	
Cauliflower.	Chou-fleur	Cavoloflore	Kalafiory	Blumenkchl	.Coliflor	Blomkaal
Celery	Celeri	Sedano	Selery	Sellerie	.Apio	Selleri
Corn	.Mais	Mais	Kukurydza	Mais	Maiz	Mais
Cucumber	Concombre	Cetriolo	Ogorek	Gurken	Cohombro	Agurk
					.Diente de leon	
					Berengena	
					Endivia	
					Breton, Berza	
					.Col Rabano	
					Puerro	
					Lechuga	
Melon Musi	k Malan	Popopo	Molon	Molono	.Melon	Malon
Melon Wate	rMelon d'eau	Molono d'agua	Molon Wodny	Wagger Molone	Sandia	Vandmelon
Muchruom	Champieron	Fungo Protojolo	Charb.	Cohmomn	.Seta	Championon
					.Gombo	
Onion	Ognon	Cincillo	Cohulo	Zwiehel	Cebolia	Poodloog
					Perejil	
Paranin	Donala	De atima co	De et en els	Petersine	.Chirivia	Destinals
Poog	Poig	Digelle	Chook	Enhann	.Guisante	Entor
Ponnon	Dimont	Pananana	Dianna	Die ffen	Dimiente	Changle Pener
Pumplin	.Fiment	Zugge	Pieprz	Malanan Frankias	Pimiento	Crooker
					Calabaza Tonanera	
					Rabanito	
					Salsifi	
Spinach	. Epinara	Spinace	Szpinak	Spinat	Espinace	Spinat
Squasn	.Courge	.Zucca	Miekurz	Kurbiss	.Calabaza	Squash-graeskar
Swiss Chard	. Poiree	Bieta		Beisskoni	Bleda	Blad bede
Tomato	. romate	Pomo d oro	Pomiaor	Liebesapiel	Tomate	Tomat
Turnip	.Navet	.Navone	Rzepa brukiew	Weisse-Rube	Nabo	Turnips

Vegetable Seeds

In making up this catalog we have endeavored to limit the varieties to those that have proven them-selves in this locality. In doing this we have omitted many novelties and unproven varieties. We know that experiments are costly and will assist any of our friends in making the proper selections for their

Our large increase in mail order business in the past year is due to our many friends who are forever speaking a good word for us. We invite correspondence at all times and should any question arise that you wish advice on, do not hesitate to write.



Conover's Colossal Asparagus.

ASPARAGUS

One of the most delicious of all vegetables, and the earliest to be taken from the garden. Every garden, large or small, should have a bed of asparagus. A bed properly planted and cared for should last 8 or 10 years and 50 roots should supply the average family.

Plant seeds, preferably in a sandy loam, well mixed with stable manure. Rows should be from 3 to 6 feet apart and slightly below the surrounding ground. Cover seeds 1 to 2 inhees. Sow thinly, One packet of seeds will sow about 20 feet of row and yield over 100 plants. If roots are planted, make trenches 18 inches deep and 3 to 6 feet apart and work in plenty of well-rotted manure or leaf mould or both. Set plants 12 to 16 inches apart in the trench and crowns 12 inches below the surface. Each fall top dress with a heavy coat of manure and work it into the soil in the spring. Keep the earth soft and loose over the crowns of the plants. The young shoots may be cut freely up to the green pea season and then left to grow. In the fall cut all the stalks close to the ground before applying the manure. Our asparagus roots are all strong, vigorous stock which will give quick results.

CONOVER'S COLOSSAL—This excellent variety produces large, succulent and tender shoots of fine quality and excellent appearance. Pkt., 5c; oz., 10c; ½ lb., 25c; lb., 75c.

PALMETTO—This popular sort is one of the earliest and is an extremely uniform strain, producing finely flavored large stalks, nearly an incin diameter but tender and delicious. Pkt., 5c; oz., 10c; ¼ lb., 25c; lb., 75c.

ASPARAGUS ROOTS.—Ready in January. Two-year-old roots, 25c per doz., \$1.50 per 100; special price for 1,000. Postage 8c per doz., 20c per 100.

BROCCOLI

Sow seed in May; transplant in June. Growth and habit like cauliflower, but far more hardy. Of special value in the North. One ounce produces 2,500 plants.

WHITE CAPE-Large White heads. Pkt., 10c; oz., 50c; 1b., \$6.00.

Don't wait until your garden is covered with weeds before hoeing. If soil is kept in the proper state of cultivation there will be no weeds to consider

ARTICHOKES

The best way to get a good artichoke is to secure plants from old stalks of some good strain, as seeds cannot be depended upon to produce any certain variety. One-half dozen is enough for a family garden.

Transplant five feet apart in rows seven feet apart. When the young plants are attacked by aphis spray with "Black Leaf 40." About the time the buds are well advanced the under leaves become a harbor for flies and aphis and ants. When this occurs break off all the under leaves, clear the ground of all rubbish and spray with "Black Leaf 40" and use ant poison. See Insecticide page. You will then have a long season of large, clean buds.

IMPROVED LARGE GREEN GLOBE — Produces large, globular heads, thick, succulent scales, the bottom of which is the edible part. Boiled till tender, it makes a delicious dish. Pkt., 10c.

ARTICHOKE ROOTS—Artichoke roots when one year old will produce an abundance of large delicious artichokes soon after transplanting. They are ready in January and can be planted as late as May. Save a year by planting vigorous roots a year or more old. \$1.00 per doz; 10c each. Postage 2c each.



Green Globe Artichoke.

BRUSSELS SPROUTS

One ounce will produce 1,500 plants. Plant and cultivate same as Cabbage.

DWARF IMPROVED—The stem of this variety grows from 20 to 28 inches, closely set with medium-sized grayish green, very firm and well-rounded sprouts. Pkt., 10c; oz., 35c; ½ 1b., \$1.25; 1b., \$4.00.

Beans, Dwarf or Bush

One pound will sow 100 feet of drill; 40 pounds are required for an acre.

One pound will sow 100 feet of drill; 40 pounds are required for an acre.

No crop responds more readily than Beans to good soil and cultivation. A light, rich, well drained loam which was manured for the previous crop is the most desirable. If too rank manure is used it is apt to make the plant run too much to vine.

Beans are very sensitive to both cold and wet and it is useless to plant them before the ground has become dry and warm. The largest returns will result from planting in drills from two to three feet apart. Cover the seed one and one-half to two inches deep and thin the young plants three to six inches apart in the row. If planted in hills, make the hills about two feet apart each way. For succession, plant at intervals of one to two weeks till midsummer. The plants up to the time of blossoming should have frequent shallow cultivation, but any mutilation of the roots by cultivation after the plants come into blossom is likely to cause the blossoms to blast and so cut off the crop. Cultivation should always be very shallow and it is useless to expect a crop from a field so poorly prepared as to need deep stirring after planting.

planting.

We give careful attention to selecting and improving the different varieties and keeping them pure and we invite the most critical comparison of our stocks with those of any other grower.

The varieties of garden beans we offer have been separated for convenience into five groups: Wax Podded Dwarf or Bush sorts, Green Podded Dwarf or Bush sorts, Dwarf Limas, Pole or Running sorts and Pole Limas. Nearly all of these sorts, except the Limas, are suitable when voung for use as snaps, which in some localities are called "snapshorts." The low growing sorts are called Bunch beans in some sections. In northern latitudes the term "butter-beans" is often applied to low growing wax podded sorts. In the west, however, by "butter-beans" is usually meant limas.

Write for special prices on larger quantities.

GREEN-PODDED DWARF BEANS

CANADIAN WONDER—Handsome flat pods of great length and very tender. For string Beans it has become a great favorite, while for fresh shelled Beans, cooked like Limas, hardly any variety can approach it in rich flavor and appearance. Pkt. 10e; lb. 25e.

EARLY MOHAWK—Very early; stands more cold than most of the bush varieties, and on this account is considered the best for first planting; pods pale green, long and flat; seeds large, kidney-shaped, brown and purple marbled. Pkt. 10e; lb. 25e.

REFUGEE, OR THOUSAND-TO-ONE—Very tender and productive; best variety for pickling. Pkt., 10e; lb. 25e.

EARLIEST RED VALENTINE—One of the earliest and most prolific round green podded Beans. It will remain in a perfect condition for nearly to weeks after picking. Packet, 10c; lb. 25c.

BURPEE'S STRINGLESS GREEN-POD — The earliest and most hardy, absolutely stringless. The pods are a rich green, very round and straight ,5 inches long, solid, meaty and broad; readily marketed. Pkt. 10e; lb. 25c.

ENGLISH OR BROAD WINDSOR—The celebrated Broad Bean of England, growing on a strong stalk about 2 feet high. Beans eaten shelled. Lb. 15e; 100 lbs. \$10.

LONG YELLOW SIX WEEKS—An early standard variety, much prized for its productiveness and excellent quality; the peds are often 8 inches long, tender and brittle; vines vigorous and branching. Pkt. 10e; 1b. 25c.


ROUND YELLOW SIX WEEKS—While this does not differ greatly from the Early Yellow Six Weeks in the appearance of the plants, the pods are shorter, much thicker, fleshier and mature earlier; the plants are usually shorter and more compact. The pods are about four and one-half inches long, attractive light green and are desirable for early snaps for the home garden and market. Seed medium sized, round, light yellow with darker marking about eye. Pkt. 10c; Lb. 25c.

WAX OR YELLOW-PODDED DWARF BEANS

DAVIS WHITE WAX—Of compact, upright growth, producing a large yield of handsome, long pods of a clear waxy white color, and when of suitable size to use for snaps, quite stringless. The dry Beans are clear white, and are unsurpassed for baking. Pkt. 10c; lb.

IMPROVED PROLIFIC BLACK WAX—In every respect first-class; pods nearly round, of a beautiful bright yellow color, hanging in clusters well up from the ground; very early and continues long in bearing which, with its immense productiveness and handsome appearance, makes it everywhere popular. Pkt. 10c; lb. 25c.

IMPROVED GOLDEN WAX—The standard flat, wax-podded variety. The plants are of vigorous, bushy growth, not susceptible to rust, moderately early and very prolific. The pods are exceedingly handsome, large, uniformly broad, thick and almost all solid flesh, of good quality, tender and brittle, without string or coarse fibre at all stages until maturity, while the color is a rich golden yellow. Pkt. 10c; lb. 25c.



Long Yellow Six Weeks

Beans, Pole or Running

These beans require a pole or trellis to climb on, if planted in the garden, although when raised as a seed crop in the open field they need no support whatever. Pole beans are usually very prolific, and bear longer pods and a great many more of them than the bush varieties. For home garden use set the poles well in, first scrape the soil away to a depth of two inches and irrigate well. Then plant 5 to 9 beans in each hil, covering to a depth of one inch. Save only the best three or four plants. Pole beans will continue bearing long after the earlier bush varieties have ceased. Hills should be three to four feet apart

KENTUCKY WONDER OR OLD HOMESTEAD—Vine vigorous, very productive, bearing its pods in clusters; pods green, very long, often reaching nine or ten inches, nearly round and very crisp. Ten days earlier than any other green podded pole bean. Good market sort. Pkt., 10e; lb., 25e.


YARD LONG—A great curiosity, and of excellent quality. Pods usually 18 to 24 inches, but frequently 30 inches and sometimes 36 inches in length. An excellent table vegetable, being tender and of a rich asparagus flavor. Plant this fine bean for home use and exhibition purposes. The dry beans are kidney-shaped, of dark brown color. The vines keep on bearing for a long time. Pkt., 10e; oz., 30e; lb., \$2.50.

KENTICKY WONDER WAX—Equal in quality to Old Homestead, but the pods are broad and a golden waxy color that makes them very attractive. This variety is likewise an abundant yielder and we consider it the best of the yellow-podded pole beans. Pkt., 10c; lb., 25c.

BLUE LAKE CREASEBACK-A popular, green-podded variety, meaty, stringless and of good variety, meaty stringless and of good vield is very heavy. The beans are white and are very good to shell for winter use. Pkt., 10c; lb., 25c.

LAZY WIFE—A midseason sort. The pods are about four inches, green, flat, fairly meaty and stringless. The beans have a rich buttery flavor when cooked while young and make excellent winter shell beans. Pkt., 10c; lb., 25c.

DUTCH CASE KNIFE POLE—Medium late, productive, pods 8 inches containing 7 to 8 pure white seeds. Very largely planted and used for green or dried white shell beans which are of splendid qual-Pkt., 10e; lb., 25c.



Dutch Caseknife

Pkt., 10e; lb., 25e.

SCARLET RUNNER —A old favorite; used both as string and shelled beans. It is an excellent snap an excellent snap variety producing an abundance of large green pods. In addition to its culinary value, Scarlet Runner is useful for ornais useful for ornamental purposes. The strong, rapid growing vines bear brilliant scarlet flowers from early summer until late fall, and may be used to good advantage for training over porches and trellises. Pkt., 10c; Ib., 35c. lb., 35e.



FORDHOOK BUSH FORDHOOK BUSH LIMA — This variety is decidedly our preference among the bush lima beans. It is nearly as early as any. The pods are about four inches long, of medium size, well filled, the beans very thick, tender and of fine quality. The plants are very robust, never coming into contact with the

into contact with the ground. It yields
continuously all summer, in this respect superior
to any other sort. Pkt., 10e; lb., 30c.

KING OF THE GARDEN LIMA—POLE—This is the largest of the limas and is one of the best for the main crop. It is a very strong grower and very large podded, the pods being very uniform. The beans are medium to large, flat, greenish-white in color. It is a heavy yielder and a variety that climbs and produces until the end of the Season. Pkt., 10e; lb., 30c.

BURPEE'S BUSH LIMA—A true bush form of the Large White Lima Bean. Fairly early pods of good size and well filled. Stron- plants with thick stems, furnishing a good support. The quality is excellent and also the yield. Pkt., 10c; lb., 30c.

BUSH LIMAwhite Lima Bean which grows in bush form and produces a large crop. The plants are very hardy, make rapid growth and are not so apt to throw runners as some of the other varieties of Bush Lima. It begins to set pods at an early season. Most exquisite table quality. Pkt., 10e; lb., 30e. HENDERSON'S



Order Early-Be ready to plant when the ground is ready and gather Early Crops.

Knox's Superior Beets

Beets may be planted almost all the year round where the temperature does not linger below 25 degrees. Sow the seed one inch deep in well prepared, moist soil in rows eight or ten inches apart, or on ridges same as lettuce. Drill eight pounds of seed per acre. Thin out to one plant every three inches and transplant the discarded plants in any convenient spot about the garden. The Egyptian is a small, dark red. flat, smooth variety. It is sweetest and best for the table. Irrigate about every two weeks, unless the nature of the soil is such that more frequent irrigation is found to be necessary. Mulch the soil after each irrigation. Beets are ready for use in ten weeks and continue in prime condition for another ten weeks. Two ounces of seed for 100 feet of row.

CROSBY'S EGYPTIAN—This variety is extremely early and is a good one to use for forcing, having a small top of green leaves tinged with brown. The thick, roundish, smooth root has a distinct vermillion colored flesh zoned with lighter shade. Pkt., 5c; oz., 10c; ¼ lb., 25c; lb., 75c.

DETROIT DARK RED—This variety is of exceptional fine quality and attractiveness. The root is almost globe-shaped, tapering slightly and smooth. The flesh is a deep vermillion-red, crisp, and sweet. Leaves are green with dark red veins and stems. Pkt., 5c; oz., 10c; ¼ 1b., 25c; lb., 75c.

ECLIPSE—This variety is extremely early, of small size, but grows very rapidly. Its very fine quality, round shape, smoothness, and deep red color make it a favorite. It has a scant top, with brown-red foliage. Pkt., 5c; oz., 10c; ½ lb., 25c; lb., 75c.

EGYPTIAN BLOOD TURNIP—This is our choice for the early sort and is best for forcing. The root is decidedly flattened turnip-shaped, and the flesh is very dark blood-red. The top is small with brown-red leaves mixed with green. For rapid maturing of roots, this variety is unsurpassed. Pkt., 5c; oz., 10c; ¼ 1b., 25c; lb., 75c.

EDMAND'S—For late planting the best dark blood beet. It is a thoroughly fixed. uniform type: flesh deep red in color, exceedingly sweet and tender. Has a small top and single tap root which fact recommends itself to the market gardener's attention. Pkt., 5c; oz., 10c; ¼ 1b., 25c; 1b., 75c.

CRIMSON GLOBE—This fine variety is of medium size and perfect globe shape, and is produced very uniformly, with smooth skin, small tops, and a rich dark blood-red color, slightly zoned. It is very tender and sweet. Pkt., 5e; oz., 10e; 14 lb., 25e; lb., 75e.

LONG SMOOTH BLOOD—(Out of ground.) This is the best of all long late varieties, producing a root from 12 to 14 inches long, growing one-third out of the ground. The flesh is deep red, and the leaves are green, veined with red. This beet keeps well through the winter. Pkt., 5cc 100, 14 lb. 25c. lb.

the winter.. Pkt., 5c; oz., 10c; ¼ lb., 25c; lb.,




Golden Tankard



Mangel - Wurzels

LONG RED—Our stock of this variety has been grown in Germany and is the result of continued careful selection. It is the heaviest-yielding Mangel there is, producing under proper conditions from 40 to 80 tons per acre, many specimen roots weighing from 40 to 50 pounds, and being of fine texture and good quality. Pkt., 5c; lb., 50c; 10 lbs., \$4.50.



CROSBY'S

EGYPTIAN BEET

SUGAR BEETS

DANISH SLUDSTRUP—This new variety of Mangel we can recommend very highly. Our seed comes from the original grower. It is a long-growing variety, reddish yellow, growing well above ground, and easily pulled. Lb., 50e; Pkt., 5c.


FRENCH WHITE SUGAR—The sort most generally grown, as it combines, with heavy yield, a good percentage of sugar. It has produced 30 tons of Beets to the acre, and contains from 10 to 13 per cent of sugar. The largest yields known have been obtained from this variety.

Lb., 75c., Pkt., 5c.

GIANT HALF-SUGAR—A splendid Beet for stock-feeding purposes, as it is more nutritious than the ordinary Mangel-Wurzel. containing 25 per cent of sugar. Grows half out of the ground and is an enormous yielder. The outer skin is white, with a slight pink tint at the top; flesh clear white. Pkt., 5c; Lb., 50c; 10 lbs., \$4.50.

GOLDEN TANKARD STOCK BEET.

SELECTED GOLDEN TANKARD—Most nutritious variety in cultivation; roots large, ovoid, but filled out at top and bottom, terminating with a small tap-root; flesh deep golden yellow, solid, crisp, sweet and rich; excels all others in milk-producing qualities, and very productive. It has no superior as a keeper. Lb. 50c.;





Knox's Improved Cabbage

No special care or soil is required to grow cabbage as it will grow in any soil with proper cultivation, but good seed is extremely important with this crop. Like cauliflower and lettuce it is not a good summer crop as it will not head up in extremely hot weather. For fall and winter crop sow the seed in May and June, for spring and earl summer sow in September and October. Transplant when the plants are about six weeks old 18 inches apart, in rows 30 inches apart. To keep heads from splitting when ripe loosen the plants a little at the roots.

EARLY FLAT DUTCH—The seed we have of this variety is very select. Practically all of the truck gardeners use this strain, as every plant will form a large even size solid head and matures early and evenly. The seed we offer of this variety is grown for us and is acclimated. Seed that is not acclimated usually runs more to tops. If you are going to plant cabbage and you are not positive which variety will do best, you will make no mistake by planting our Early Flat Dutch. Pkt., 10e; oz., 40e; ¼ 1b., \$1.00; 1b., \$3.00.

ALL SEASONS—One of the best sorts for market gardeners, as it forms large, solid heads. When planted later, it makes a first class fall and winter sort. One of its main qualities is its almost absolute certainty to head. Pkt., 10c; oz., 40c; ½ lb., \$1.00; lb., \$3.00.

SURE HEAD—A well known variety, producing very large round heads, slightly flattened and is remarkable for its certainty to head. A vigorous grower and one of the best cabbages for late or main crop. Heads are remarkably uniform, very hard and exceedingly fine in texture, weighing about 10 to 15 lbs. each. Of very fine flavor, a fine keeper and good shipper. Pkt., 10e; oz., 40e; ½ lb., \$1.00; lb., \$3.50.

WONG BOK-Pkt., 10c; oz., 50c; lb., \$5.00.

DANISH BALLHEAD—For late crop is a tall-stemmed, spherical, hard-heading veriety it cannot be excelled. Pkt., 10c; oz., 40c; ¼ lb., \$1.50; lb., \$4.00.
SAVOY GREEN GLOBE—The favorite for market

SAVOY GREEN GLOBE—The favorite for market gardeners. Leaves are wrinkled and dark green. Heads very hardy and improved by frost. Excellent quality and sure header. Pkt., 10c; oz., 40c; ½ lb., \$1.25; lb., \$4.00.

PREMIUM LATE FLAT DUTCH—As a variety for winter market it has no superior. Heads are large, bluish-green, round, solid, broad and flat on top; they open white and crisp, are tender and well flavored. It is a fall and winter variety, and one of the best to keep. Pkt., 10c; oz., 40c; ½ lb., \$1.00; lb., \$3.50.


EARLY JERSEY WAKEFIELD—Deservedly one of the most popular early varieties. Small heads are very solid, conical and with few waste leaves. Our stock is of the best and runs true and uniform. Pkt., 10c; oz., 40c; ¼ lb., \$1.25; lb., \$3.50.

MAMMOTH ROCK RED—The largest and surest heading of the red cabbages. Medium length stem; head medium large, round, solid, and of a handsome dark red color that is carried into the heart. Pkt., 10c; oz., 40c; ½ lb., \$1.25; lb., \$4.00.

EARLY WINNINGSTADT-Pkt., 10c; oz., 40c.

Knox's Carrots

This delicious and nutritious vegetable is not appreciated as it should be. Properly cooked, it is a great delicacy. Its feeding qualities for stock are excellent. A sandy soil is best, but any good rich soil will produce good crops. Sow in early spring in rows fifteen to eighteen inches apart and thin to three to four inches according to size of variety. Cover the seed only half an inch and give careful cultivation throughout the season. They may be eaten either when a half inch or so in diameter or when fully grown.



OXHART or GUERANDE—Roots are very thick, five inches long and nearly as broad, and very blunt at the lower end. It grows rapidly and the roots often weigh a pound or over. Excellent quality. Pkt., 5e; oz., 10e; ¼ 1b., 25e; lb., 75e.

Knox's Famous Cauliflower

Cauliflower is grown the same as cabbage, but requires more fertile soil, and like cabbage and lettuce is not a good summer crop. There are two good seasons for sowing cauliflower seed; for fall and winter sow the seed in June and July, for spring sow in September and October. Transplant the plants when they are about six weeks old, and always keep them in a thriving condition. If large or old plants are used and if they are not kept growing constantly, some will head prematurely and others will go to seed.

maturely and others will go to seed.

DRY WEATHER or DANISH GIANT—
This variety is of vigorous and dwarf growth, and produces stone-hard and snow-white heads, unsurpassed in quality. The foliage is very heavy, fully protecting the heads, which are less liable to blight in hot weather than those of the earlier sorts. As indicated by the name, for dry, hot climates it is to be preferred to all other sorts, being a sure header there when other sorts fail. If thoroughly cultivated and well enriched, it is the cauliflower that gives the highest yield. Pkt., 25c; ¼ oz., 75c; oz., \$2.50.

EARLY SNOWBALL—This variety has attained a degree of excellence that has made it a highly prized strain the world over, proving beyond peradventure that real good pedigreed cauliflower seed is the paramount essential that makes the resultant crop profitable. An extra early variety. Uniform heads of quite large size, handsome form and exquisite quality which are good sellers in any market. Pkt. 25c; ¼ oz., 75c; oz., \$2.50.

VEITCH'S AUTUMN GIANT — This large, vigoorus growing variety has a long stem, and large dark green leaves. It produces very large, firm heads, which are very white and of the best quality. The heads are well protected by the inner leaves and remain a long time fit for use. The plants should be started early in the season to insure their full development. Pkt., 25e; oz., \$1.50.

EARLY PARIS—Extremely early and dwarf. The heads are white, compact and of the finest quality. Pkt., 25c; ez., \$1.00.



Dry Weather or Danish Giant

EARLY PERFECTION CAULIFLOWER—Is a very early variety of the Dwarf Erfurt type. It is not quite as early as the Snowball .The leaves are exceptionally long, stand straight up, making the inner leaves curl over and protect the head. It is perfectly true to type and its contemporarity in maturing makes it possible to clear off the ground at one cutting. Pkt., 25e; ½ oz., 75e; oz., \$2.00.

Knox's Celery

Celery seed should be sown indoors from February 20th to April 20th, or outdoors in April. Cover lightly, keep the beds moist, almost to wetness, and the temperature should not exceed sixty degrees. Outdoors it is sometimes necessary to furnish partial shade with lattice work that admits about half the sunlight. Keep the small plants well watered and free from weeds. Transplant when four inches high, cutting off the tops as well as part of the roots. The soil must be rich and moist or else water should be available for irrigation. Transplant the last of June or first of July, although it is sometimes possible to mature a crop set out as late as the middle of August. In setting dig trenches 5 inches deep, 2 feet apart. Plant 1 foot apart along both sides of trench. Water often and keep the weeds down by cultivation and hoeing. Blanching is done by heaping up with soil or with two wide boards placed on each side of the rows and held in place by stakes or wire hoops at the top. The latter method is necessary when blanching in hot weather for the early market. Be careful not to disturb the plants while wet, as this increases the tendency to rust.

GOLDEN SELF-BLANCHING—Our stock of this famous variety.



Golden Self-Blanching WHITE—Grown for the leaves only, and cooked se spinach. The midrib is prepaired like asparalike spinach. gus. It is hardy and productive, with broad green leaves and large white midribs or chards of excel-lent quality; sown at different seasons of the year,

lent quality; sown at different seasons of the year, ziving successive greens. Pkt., 5c; oz., 15c; ¼ lb., 25c; lb., 75c.

LUCULLUS—A peculiarly delicious variety having green leaves which are remarkably crimpled and curled, like savoy-leaved cabbage. The chards are white and broad but not so broad as the common variety, although equally fine in flavor. Pkt., 5c; oz., 15c; ¼ lb., 25c; lb., 75c.

CELERIAC

Sow the same seed as for celery. Transplant into rows two feet apart and thin to nine inches in the row. Cultivate thoroughly. It is not necessary to earth up.

LARGE SMOOTH PRAGUE — This is the most with American growers. Roots popular variety with American growers. Roots nearly globular, comparatively smooth with few roots at the bottom, flavor excellent. This variety excels all others in appearance, size and quality. Pkt., 5c; oz., 25c; 1/4 lb., 50c; lb., \$1.50.

CHICORY

LARGE ROOTED—The roots are cut in thick slices, then roasted and used as a substitute for coffee. In spring the leaves make a nice salad. Usually planted midsummer or early fall so that roots are not lifted until danger of severe frost. Reaches maturity in 65-75 days Pkt., 10c; oz., 25c; ¼ lb., 75c.

WITLOOF CHICORY—This is known also as French Endive and is esteemed as the finest of all green salads. Spring-sown seed produce by fall large parsnip-like roots. In late fall these roots are planted quite closely (they can touch each other) in boxes of soil or sand, well watered and placed in the cellar where they thrive, in moderate temperature. The crown will immediately send up a bunch of thick succulent white foliage rolled tightly together. It is this that is cut and eaten as salad. One packet will sow about 25 feet of row, producing about 100 roots. One ounce enough for 100 feet of row.

Seed—Of true Willoof. 10c per pkt., 40c per oz.

GOLDEN SELF-BLANCHING—Our stock of this famous variety, now considered a standard celery for early use, is unsurpassed. The plants produced by our seed are compact and stocky, with yellowish green foliage turning to golden yellow, with a slight earthing up. Stalks are very thick, broad, solid, and crisp, of the finest nutty flavor and natural ivory-white color. This is a bighearted strain with no hollow stalks, extremely even, and free from green top. Pkt., 10c; ½ oz., 30c; oz., 50c; ½ 1b., \$2.00; 1b., \$7.50.

GIANT—PASCAL—Vigorous, compact, productive variety; one of the best sorts for fall and winter use Leaves upright, short, dark green. Stalks short, broad, very thick, crisp, and tender, blanching readily to a vellowish white color; a very good keeper. Pkt. 10c; oz., 40c; ½ lb., \$1.35; lb., \$4.00.

WHITE PLUME PERFECTED—An early distinct variety, with a silver-white color in its inner leaves, stalks and heart. Crisp and of excellent quality. It requires little to blanch it, making attractive white stalks and leaves. Pkt., 10c; oz., 40c; ½ lb., \$1.35; lb., \$4.00.

Swiss Chard

Swiss Chard is one of the easiest vegetables to grow. Planted in the spring time it will grow one whole year before running to seed, and produce an abundance of green leaves the whole year. The broad, white stalks can be cooked like asparagus and the green leaves used the same as spinach. In picking always pick the largest outside leaves and the plant will continue to produce leaves from the center. It is also one of the best greens to plant and cooked like aspara
for poultry as it will produce more greens with less care and through a longer season than anything else.



Knox's Sweet Corn

One of the garden's sweetest vegetables. Plant from February 15th to August 1st, in rows 3 feet apart, drop 6 or 7 kernels in hills every 18 inches in the row and thin out to two of the healthiest plants in each hill when about 5 inches high. Break off all side shoots except the two top ones as they will produce the largest and best ears. Corn is at its very best when picked and eaten within an hour, but it is extremely important that it be picked just at the right time especially when not too old. Frequent plantings of several varieties in succession will keep a good supply available all summer.

MARKET GARDENERS' SWEET CORN—Our market gardeners sweet corn is far superior to any other variety we know of. It is very early and bears two large size ears to each stalk. We do not hesitate to recommend this variety and if you do not know what variety of corn to plant, try Our Market Gardeners. Pkt. 10c; lb., 25c.

GOLDEN BANTAM—There is something about yellow sweet corn on the ear for table use that appeals to old and young alike. To those who prefer a yellow variety we especially recommend Golden Bantam. Its flavor is extremely sweet and delicious its kernels tender and juicy. Its hardiness permits planting earlier and in colder and damper soil than other varieties. Plant it at regular intervals to obtain a continuous supply during the season. In our latitude it can be planted as late as the middle of July. The stalks grow from 4 to 5 feet in height and generally produce two ears, which are 5 to 7 inches long and of a bright golden vellow color when ready for the table. It is one of the sweetest, most luscious and toothsome of the sweet corns. Matures in about 70 days. Pkg., 10c; lb., 25c.

EARLY MAMMOTH or ALAMEDA—A vigorous, large, early variety, rown extensively in Alameda County for the San Francisco market. Pkt., 10e; lb., 25c.

EARLY MINNESOTA—Very early; ears of fair size and uniform; plant rather dwarf; one of the best. Pkt., 10c; lb., 25c.

STOWELL'S EVERGREEN-Now recognized everywhere as a standstowell's Evergreen—Now recognized everywhere as a standard variety, both for home use and market, and is the general favorite. The ears are of a large size, grains deep, exceptionally tender and sugary, and remain longer in the green state than any other. Pkt., 10c: 1b., 25c.

COUNTRY GENTLEMAN—One of the finest of all corns for the private table. Ears 8 to 9 inches long, cob small and irregularly crowded from end to end with pearly white kernels of great depth; quality control of the state of the state of great depth; quality crowded from end to end with pearly white kernels of great depth; quality controls and state of the state of great depth; quality controls are stated to the state of great depth; quality controls are stated to the state of great depth; quality controls are stated to the state of great depth; quality controls are stated to the state of great depth; quality controls are stated to the state of great depth; quality controls are stated to the state of great depth; quality controls are stated to the state

surpassingly sweet

tender. Pkt., 10c; lb. 25c.

EXTRA-EARLY CORY

-Of great value for its extreme earliness; is 10 days earlier than any other sort; ears of good size and first-rate quality. Pkt., 10c; lb., 25c.



Stowell's Evergreen

Ask for prices on larger quantities.

EARLY ADAMS—An extra-early variety of the semi-sweet type. Does very well in the interior valleys of Cali-fornia, as it is not bothered much by bugs. Pkt., 10c; lb., 25c.

EARLY EVERGREEN—This corn is positively one of the earliest of the very large eared sweet corns. Ears measure 10 to 12 inches. It matures in about 65 days. In color the ears are pure white, exceptionally sweet, very luscious, tender and palatable. No matter what other varieties you try be sure and plant this variety. Pkt., 10c; lb., 25c.

OREGON EVERGREEN-The husk is very thick and folds so tightly over the grains that the worm does very little damage, compared with other varieties. It is desired by the peddler and groceryman because of its thick husk, and it can be held over two days before it appears old or wilted. It is very productive, often bearing five marketable ears. Pkt., 10c; 1b., 25c.


BLACK MEXICAN—A rather short black variety; sweet and delicious. Splendid for home-garden, but not a market sort on account of color. Pkt., 10e; 1b., 25e.

GOLDEN CREAM-Early and one of the best for the homegarden; it will become one of the most popular Sweet Corns ever used. Pkt., 10c; lb., 25c.

HOWLING MOB—In this corn we have the combination of earliness together with the large ears and fine flavor of the later varieties. The plant grows from four to five feet tall with heavy foliage and usually bears two fine ears to a stalk. The ears average eight inches in length and carry twelve to fourteen rows of large white kernels. Its flavor is sweet and rich and the husk is very heavy and long. Pkt., 10c; lb., 25c.

SWEET FODDER CORN

For feeding and cutting in summer, this provides a most satisfactory fodder. Every part of the plant above ground is digestible; so for an economical fodder and increaser of milk-flow there is none better. Sow broadcast, 2 bushels per acre. Lb., 15c; 10 lbs., \$1.25.



Country Gentleman.

Selected Field Corn

Proper selection of Seed Corn is a matter of working year after year, planting good seed in the beginning, watching the particular stalks which grow best and which set enough ears the proper distances from the ground, and then cutting the tassels from all other stalks in the field. The seed ears must be selected on the stalk, and ripened and dried under correct conditions. The grains must be shelled and stored and graded so they will be even in size, and their vitality maintained unimpaired. Finally, the seed must be tested for germination. We have picked growers who give their Corn crops the attention necessary to produce first-class seed.

KING PHILLIP—THE "ISLAND WONDER"

Probably no corn has received as much attention in California the last few years as the improved strain of King Phillip. It is a hardy corn and a very heavy producer, in fact, yields of 100 bushels to the acre have been produced on various occasions in the delta region.

The hard yellow kernels are of a very high milling quality and are preferred by the mills to the soft dent varieties. It grows from 6 to 12 or 14 ft. tall producing from 2 to 4 ears to the stalk. Its heavy yield in fodder and grain makes it the best silage corn and is highly recommended by the experimental stations.

It should be planted after all danger of frost is past in rows 3 ft. apart and 2 ft. to the rows. Drill at the rate of 10 lbs. to the acre.

It is a well known fact that San Joaquin County and the delta region lying west of Stockton is the great corn producing section of California. In 1917 there were 10,000 acres devoted to corn raising in the delta. While this acreage is small in comparison to some other of California's crops it is rapidly increasing. California shipped in from the east last year more than twice the amount of corn produced on this acreage. Thus you see the supply is far below the demand.

Corn requires a warm climate with very warm nights. It is not like some crops and must be kept growing, as once stopped, it will never grow to its full size. The kernels will not fill out, but will shrivel producing an inferior grade of corn and not matured.

We feel we have played a very important part in the development of corn in California and are proud of our strain of King Phillip.

Should you need any further information, do not hesitate to write and we assure you we will help you in every way possible.

Price 1 lb., 10c; 5 lbs. 40c; 10 lbs., 75c; 50 lbs. \$3.50.

100 lbs., \$6.00 (Not prepaid).



100 Bushels to the Acre, Clifton Court Tract.

Field Corn--Continued

Write for quantity price. EARLY LEAMING

One of the best all around heavy yielding Dent Corns of today. Known everywhere as a heavy yielding yellow Corn. Produced 1,238 bushels on 10 acres. Ears about 10 inches long; 18 to 20 rows, well filled with wedge shaped, redishyellow kernels of medium size. We have increased the size of the ear, its earliness and also the percentage of grain by careful breeding. Ripens in about 95 to 100 days. Ear, selected hand picked. Lb., 10c; 10 lbs., 85c; 100 lbs. ask for price.

10WA GOLDWINE—This corn ripened thoroughly inside of 100 days. It is one of the most generally planted varieties. The ears are about 10 inches long and very symmetrical. The grain is very deep and of beautiful golden yellow color, and the cob is very thin. Iowa Gold Mine is a heavy cropper, and one of the most productive early varieties. Our stock is carefully grown ear selected, hand picked. Lb., 10c; 10 lbs., 85c; 100 lbs. ask for price.

85c; 100 lbs., ask for price.

HICKORY KING

Has the largest grains, with smallest cob, of any white corn introduced. We have what is known as the Broad Grain Hickory King; a single grain nearly covering a cross-section of the entire cob. It is a strong grower; the stalks take a firm hold on the ground and stand upright, resisting heavy wind storms without blowing down. In fairly good soil each stalk bears 2 and sometimes 3 medium sized ears. It yields good crops on light soils and is one of the most productive and profitable white varieties for planting in the South. Ears fill out well and will make more shelled corn to bulk of ears than any other variety. It is good for roasting ears to follow Early White Dent; makes a splendid quality of corn meal, and is just the right sort for stock feeding, being almost all corn and very little cob. It matures fully in from 115 to 125 days. Lb., 10c; 10 lbs., 85c; 100 lbs., ask for price.

REID'S YELLOW DENT

We recommend it very highly for California but not for Oregon or Washington, except for fodder or silo. Very popular because of large ears, which are uniformly smooth and light yellow in color. An ideal show variety, and easy to sell because of its high breeding, uniformity and large percentage of grain to cob. Shells 88 per cent grain and often better. Ears run 8 to 11 inches long in different localities, and 7 to 8 inches in circumference. An immense yielder on good soil. Some Northern farmers grow Reid's for the silo because of its large growth. The small shank makes it very easy to gather and husk. Matures in 105 to 110 days. Our seed stock this year is Ohio grown, is extra early, and is adapted to California climate. Lb., 10c; 10 lbs., 85c; 100 lbs., ask for price.

adapted to California climate. Lb., 10c; 10 lbs., 85c; 100 lbs., nsk for price.

EARLY EIGHT-ROWED CANADA—A yellow flint; a rapid grower and therefore largely used for replanting where the seasons are short. Lb., 10c; 10 lbs., 85c.

IOWA SILVER MINE—Standard white dent varieties; superior for feeding purposes and also makes good roasting ears when young. Lb., 10c; 10 lbs., 85c.

KING OF THE EARLIES—One of the earliest yellow dent varieties, ripening in about 80 days. Deep soft grain and small, red cob. Lb., 10c; 10 lbs., 85c.

CHAMPION WHITE PEARL—Very superior for corn meal. Ears are long and grow low on the stalk; averages 16 rows of grains. Lb., 10c; 10 lbs., 85c.

Australian White Flint—A 90-day variety an ideal for our arid lands. Will endure more drought and cold than any other variety. Ears about 12 inches long. Lb., 10c; 10 lbs., 85c. other variety. lbs., S5c.

SWEET CORN FOR FODDER—As this corn is always wanted in large quantities, write us for special quotations. Ask for prices in large quantities.

POP CORN

WHITE RICE—Handsome variety; kernels long, pointed and resembling rice; color white. Very prolific. Lb., 15c.


EUREKA ENSILAGE

Eureka Ensilage corn is without a doubt the heaviest yielding ensilage corn adapted to California climatic conditions. It grows to an average height of 14 feet, has very leafy stocks bearing one to three ears to the stock, and has established a record of an average production of 30 to 35 tons per acre. This when cut and put in the silo furnishes a feed that is very succulent and of the highest feeding value and is relished by all kinds of stock.

Our seed stock of Eureka Ensilage corn for this season is of exceptionally fine quality and selected for size uniformity for both ear and kernel.

Price per lb., 10c: 10 lbs., 85c. Write for quantity prices.

Price per lb., 10c; 10 lbs., 85c. Write for quantity prices.



Reid's Yeilow Dent

Knox's Cucumbers

JAPANESE CLIMBING-This variety can be grown on a trellis, producing fruits of dark green color and good quality. Grows decidedly better on a pole or trellis than if grown on the ground. Pkt., 10c; oz., 20c; ¼ lb., 50c; lb., \$2.00.

LONG GREEN IMPROVED-The very vigorous and productive vines bear uniof the home garden. Pkt., 5c; oz., 10c; ¼ lb., 35c; lb.,

\$1.00.

WEST INDIA GHERKIN—This is a distinct, very small, oval, prickly fruited sort used exclusively for pickling. The fruit is 2 inches long and 1 inch in diameter and borne in abundance. The seed of this variety is slow to germinate. Pkt., 10e; oz., 20e; ¼ Ib., 60c; Ib., \$2.00.

EARLY SHORT GREEN—This variety is known also as Early Frame. It is an early, bright green cucumber of medium size, very extensively used for slicing and pickling. The vines are very vigorous and productive. The fruits are straight, a little smaller at the ends, bright green in color, shading lighter at the blossom end. The flesh is crisp and tender. The variety is extensively used for the home garden. Our stock is very superior. Pkt., 5e; oz., 15e; ¼ Ib., 40e; Ib., \$1.25.

LEMON CUCUMBER—Similar in shape to a lemon. The flesh is tender, crisp and possesses a sweetness and flavor surpassing all other cucumbers. They are unexcelled for pickling. Pkt., 10e; oz., 25e; Ib. \$2.00.

BOSTON PICKLING—For pickling this variety is

Doz., 25c; lb. \$2.00.

BOSTON PICKLING—For pickling this variety is superior to all others. Its fruit is short, pointed at each end, bright green, uniform in size, very productive and of superior quality. Pkt., 10c; oz., 15c; 1/4 lb., 35e; lb., \$1.00.

IMPROVED WHITE SPINE—The market gardener's favorite for field culture. It is one of the lest sorts for the table, on account of its color, which seldom changes to a yellow when kept after being pickled. Pkt., 10c; 0z., 15c; ½ lb., 35c; lb., \$1.00.

ENDIVE

BROAD-LEAVED BATAVIAN—Rosette often 16 inches in diameter with broad, twisted, or waved green leaves and thick white midribs. Makes a fine "head" and blanches easily. The most exclusively grown variety. Pkt., 5c; oz., 10c; ¼ 1b., 30c; lb., \$1.00.

GREEN CURLED—A hardy variety forming a rosette 16 to 18 inches across, with very curly leaves and rosy colored midribs. Fine for an autumn crop. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb., \$1.00.

KOHL RABI

EXTRA EARLY VIENNA—A curious vegetable in appearance half-way between a Turnip and a Cabbage with a turnip-like swelling of the stems above the ground, which, while young and tender has a delicious Cauliflower flavor and very appetizing and pleasant. Very easily grown, requiring only such care as will make a Turnip or Cabbage do well. It is cooked much the same as Cauliflower and served with pepper, butter and salt. It is certainly most delicious. Pkt., 5c; oz., 25c; ¼ lb., 70c; lb., \$2.25.

GARLIC

Used for flavoring. The bulbs are set out like onion sets about 4 inches apart in the row, and covered 1 inch deep. When tops die down take up the bulbs and dry in a shady place. Bulbs only.



Klondyke

EGGPLANT

EARLY LONG PURPLE—An early variety with club-shaped dark purple fruits 6 to 8 inches long. Very productive and of fine quality. Pkt., 10c; oz., 50c; ¼ lb., \$2.00; lb., \$5.00.

NEW YORK IMPROVED SPINELESS-NEW YORK IMPROVED SPINELESS—A Very excellent standard variety growing strong bushes, which are 'all, ar than the Black Beauty and better in that respect for keeping the "eggs" off the ground. The large dark purplish black fruits are heavy at blossom end and narrow toward the stem end, and are smooth and of fine quality. Pkt., 10c; oz., 50c; ½ lb., \$1.50; lb., \$5.00.

BLACK BEAUTY—Is preferred by growers for the early market because it matures marketable size fruit earlier than any other variety, and because the fruit is dark colored, when quite young and uniformly over the entire surface. It is entirely free from spines. It is popular because it is a moneymaker. Pkt., 10c; oz., 50c; 1/4 lb., \$1.50; lb., \$5.00.

HERBS

Pkt., 10c each

Anise-For garnishing, cordials and flavoring.

Basil, Sweet—The leaves and tops of the shoots are used for highly seasoned soups, stews and sauces; a leaf or two is sometimes placed in salads.

Borage—Excellent for bees. The leaves are used in salads, or boiled as Spinach; the flowers are aromatic and used in cool drinks.

Caraway-The aromatic seeds are used in confectionery, cakes and medicine.

Catnip-Used for seasoning, and also grown as a bee food.

Coriander—For garnishing; the seeds are aromatic and useful for flavoring.

Dill-The aromatic seeds are used in pickles, preserves, soups and sauces.

Florence Fennel—An excellent salad plant and is also boiled. The flavor is sweet, spicy and distinct.

Fennel, Sweet—The leaves boiled enter into fish sauces; beautiful for garnishing.

Lavender-A popular, aromatic Herb, emitting a delightful perfume.

Marjoram, Sweet .- The leaves and shoots are used for seasoning.

Rosemary-The aromatic leaves are used for seasoning.

Sage-The leaves are used in dressing and in sauces.

Savory, Summer—Used for seasoning and flavoring soups and dressings.


Savory, Winter—A hardy perennial; the leaves are used for flavoring.

Thyme, Broad-Leaved-The leaves are dried for seasoning.

Knox's Muskmelons or Cantaloupes

One ounce will plant 50 hills.

After danger of frost is past, the ground being warm and in good condition, plant in rich soil, preferably sandy loam, in hills about 4 to 6 feet apart according to the vigor of the variety and richness of the soil. Plant eight to ten seeds to the hills. Cover firmly with about 1 inch of fine soil. When plants begin to crowd and the danger from the striped bettle is over thin out, leaving only the four strongest plants to the hill. Give shallow cultivation frequently, until runners grow to such an extent as to make this impracticable. The quality of melons is dependent largely upon weather conditions and the vigor of vines; unfavorable weather and unhealthy vines produce a poorly flavored fruit. To induce early fruiting, pinch the ends of laterals.



Pollock 10-25.

POLLOCK—10-25 — (Ten-twenty-five). This is a new main crop variety ripening at the same time as Rocky Ford. The melons are nearly round or slightly oval with no ribbing and densely netted all over the melon. Each melon is 5 to 6 inches long—a nice commercial size. The seed cavity is small and the flesh thick, and is light green with a salmon tint throughout. Flavor is excellent and sweet. This is the standard muskmelon for the market and is excellent for the home garden. It is a newer selection from Pollock 25 and is considered a slight improvement over that spelndid sort. Pkt., 5c; oz., 10c; ½ 1b., 35c; lb., \$1.25.

ROCKY FORD or NETTED GEM—This is a medium-early variety with vigorous and productive vines. Fruits are oval, very slightly ribbed, and densely covered with fine netting. Our stock is selected for uniformity of size as well as quality, both of which are very desirable. The flesh is thick, green, sweet, and highly flavored. This is an excellent variety to grow in the home garden. Pkt., 5c; oz., 10c; ½ 1b., 40c; lb., \$1.00.


EXTRA EARLY HACKENSACK—Nearly two weeks earlier than Hawkeye. Fruits are round, slightly flattened from stem to blossom ends, with well-defined ribs and strong netting. Skin is green slightly tinged with yellow at maturity. Flesh is thick, rich green in color, slightly coarse, but juicy and of fine flavor. Pkt., 5c; oz., 15c; ¼ lb., 30c., lb. \$1.00.

PERSIAN MUSKMELON—This is a large melon, from 8 to 10 inches in diameter, and is heavy for its size. The melons are heavily netted and are globular. Its color is bright orange. The flavor is different from other melons and comes out delightfully when the melons are well ripened. Do not try to eat them until fully ripe. Many persons prefer Persian melons before all other sorts. Pkt.

persons prefer Persian melons before all other sorts. Pkt. 10c; oz., 40c; ¼ lb., \$1.25; lb., \$4.00.

HONEY DEW—The rind is a dull white when ripe. Part of the melon shows slight checks in the rind like a tendency to net. This appears when the melon is ready to pick. This melon is 6-7 inches through and about 8 inches long. Pkt., 10c; oz., 20c; ¼ lb., 60c; lb., \$2.00.

TIP TOP—A well known very productive market sort in some sections. The fruits are large, nearly round, slightly ribbed and fairly well covered with shallow netting. The skin is light yellow when the fruit is mature. The flesh is deep yellow, rich and highly flavored. Pkt., 5c; oz., 15c; ¼ lb., 40c; lb., \$1.25.




Tip Top

GOLDEN BEAUTY CASABA—One of the best casaba, Begins to ripen in July and continues ripening and bearing all summer and fall until frost comes. The later fruit can be stored in a cool house or cellar and will ripen slowly. Golden Beauty is bright yellow about globular, with wrinkled skin and slightly pointed at the stem end. The flesh is fine-grained pure white, very thick and of an extra-good flavor. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb., \$1.00.

IMPROVED HYBRID CASA-BA—This is a large casaba. with a wonderfully sweet flavor; very prolific; extremely popular with the growers because of its heavy demand by the housewife; thick flesh of excellent quality. Pkt., 10c; oz., 20c; ½ 1b., 60c; lb., \$2.00.

-A perfect shipper due to the hard netted rind. Gets its name from the yellow tinge around the seed cavity. Has best flavor of all Rocky Fords. Pkt. 10c; oz., 20c; ½ lb., 60c; lb., \$2.00. ROCKY FORD GOLD LINED



Rocky Ford Gold Lined

Watermelon

A light, sandy soil, with good exposure to the sun, is the best for watermelons. It should be prepared deep, but receive shallow cultivation. Hoe often and thoroughly. To get good, strong vines early in the season, form large, well-drained hills of earth, made very rich, about 8 feet apart. In these plant the seed as soon as the ground is warm and dry, dropping 6 to 10 seeds in the hill. Protect the young plants from insects. One oz. to 30 hills, 3 lbs. to the acre. When the plants are about 4 inches high thin out, leaving only four of the strongest plants to each hill. only four of the strongest plants to each hill.

TOM WATSON - An extra TOM WATSON — An extra long melon of attractive appearance, uniform in shape and quality. The dark green rind is tough, but thin and easily withstands shipment to distant markets. The deep red flesh extends to within three-fourths of an inch of the green rind is crisp, melting and of rind, is crisp, melting and of finest flavor. The melon meas-ures about 24 inches long and ures about 24 inches long and 12 inches in diameter and often attains a weight of from 50 to 60 pounds. It is very prolific, producing in great abundance the large, delicious fruits. Plt. 5c; oz., 10c; ¼ lb., 30c; lb., \$1.00.

ANGELINO—This new variety of melon is coming to be a great favorite with shippers. Dark green with a bright red flesh and excellent flavor. It stands up well and sells easily. Seeds must be soaked a few hours before planting, otherwise they tend to rot. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb., \$1.

GYPSY OR GEORGIA RATTLESNAKE—An old standard sort that is very popular especially in the South. Very large, oblong, distinctly striped and mottled: flesh dark red and very sweet. Skin firm and solid, making it a good shipping sort. Pkt., 5c; oz., 10c; ¼ 1b., 30c; 1b., \$1.00.

FLORIDA FAVORITE—A splendid long melon of very large size and excellent quality. Dark green skin mottled and striped with lighter green: thin but firm rind. Flesh is very deep red, sweet, and tender. Vines vigorous and productive. A good leaves the force of the first result. tender. Vines vigorous and productive. A keeper. Pkt., 5c; oz., 10c; 1/4 lb., 30c; lb., \$1.00.

YELLOW-FLESHED ICE CREAM-The grows very fast and is of oblong shape, the flesh is a beautiful yellow, and has a delicious flavor, different from any other variety. Pkt., 5c; oz., 10c; 1/4 lb., 30c; lb., \$1.00.

BLACK SEEDED ANGELINO — Many prefer a melon with black seed. This variety has all of the good points of Angelino—bright red flesh, sweetness and size. Pkt. 5c; oz., 10c; ½ lb., 30c; lb., \$1.00.

KLONDYKE—Has bright red flesh, firm, and exceptionally sweet. Skin too thin to make a shipping melon, but for the garden there is no melon quite the same. Pkt. 5c; oz., 20c; ½ lb., 60c; lb. \$2.00.

CURAN QUEEN—One of the finest Watermelons yet introduced. The fruit is of large size and oblong in form. Skin beautifully striped in dark and light green. Rind quite thin, but tough enough for shipping. Flesh bright red, remarkably solid, peculiarly luscious, crisp and suggary. A good keeper. Per pkt., 10c; oz., 20c; ¼ lb. 45c; lb. \$1.25.

CHILIAN, WHITE-SEEDED—This melon in some sections of the state is known as the Cannon-Ball Melon on account of its shape. The rind is thin and the flesh is deep red and deliciously sweet. Pkt., 5e; oz., 10e; ½ lb., 30e; lb., -1.00.

BLACK-SEEDED CHILIAN—This is a melon of the oblong type whose flesh is bright red and the flavor remarkably fine and sweet. The rind is very thin and brittle and the skin colored a deep rich green, mottled with a darker green: a fine type of melon. recommended for the home garden. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb., \$1.00.

KLECKLEY'S SWEET-Very productive. The fruit is oblong, color dark green, flesh deep red, stringless, solid and very sweet; with but few seeds set near the rind. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb., \$1.00.



Tom Watson

EXCEL—To the grower and shipper who wants a large melon the Excel fills the bill. It is oblong, dark green with a suspicion of a stripe, and will average 35 lbs. and is of excellent flavor. It is a good shipper and has maintained its popularity for many years. Our seed is from our own growing and is true to type. Pkt., 5c; oz., 15c; ½ lb., 40c; lb., \$1.25, postpaid postpaid.

COLE'S EARLY—Ripens where other varieties fail. This melon will undoubtedly prove a great boon to those who live in northern sections where Watermelons were never before successfully grown. The melons are seldom over 12 inches in length. The heart is large and the flesh is a beautiful bright red, lusciously sweet, cool and sparkling. Pkt., 10c; oz., 15c; ½ lb., 30c; lb., \$1.00.

Our position as MARKET GARDNERS' SEEDS-MEN is well and favorably known both at home and throughout the country. Our pre-cminent standing in this line of the Seed Business has been long established. The Market Gardner, when he plants KNOX'S SEEDS, may therefore feel reasonably sure that he is planting the best seeds obtainable.



Kleckley's Swect.

KALE or BORECOLE

TALL GREEN SCOTCH CURLED—Very similar to the Dwarf Green excepting that leaves are a brighter green, a little coarser, and are borne at the top of a stalk two feet from the ground. It is of good quality and so hardy that a light frost improves rather than injures it. Pkt., 5c; oz., 15c; ¼ lb., 50c; lb., \$1.75.

JERSEY OR COW KALE—A robust-growing sort, often 6 or 8 feet high; grown largely for stock and chickenfeed. Pkt., 5e; oz., 10c; 1/4 lb., 35c; lb., \$1.00.

DWARF GREEN CURLED SCOTCH—Known in the East as "Sprouts," and sometimes confused with Brussels Sprouts, which it does not in the least resemble. The cultivation is about the same as for cabbages. Four ounces of seed will sow 300 feet of row. Rarely exceeds 18 inches in height, but spreads under good cultivation to 3 feet in diameter; leaves beautifully curled and bright green: very hardy, and will stand out where temperature does not fall below zero. Pkt., 5e; oz., 15e; ½ lb., 50e; lb., \$1.75.

LEEK

AMERICAN FLAG—A very fine, early, productive variety; a strong, quick grower of mild flavor. The stems are 2 inches in diameter and easily blanch as high as 10 inches from the root. This is an excellent sort for fall and early winter sowing. Pkt., 5c; vz., 15c; ½ lb., 40c; lb., \$1.25.

Knox's Lettuce



The ground for lettuce should be prepared the Same as celery, that is, trenches should be dug about 5 inches deep and 2 feet apart. If seed is used it should be drilled 1 inch deep along the edges and both sides of the trench. When the plants are about 1 inch high they should be thinned to 12 inches apart, and the plants that are pulled can be transplanted to other parts of the garden. When irrigating, run the water at the bottom of the trenches, let it stand and sub-irrigate. Do not under any circumstances allow the water to cover the plants, as it will cause Stem Rot.

Lettuce, like Cauliflower and Cabbage, will not head solid during the hot summer months, although the Iceberg variety will grow and form loose heads fit for family use and should be planted from May 1st to July 1st. Los Angeles lettuce, which is the best winter and spring solid heading variety, can be planted form August 15th to April 1st. Excessive heat will sunburn lettuce on the inside of the heads and cause them to rot.

planted form August 15th to April 1st. Excessive and cause them to rot.

NEW YORK WONDERFUL or LOS ANGELES—
This variety has been known by many names, and is claimed by every section where it does well. It is unquestionably the best winter head Lettuce, and grows to an enormous size. It is sometimes called the "Wonderful." Pkt., 10c; oz., 25c; ½ lb., 35c.

ICEBERG—A sure and hard-heading variety, the medium-sized plants with strong midth, produc-

ICEBERG—A sure and hard-heading variety, the medium-sized plants, with strong inidrib, producing large heads. Outer leaves light green, curly and finely fringed. Hearts a beautiful white, crisp and tender. Use this sort during the hot summer months. Pkt., 5c; oz., 15c; ¼ lb., 40c; lb., \$1.50. CALIF. CREAM BUTTER—A crisp tender, richly flavored variety, forming large heads of a beautiful creamy color; medium early, and stands summer heat remarkably well. Pkt., 5c; oz., 10c; ¼ lb., 40c; lb., \$1.00.

lb., \$1.00. HANSON HANSON — A desirable, large-heading summer ettuce. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb., \$1.00. BIG BOSTON—This fine variety is extremely pop-

ular for outdoor culture in the spring and fall, and

for coldframe forcing. The plants are large, very hardy, and vigorous. The broad leaves are comparatively smooth, wavy at the edge, thin and crisp. We recommend it as one of the best home-garden lettuces on account of its easy culture. Pkt., 5c; oz., 10c; ¼ lb., 40c; lb., \$1.00.


PARIS WHITE COS—Cos lettuce is of conical form, with elongated head. Outer coloring is yellowish green. Very crisp and sweet. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb., \$1.00.

BLACK-SEEDED SIMPSON—A very large, clustering sort of attractive light yellowish green. The leaves are ruffled and blistered and of surprising tenderness. Pkt., 5c; oz., 10c; ¼ lb., 40c; lb., \$1.00.

EARLY CURLED SIMPSON—Forms a compact mass of yellowish green, curly leaves; earlier than head lettuce; grown in cold-frames and open ground. Pkt., 5c; oz., 10c; ¼ lb., 40c; lb., \$1.00.

EARLY PRIZE-HEAD—Leaves finely curled and crimped, bright green tinged with brownish red, crisp and sweet. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb., \$1.00.

\$1.00.



New York Wonderful or Los Angeles

Knox's Selected Onions

Onions are extremely hardy and will grow in any soil. No special knowledge or care is required, providing the soil is kept loose, and naturally onions, like anything else, will do better in good rich soil well drained. For extra early onions the seed should be sown in beds from August 1st to October 1st. Transplant when they are as large as lead pencils 5 inches apart, in rows 15 inches apart during December and January, as the plants will be large enough by that time.

California Early Red is the earliest onion, maturing in May, the yellow, white and brown in June, and the Italian Red in July. A large percentage of the onions are grown along the rivers on bottom land and the seed is sown in December and January, drilled in rows 16 to 18 inches apart and later thinned to about 4 inches apart. About 4 pounds of seed is required to plant one acre. This crop matures during August and September. The brown and yellow varieties are the ones most extensively planted. If mildew should attract onions, dusting with sulphur will prevent it if applied in time.



LONG ITALIAN RED—One acre planted in Italian Reds will produce twice as many sacks as any other variety of onion, and it can be harvested with one-half the labor, as it grows entirely out of the ground, making it easy to harvest. It is not a good keeper, but its extreme sweetness has found favor with the consumer, making a ready sale when they are ripe for the market. Pkt., 10c; oz., 20c; ¼ lb., 60c; lb., 8206 they are 1b., \$2.00.

LARGE RED WETHERSFIELD—A very popular standard variety, with handsome large, bright purplish red, somewhat flattened although quite thick, smooth, glossy bulbs. Flesh is firm, purplish white, rather strongly falvored but pleasant. Medium early or main-crop sort, very productive, and one of the best keepers. Pkt., 5c; oz., 20c; ½ lb., 60c; lb., \$2.

SELECTED YELLOW GLOBE DANVERS—Our strain of this fine main-crop onion has retained the small neck and the uniformity of ripening without yielding any of the good features of the original strain. The bulbs, of medium to large size, are uniformly globe-shaped, with small neck ripen evenly, and are of a rich coppery yellow color. The flesh is creamy white, crisp, solid, and of mild and fine flavor. An excellent keeper. Pkt., 5c; oz., 15e; ½ lb., 50e; lb., \$1.50. flavor. 2 1b., \$1.50.

AUSTRALIAN BROWN—Early. Exceeds any other onion in keeping qualities. Will produce a fine crop of hard, solid onions, even in unfortunte seasons. Of globe shape. The skin is light brown, flesh pure white and exceptionally mild. Pkt., 5e; oz., 15e; ¼ 1b., 50e; lb., \$1.50.

WHITE PORTUGAL or SILVERSKIN—An extremely popular and fine white sort for sets or for use when young. Mature bulbs are of medium size, flattened globe shape, of mild flavor and beautiful silver white skin. Bulbs when young are nearly round and cannot be improved upon for table use, pickles or for salad. This is the finest flattened white onion for growing in the North. Pkt., 10e; oz., 20e; ¼ 1b., 60e; 1b., \$2.00.

YELLOW DANVERS—A popular early flat variety that is excellent either for home use or main crop for gardeners. Flat but thick bulbs, thin necks, thick brownish, yellow skin of good quality and mild. Uniform in size, sure in ripening and very productive. Pkt., 5c; oz., 15c; 1/4 lb., 50c; lb., \$1.50.

PRIZETAKER—A large Yellow Globe Onion of finest flavor, handsome shape and enormous size, many single onions having been raised to weigh three pounds or over. The Prizetaker grows always to a perfect globe shape with a bright straw-colored skin. Pkt., 10e; oz., 20e; ¼ lb., 65e; lb., \$2.50.

EARLY CALIFORNIA RED-The best early red Onion to be had, as it is of good size, beautiful red, and as sweet as an apple. We recommend it for home use. Pkt., 5c; oz., 10c; ¼ lb., 40c; lb., \$1.25.

ONION SETS.

The earliest onions are grown from sets planted in September. This brings them in the market in February and March, when prices are highest. About 250 lbs. of sets will plant one acre.

For the home garden no vegetable is so valuable as the onion, and for this purpose it is better to plant sets because they are ready for the table six weeks after planting. Set them three inches apart in rows six inches apart. When ready for use, take up every other one as needed, allowing the balance to grow to mature size. One pound of sets will plant about fifty feet of row. Lb., 25c. For larger quantities write for prices.



SOUTHPORT WHITE GLOBE

Differs from other Southports in color only; has all their general excellence. A favorite, owing to its beautiful color, shape and attractiveness. Southports command a big price on Eastern markets. The bulbs are of good size, splendid globe shape, pure white in color. Matures in 125 days. Pkt., 10c; oz., 25c; ¼ lb., 80c; lb., \$2.75, prepaid.

SILVER-SKIN SETS

Sets from White Portugal or Silver-skin seed. Make large silvery white onions of fine quality when mature. Plant a few also for early green onions. **Pound**, 25c.

MUSHROOMS

IMPROVED ENGLISH SPAWN—Is grown by special culture from large, perfect heads and then pressed into bricks of about 1½ lbs. Each 35c.

MUSTARD

Sow in spring as early as possible in drills 18 inches apart, covering one-half inch. Water freely. Sow every few weeks for succession. In the South it may be sown in the fall.

CHINESE BROAD LEAVED—Leaves twice the size of ordinary mustard. The flavor is sweet and pungent, and it is very easily prepared for table use. Pkt., 5e; oz., 10e; ¼ lb., 20e; lb., 60e.

WHITE ENGLISH-Leaves rather small, and deeply cut; of a medium dark green color. A very rapid grower and the leaves when young are mild and tender. Pkt., 5e; oz., 10e; ¼ lb., 20e; lb.,

GIANT SOUTHERN CURLED—Large leaves often measure 14 inches; ready for use in about six weeks after sowing. Plants will continue to yield until frosty weather. Leaves boiled like spinach.. Pkt., 5e; oz., 10e; ¼ lb., 30e; lb., \$1.00.

OKRA or GUMBO

The pods of this vegetable are very highly esteemed in the South for use in soups and stews and should be more widely used in the North, Plant in good, warm, rich soil after danger from frost is over, in rows thirty inches apart, the plants being one foot apart in row. The pods must be used when young.

PERKINS' MAMMOTH—Plants about three feet tall; pods four to five inches long, of handsome appearance, soft green in color, tender and of good quality, remaining tender until nearly full size. Pkt., 5c; oz., 10c; ½ lb., 20c; lb., 60c.

WHITE VELVET—Plants three feet tall and of handsome appearance; pods four or five inches long, round and of a white velvety appearance; quality is excellent and the pods remain in their prime for a long time. Pkt., 5c; oz., 10c; ¼ lb., 25c; lb., 75c.

PARSLEY

EMERALD or DWARF EXTRA-CURED—Leaves tender, beautifully crimped, handsome bright green color. Pkt., 5c; oz., 10c; ½ lb., 30c; lb., \$1.00. FINE DOUBLED CURLED—Fine dwarf; crimped leaves. Pkt., 5c; oz., 10c; ½ lb., 30c; lb., \$1.00. PLAIN-LEAVED—Much used in soups, etc., rather stronger in flavor than the other sorts. Pkt., 5c; oz., 10c; ½ lb., 30c; lb., \$1.00.

PEANUTS


While it is not generally known, nevertheless Peanuts do well in many parts of California. They should be planted about April in rows and can be so grown between trees or vines. We carry the Japan Peanuts, which are most used. The soil must be very sandy. Lb., 25c.

MASTER'S PLANT

SETTER.

Is a practical tool for transplanting cabbage, tomatoes, tobacco, sweet potatoes, cauliflower, peppers, egg plant, strawberries and all similar plants. Each plant is set, watered and covered in one operation. ed and covered in one operation. There is no stooping or bending over, just straight ahead easy, pleasant work. All of the hard, tedious labor of hand setting is done away with. One man will set more plants than three men can do by hand and do it better and easier. It does perfect work and every plant will grow. Each \$6.50.

PARSNIP



Hollow Crown

One ounce will sow 150 feet of row.

Use a deep, rich sandy soil, although any deep, mellow, moderately rich soil will produce good roots. Sow as early in spring as possible, in rows which are 1½ feet apart, covering firmly with ½ inch of fine soil. When plants are well up, thin to 2 or 3 inches apart in the row. Cultivate frequently. Parsnip seed is slow to germinate; sowing should be made early and soil pressed down firmly over seeds.

HOLLOW-CROWN—The roots are about 10 inches long, with smooth white skin, uniform in shape, tapering evenly from a heavy shoulder down to a small root, tender and of best quality. Pkt., 5e; oz., 10e: ½ lb., 35e; lb., \$1.00.

SALSIFY OR VEGETABLE OYSTER

Sow early in spring in drills, 15 inches apart, and thin to 2 inches apart. Cultivate like carrots or parsnips. Its taste is similar to oysters when cooked, hence the name.

MAMMOTH SANDWICH ISLAND—The roots grow to double the size of the old sort, are very smooth, of superior quality, and delicate flavor. Pkt., 5c; oz. 20c; ¼ lb., 75c; lb., \$2.50.

Knox's Improved Peas

Write for Prices in large quantities

One pound will sow 60 feet of row. Light, moderately rich soil is best for this crop. Sowing of the first early variety should be made in October, and the other varieties for successive crops. Plant every two weeks until the first of April. Peas are sown in single or double rows, from 2 to 6 feet apart, according to the variety or height to which they attain. Have the rows of the dwarf varieties 2 feet apart, and those of the medium sorts from 3 to 4 feet apart, and the tall varieties from 5 to 6 feet apart.

Twenty-five pounds sold at 100-pound rates.

BRITISH WONDER—We cannot too highly recommend this new sort. It is a dwarf Pea, with extra--large pod, and Peas of the finest quality. It is expected that this will become one of the most popular of the early dwarf Peas. Pkt. 10c; lb., 25c.

BLUE BANTAM . - We expect variety to become one of the most popular dwarf varieties for home and market-garden purposes. Pkt. 10c; lb., 25c.

lar dwarf varieties for home and market-garden purposes. Pkt. 10e; 1b., 25e.

AMERICAN WONDER — Height, 10 inches. This variety heads the list of peas in flavor and quality. The vines bear a great abundance of good sized pods containing 5 to 8 large, exceedingly sweet-tender and well-flavored peas. This is the earliest of the dwarf, wrinkled varieties, being nearly as early as the smooth sorts. This seed is medium sized, wrinkled and pale green. These peas are especially adapted to family use as they require no brush or other support. Pkt., 10e; 1b., 25e.

PREMIUM GEM—Height, 16 to 18 inches. The vines are of dwarf growth and produce an abundance of round, well-filled pods, 2½ to 3 inches long, only 3 days after the American Wonder. Pkt., 10e; 1b., 25c.


LITTLE MARVEL — An extremely valuable variety, especially suited to small home gardens and is also a splendid variety for early market gardening. It matures very early and produces large crops. The vines grow about 15 to 18 inches high. Pkt., 10e; 1b., 25c.

NOTTPS EXCELSIOR — The popular dwarf, wrinkled variety for the home garden or market garden. Pkt., 10e; 1b., 25c.

GRADUS, or PROSPERITY — The most popular, large-podded wrinkled

GRADUS, or PROSPERITY — The most popular, large-podded wrinkled sort. It matures just after the extraearly varieties, and produces a good crop of pods 4 inches long, providing it is planted on light, warm, rich soil, but very disappointing under adverse conditions. The quality is excellent. Height 3 feet. Pkt., 10e; lb., 25e.

THOMAS LAXTON—A fine, early, tall variety, similar to Gradus, but more hardy and not quite so early. It is also a little darker in color and has large, blunt pods that fill well with Peas of finest quality. Pkt., 10e; lb., 25c.



Yorkshire Hero

Main and Late Crop Peas

ALAMEDA SWEET, or YORKSHIRE HERO—For the market grower, this variety is without a peer. A main-crop Pea, producing long, round pods, closely filled with large, wrinkled, tender Peas, of good quality. Pkt., 10e; lb., 25c.

IMPROVED STRATAGEM—An improved variety comprising all the good qualities of the old Stratagem highly developed; the pods are of immense size, well filled with dark green Peas of the finest quality; a heavy cropper; 2 feet high. Pkt., 5c; lb.,

TELEPHONE—Immensely productive and of the finest quality. Vines very strong, averaging 18 to 20 pods per stalk. The pods are of large size, containing 6 to 7 Peas each, which are of a pale green, and are closely packed in the pod, and of most delicious flavor. The Telephone is decidedly a popular variety for the market gardener, the number of pods on a vine making easy picking and the large size filling the basket very quickly. For many years it has been the standard main-crop variety, 4 feet. Pkt. 10e: 1b. 25e. Pkt., 10c; Ib., 25c.

ALDERMAN—This is a very large-podded Pea, very robust an vigorous, producing pods of the largest size. The pods are even larger and longer than the average large-podded sorts, and are well filled with large Peas of most excellent flavor. In habit, the vines are strong and branching, bearing rich, deep green, straight, handsome pods, pointed at the end. This variety belongs to the tall-growing main-crop class of Peas. The vines are from 3½ to 4 feet in height. A point of superiority which must not be overlooked is the unusual flavor and quality of the Peas. As it is true of most wrinkled varieties they are delicious, but the Alderman is of a quality surpassing many of the others. Be sure to include Alderman Peas in your order. Pkt., 10c; lb., 25c.

LAXTONIAN—The largest podded variety of the extra earlies and really may be classed a Dwarf Gradus, which variety it resembles, except that it grows only about 18 inches high, and does not require any support. While the crop does not mature until a few days later than "Gradus" the quality of this new variety is equally as good. Pkt., 10c; lb., 30c.

Knox's Peppers

For early peppers sow the seed in hot beds in December and January. Transplant as soon as weather and soil in your locality will permit, 18 inches apart in rows 30 inches apart. For later crop you may also sow seed in February and March. Pepper seed germinates slowly and needs the heat of a hot bed to germinate in these months. If you have had no hot bed experience it will be hard for you to raise early pepper plants, as the heat, light, moisture and ventilation in your hot bed must be correct; otherwise your plants will "damp off," that is, they will rot even with the ground and die, and sometimes the seed will not even germinate, as this gungii will kill it before it sprouts. In most cases it is advisable and sometimes cheaper to buy plants already started, if only a few are wanted. The very same rule applies to the planting and growing of egg plant. These two varieties of vegetables are rather hard to start from seed, but when once transplanted they are extremely hardy and will grow on any soil and do not take any special care or attention.

when once transplanted they are extremely hardy and will grow on ar care or attention.

LARGE BELL or BULL NOSE—The plants are vigorous, about 2 feet high, compact and productive, ripening their crop uniformly and early. Fruits are large, about 3 inches long and 3 inches across the top, with very thick, mild flesh of excellent quality. The color is deep green when young, glossy scarlet-crimson when ripe. Pkt., 10c; oz., 50c; ½ 1b., \$1.25; lb., \$5.00.

PIMIENTO — An excellent attractive and very productive variety. The fruits are medium sized, smooth and glossy green, becoming red as they mature. The meat is thick and of a fine sweet flavor. The plants are vigorous and of medium height. This sort is largely used by canners, but is equally valuable for salads and for stuffing. Pkt., 10e; oz. 50e; ¼ 1b., \$1.25; lb., \$5.00.

CHINESE GIANT — An exceedingly large red Pepper. The plants are vigoorus but stocky, 2 feet high, well-branched, and thicklyset with fruits. The monstrous fruits mature slightly later than Ruby King, are blocky in form, 4 to 5 inches broad at the top and of equal length, divided into four or more ridges, of a brilliant glossy scarlet, and mild in flavor. Pkt., 10e; oz., 50e; ¼ 1b., \$1.25; 1b., \$5.00. lb., \$5.00.

ITALIAN BELL PEPPER—A pepper attaining enormous size, often growing to 5 inches in diameter. It is exceedingly sweet and the finest for stuffing. Plant it for market or in your garden, it has no equal. Pkt., 10e; oz. 50e; ¼ 1b., \$1.25; 1b., \$4.00.


LONG RED CAYENNE--A red hot variety. LONG RED CAYENNE—A red hot variety. The slender, tapering, twisted, pointed pods are pendent and average 3 inches in length, diameter reducing from ½ inch to the point. They are deep green when young, bright red and very pungent when ripe. Plant is productive, branching, and with dark green foliage. Pkt., 10c; 0z., 30c; ½ lb., 75c; lb., \$3.00.

RED CHILI—Small, bright red Peppers, very hot and pungent. The pods generally used in making "Pepper Sauce." Pkt., 5c; oz., 25c; ¼ lb., \$1.00; lb., \$4.00.

ANAHEIM CHILI—This Pepper is largely grown and is used dried and for canning. It is long, 7 inches or so, medium-sized in width, and thick fleshed. The flavor is mild for a Chili Pepper, and one liked by Mexicans and Americans alike. Pkt., 10c; oz., 50c; ¼ lb., \$1.25; lb., \$4.00.


SWEET MOUNTAIN or MAMMOTH—Nearly identical with Bull Nose, but is slimmer and a trifle longer. Fine long fruits with thick flesh of pleasing mildness. Pkt., 10e; oz., 50e; ¼ lb., \$1.25; lb.,

THE NEVER-FAIL GOPHER GUN AND BURGLAR ALARM.



Patented Oct. 17th, 1922.

May be used as a gopher gun by placing in gopher hole. Gopher sets off the gun by touching trigger. If used as a burglar alarm, should be attached to thread so that anyone walking across floor will set off the gun. Uses .38 blank cartridges, which may be bought at any hardware or general store. Cartridges cannot be sent by mail. Directions for use accompany each gun. Price \$1.75 each. By mail, \$1.85.



RUBY KING—Plants are about 2½ feet high, vig-cous, compact, and very productive. The fruits are rous, compact, and very productive. The fruits are 4 to 5 inches long, of a deep green color when young and bright red when ripe. The shape is similar to Bull Nose but longer, slimmer, far more symmetrical, and more perfectly formed. Flesh is thick, mild and sweet. Pkt., 10e; oz., 50e; ½ 1b., \$1.25; lb., \$5.00.

POTATO BEETLE—These striped yellow and black beetles appear in numbers in early spring and as soon as young plants are up. They commence depositing eggs on the underside of leaves, meanwhile feeding upon the tender foilage. In about one week these hatch a horde of hungry larvae who destroy the foliage rapidly, attaining full size in from 2½ to 3 weeks. Remedies: Spraying or dusting with Arsenate of Lead, Paris Green.

CUCUMBER BEETLE-These striped black and yellow beetles appear in great numbers and attack the young plants as soon as up. Protect the vines with screens until they begin to run. Spray or dust with Bordeaux Mixture, Arsenate of Lead, Hammond's Slug Shot, Tobacco Dust, covering underside of foliographics. iage.

APHIDES—Plant Lice, Green Fly, Bark Lice, etc., are minute insects feeding upon the sap in the tender parts of plants, both indoor and out. Can be successfully destroyed by the use of Black Leaf 40. A contact remedy is effective only when the poison touches the insect. Be sure to cover the underside of the leaves.

Knox's Pumpkins


Pumpkins are frequently planted in connection with a crop of field corn, and if you grow corn you may just as well grow pumpkins. They will grow best in soil kept moist by the dry farming method, as too much moisture will kill them. Plant the seed in open ground, after the danger of frost is over. in hills 8 feet apart each way, drop from 8 to 10 seeds per hill and when the plants are about 5 inches high and danger of insect pests is past, thin to 3or 4 of the healthiest plants. If irrigation is needed, run the water in ditches about 18 inches from the hill. Do not plant near squashes or melons as they are likely to mix. About three pounds of seed will plant one acre.

CALIFORNIA FIELD—The well-known ordinary Pump-kin, largely used for stock-feeding. The fruit is variously colored in yellow, drab, red and orange, and varies also in size, but is usually very large. Is a heavy cropper and easily grown. Pkt., 5c; lb., 40c.

CONNECTICUT FIELD—This is widely known as the Yankee Cow Pumpkin, and there is no variety that will do as well among the corn. Plant them on your richest land; you will be amply repaid. Pkt., 5c; oz., 10c; ¼ lb., 25c! lb., 75c.

CUSHAW or CROOKNECK—Very productive, color light cream. sometimes lightly stated.

LARGE SWEET CHEESE or KENTUCKY—One of the old standard sorts. Flat and often twenty



Connecticut Field

inches in diameter; skin buff; flesh thick. and of fine quality. Productive and an excellent keeper. Good for stock feeding as well as pies. Pkt., 5c; oz., 10c; ¼ lb., 20c; lb., 75c.

Knox's **Grown Potatoes** Oregon

600 pounds will plant an acre.
Prices on application.

It is best to cut the Potatoes with two or three eyes to a piece, planting these in rows or hills about feet apart and about 15 to 18 inches apart in the row. Write for prices, as market fluctuates.

AMERICAN WONDER—This early white potato** and quality. This variety is well adapted to heavy

AMERICAN WONDER—This early white potato is becoming more popular each year: it is a good size, smooth, and a splendid keeper. As a producer it has no equal among early potatoes. We have excellent strains of both Oregon and California seed of this variety.

EARLY ROSE — This pink-skinned variety is noted for earliness, productiveness and fine quality.

GARNET CHILI—Popular in Pacific Coast markets. The most mealy potato we know of. Potatoes are nearly round with deep eyes, and, as its name implies, has an almost red skin.


BURBANKS—A standard late variety. It is of good size, of fine form and an excellent yielder. The flesh is white, very mealy and of fine flavor

WHITE ROSE—A variety with the earliness of a Red Rose and all the qualities of a good white potato. A very good producer. Somewhat longer than the Red Rose.

PEERLESS—A medium early white potato. A

reerless—A medium early white potato. A very heavy producer. Tubers are somewhat round of very good texture and flavor. Very popular. GOLD COIN—The choicest and best looking potato. Of oval shape somewhat flat. It has a skin resembling gold. A heavy producer on sandy soils. Very early.

BRITISH QUEEN—A white potato about the same shape as the White Rose. It is noted for its very heavy yield.



Grow Pumpkins in your Corn-a valuable hog food.

Knox's Radishes

One ounce will sow 100 feet of drill, 8 to 12 lbs. per acre. For first crop sow as early in the spring as the ground can be worked, and every two weeks throughout the season for succession. A warm, sandy loam, made rich and light by strong manure, is best. Sow in drills 10 to 12 inches apart. The winter varieties should be sown in July and August.

EARLY SCARLET TURNIP—A rich scarletred radish, trunip-shaped with small top. Flesh is white, crisp, tender and of mild flavor. This Radish is of very rapid growth and a standard variety. Pkt., 5e; oz., 10e; ¼ 1b., 30e; 1b., \$1.00.

ROSY GEM—Very desirable for feeding and outdoor planting. Tops and roots both small; skin bright scarlet tipped with white. Pkt., 5c; oz., 10c; ½ lb., 30c; lb., \$1.00.

LONG SCARLET—Fiery scarlet, the brightest color of any Radish, tipped with white; early, maturing in 20 to 25 days; crisp and tender. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb., \$1.00.

ROUND BLACK SPANISH—A general favorite. Very similar to Long Black Spanish except in shape, which is round to top shaped. Skin black, flesh white and pungent; keeps well. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb., \$1.00.


FRENCH BREAKFAST—Well known, quick growing variety, of oval shape. Bright scarlet tipped with white. Of medium size, crisp and tender. Pkt., 5e; oz., 10e; 1/4 lb., 30e; lb., \$1.00.

CHARTER—The color of the top is crimson, running into pink about the middle, thence downward it is pure waxy-white. It is very crisp, tender and of a pleasant flavor. Pkt., 5e; oz., 10e; ¼ lb., 30e; lb., \$1.00.

CHINESE ROSE—Very popular with market gardeners; very smooth, bright rose color; large. Pkt., 5e; oz., 10e; ¼ 1b., 30e; 1b., \$1.00.

CALIFORNIA WHITE MAMMOTH — Long white, of large size. A good keeper; flesh tender and crisp. Pkt., 5e; oz., 10e ½ lb., 30e; lb., \$1.00.

CRIMSON GIANT—A large sized extra early turnip radish, a little longer in shape than the Scarlet Turnip but brighter red color; twice the size. It grows quickly and even when it attains large size remains tender and of fine flavor to the last. Will prove a money-maker for the market gardener, as its bright crimson color makes it a seller on first sight. Equally valuable for home garden use. Pkt., 5c; oz., 10c; ¼ 1b., 30c; ib., \$1.00.



Knox's Spinach



VICTORIA SPINACH—Remains in prime condition two to three weeks after other varieties have run to seed. It is of true Savoy type, dense foliage, broad, dark green leaves of best quality; a great heat resister. Pkt., 5e; oz., 10c; ½ 20c; lb., 50c.

MONSTROUS - LEAVED VIROFLAY — Quick, strong growth. N. Y. favorite. Pkt., 5e; oz., 10e; ¼ lb., 20e; lb., 50e.

This plant will grow in any ordinary soil, but responds well to fertility. Sow early in the spring in drills twelve to eighteen inches apart. For early use sow in August or September, protecting the plants with a light covering of leaves or straw. One ounce of seed will sow fifty feet of drill.

PRICKLY or WINTER—Especially recommended for fall sowing, although it does well if sown in the spring. The plants grow quite large and the light green leaves are medium sized, thick and fleshy. It goes to seed sooner than some other sorts. Pkt., 5e; oz., 10c; ¼ 1b., 20e; 1b., 75c.

SAVOY LEAVED or BLOOMSDALE—Leaves are very curled and crumpled. It is early and very hardy, being splendid for winter use. Much used by Southern truckers, as it is a splendid shipper. Pkt., 5e; oz., 10e; ½ lb., 20e; lb., 75e.

LONG STANDING—An improved strain of excellent merit having all the good qualities of the ordinary sorts, and especially desirable because it is much later in going to seed. Pkt., 5c; oz., 10c; ¼ 1b., 20c; lb., 75c.

NEW ZEALAND SPINACH—An all summer variety growing luxuriantly in hottest weather. Cut and it comes again, a few plants furnishing the finest flavored "greens" all summer for an average size family. Plant in March or April where plants are to stand.

It does well on poor or rich soil; the plant grows large and spreading and the tender shoots are of fine quality with small, broad, pointed leaves. Seed start growth quicker if soaked in warm water for 24 hours. New Zealand Spinach should be in every Southern garden as an all summer vegetable. Pkt., 5c; oz., 20c; ¼ lb., 40c; lb., 75c.

Knox's Squash

Any good enriched soil is adapted to the growing of the Squash. The seed should not be sown in the spring until danger from frost is past and the ground is warm. Plant in hills (about 8 to 10 seeds to a hill) the early sorts 4 to 6 feet apart, the late varieties 8 to 12 feet. Thin out to three plants in the hill, Keep the earth about the plants loose and free from weeds. One ounce for 25 hills, 3 to 4 pounds per acre

EARLY WHITE BUSH—This is the well known White Pattaypan Squash. The earliest to mature, very productive, light cream colored. Pkt., 5c; oz., 10c; ¼ lb., 30c; lb.,

tive, light cream colored. Pkt., 5c; oz., 10c; ¼ lb., 30e; lb., \$1.00.

GOLDEN SUMMER CROOK NECK—Early and prolific. The fruits are of the true crook-neck type, heavily warted, and of light golden color; about one foot long. Pkt., 5e; oz., 10c; ¼ lb., 30e; lb., \$1.00.

BOSTON-MARROW—A very prolific fall and winter Squash of medium to large size and oval shape. The thin skin is orange-yellow in color; flesh is rich salmon-yellow, fine-grained and of excellent flavor and quality. Pkt., 5e; oz., 10c; ¼ lb., 30e; lb., \$1.00.

MAMMOTH WHITE BUSH SCALLOP—Nearly as early as the Early Scallop and much larger, frequently growing twelve or fourteen inches in diameter. A very handsome variety. Pkt., 5e; oz., 10e; ½ lb., 30e; lb., \$1.00.

PERFECT GEM or CREAM—Long-keeping winter Squash, 4 to 6 inches in diameter; apple-shaped, distinctly ribbed with smooth, cream-colored skin. Is solid and rather hard, but bakes to a delicious soft consistency on the inside. Although a small variety, it is a great keeper and is used mostly in winter. Pkt., 5e; oz., 10e; ½ lb., 30e; lb., \$1.00.

the inside. Although a small variety, it and is used mostly in winter. Pkt., 5c; oz., 10c; ½ 1b., 30c; Ib., \$1.00.


BANANA—This squash grows from one to two feet in length. Flesh firm and solid, of beautiful orange-yellow and excellent quality. It keeps from one season until another. When quite young it is excellent to cook as a morrow. Pkt., 5c; oz., 20c; ½ 1b., 60c; Ib., \$2.00.

ITALIAN SQUASH—Is a bush variety, and should be planted 5 feet apart. It should be used when quite young. When served it has a rich creamy flavor not equalled by any other squash. Some gardeners have made considerable money making a specialty of it. For the family garden we would recommend its use instead of the small White Bush Scallop, because of its excellent flavor. Since our introduction of this squash a few years ago. It has now become one of the staple products on the market. It is listed with the daily market reports, and is grown largely by the gardeners in frostless sections for the early trade. Pkt., 5c; oz., 20c; ½ Ib., 65c; Ib. \$2.00.

is grown largely by the gardeners in frostless sections for the early trade. Pkt., 5e; oz., 20e; ½ lb., 65c; lb. \$2.00.

FORDHOOK SQUASH—This is a most desirable squash for either summer or winter use. The vines are of strong, vigorous growth and wonderfully productive. Squash oblong in form, eight or ten inches in length, slightly ridged; smooth, thin, yellowish skin and of a yellowish color. If gathered young for cooking it is excellent, while if allowed to ripen on the vine they can be stored and will keep in good condition until late the following June. Either for baking like sweet potatoes or making pies during the winter, the squash is very fine. Pkt., 5e; oz., 15e; ½ lb., 40e; lb., \$1.50.

GOLDEN HUBBARD—The flesh is of a deep golden yellow—a much richer color than the Hubbard—fine grained, cooks very dry, and has excelent flavor. In its keeping qualities it is fully equal to the green variety. Pkt., 5c; oz., 10c; ½ lb., 40c; lb., \$1.00.



White Bush Scallop

DELICIOUS

A new variety of Squash you will appreciate

A new variety of Squash you will appreciate


The best flavored winter squash. For table quality there is no other winter squash that can be compared in sweetness and richness of flavor. It is an excellent squash for Fall and Winter use, keeping until late Spring. Requires about 100 days for it to mature. Of medium size, weighing from five to fifteen pounds. The rind is deep green, mottled with lighter shadings, out not as thick skin as the Improved or Golden Hubbard. The thick flesh is very fine grained, and dark orange in color. Popular with professional gardeners on account of its exceptionally fine quality and ready sale to critical trade. It is a fine shipper and seems to be preferred in city markets. A good home garden variety and will keep until Spring without difficulty. Pt., 10c; oz., 20c; ¼ 1b., 60c; lb., \$1.75; prepaid.

GOLDEN CUSTARD—This is a new, rich goldenyellow scalloped bush summer squash, grows large, is not excelled in quality and is very productive. Used for cooking when green and the ripe fruits will make good pies. In shape and size similar to the White Bush. Pkt., 5c; oz., 15c; ¼ 1b., 45c; lb., \$1.40 prepaid.

GREEN WARTED HUBBARD — This variety is

to the White Bush. Pkt., 5c; oz., 15c; ½ lb., 45c; lb., \$1.40 prepaid.

GREEN WARTED HUBBARD — This variety is grown more largely throughout the United States than any other. It is used in many ways, but mostly for pies. It is a good keeper and because of its hard warty rind, it is the best of shippers. Therefore many acres are grown in Southern California for that purpose, and many more for the bakers, the canners and family consumption. Pkt., 5c; oz., 10c; ¼ lb., 40c; lb., \$1.00.




ROW-The fruits are oblong in shape, skin smooth and creamy white. The plant is vigorous and very productive. Marrow Squashes are largely grown in England, and should be more generally used in this country, as the quality is exceedingly delicious. When the fruits are nearly half grown the flesh is very tender and marrowy, and may be prepared for the table either cooked or friend. Pkt., 5c; oz., 20c; ¼ lb., 55c; lb., \$1.75, prepaid. Squashes are largely

VEGETABLE MAR-

Green Warted Hubbard

Knox's Tomatoes

Tomatoes succeed best in well manured, light sandy soil. For early plants sow seed in boxes or hotbeds in January. When the plants are about two inches high transplant to four inches apart each way. Set out of doors as soon as danger of frost is over. Transplant carefully, six feet apart each way, and cultivate well as long as vines will permit. To obtain early fruit pinch off the ends of the branches when the first fruit is set. Our seed stock is of the very best selection. One ounce of seed for 2,000 plants.



Ponderosa

PONDEROSA—The largest tomato in existence. The vines are vigorous and tall growing, and extremely productive. The purplish-pink fruits are very solid with few seeds, fairly smooth, and considered of very good quality by those who prefer a tomato quite free from acid. Ripens about midseason. Desirable for slicing. Pkt., 10e; oz., 35e; ½ 1b., \$1.25; 1b., \$4.00.

NEW STONE—It ripens for main crop, is very large and of bright scarlet color, very smooth, ripening evenly to the stem without a crack; exceedingly solid and firm fleshed. Pkt., 10c; oz., 30c; Ib., \$1.00; Ib., \$3.50.

DWARF CHAMPION—A very early purple fruited tomato of true dwarf or "tree" habit. The dwarf varieties do not yield quite so heavily, but are economical of space and do not run to vine on rich ground as some of the larger sorts will. Fruits are smooth, of good quality, and are borne abundantly. Pkt., 10c; oz., 30c; ¼ lb., \$1.00; lb., \$3.50.

ACME—A popular variety with gardeners for shipping or home markets. Good also for home use. Midseason, round, pink, medium sized and attractive. Pkt., 10e; oz., 30e; ¼ 1b., \$1.00; lb., \$3.50.

CHALK'S EARLY JEWEL—About ten days later than Earliana, a good yielder, colored scarlet smooth, with much better core than Earliana. Our strain of this tomato is of the very best. Pkt., 10c; oz., 30c; ¼ 1b., \$1.00; lb., \$3.50.

YELLOW PLUM — Fruits small, plum-shaped; flesh finely flavored and yellow. A good preserving variety. Pkt., 10c; oz., 30c; ¼ lb., \$1.00; lb., \$3.50.

IMPROVED TROPHY — Very fine late, bright scarlet tomato. One of the best; fruit large, smooth of very deep, red color, and good flavor. Well known and largely planted. Pkt., 5c; oz., 25c; ¼ lb., 75c; lb., \$2.50.

GOLDEN BEAUTY—Largest yellow variety. Pkt., 10c; oz., 30c; ¼ lb., \$1.00; lb., \$3.50.

SPARK'S EARLIANA—A perfect early tomato, large in size and beautiful in color, nearly seedless and very solid, a vigorous grower and prodigious bearer, yielding its splendid fruit until frost. Pkt., 10e; oz., 30e; ¼ lb., \$1.00; lb., \$3.50.

SAN JOSE CANNER—This is a large fruited variety, rather late in ripening, producing a large fruit. Has a small core, is very meaty and solid. The plant continues to bear well right up to frost time. Highly recommended for canners. Pkt., 10c; oz., 35e; lb., \$3.50.

DWARF GIANT—Dwarf plant and giant fruit. A selection out of a cross between Ponderosa and Dwarf Champion, and it partakes of the nature of both parents. The fruit has the mild, sweet flavor of the Ponderosa, is also large and meaty, with very little core and of superior quality, the flesh being tender and luscious. Pkt., 10c; oz., 30c; ½ 1b., \$1.00; 1b., \$3.50.

GROUND CHERRY—Husk or Strawberry Tomato. Fruit golden yellow, size of a cherry. The fruits are enclosed in a husk. Excellent for preserves, sauce or pies: very productive. Pkt., 10c; oz., 30c; ¼ lb., \$1.00; lb., \$3.50.

TOMATO WORM.

The moths appear in May or June and deposit the eggs singly upon the lower surface of the leaves from which the caterpillars hatch in 4 to 8 days. As they feed voraciously they become full grown in 3 weeks' time. There are sometimes two broods in a season. The most successful remedy is Arsenate of Lead.

Knox's Turnips




RUTABAGAS OR SWEDES

Requires a longer season than turnips. For table use they keep better, and better flavored than the turnip. For stock in fall and winter there is nothing superior to turnips and rutabagas, as they are liked by all kinds of stock and keep them in good condition.

IMPROVED AMERICAN PURPLE TOP—Our strain is remarkable for uniform shape and fine quality, and is a splendid keeper. The roots grow to a large size, have small tops, short necks and smooth skin; flesh is of a beautiful yellow color, fine grained, very sweet, tender and of excellent flavor. Pkt., 5c; oz., 10c; ¼ 1b., 30c; 1b., \$1.00.

"Philadelphia" Lawn Mowers



ALL DAY

Cylinder with 4 blades. Driving wheel, 10 inches. Diameter of Cylinder, 6% inches. Single Pinion. Geared both sides.

Has part open 10-inch drive wheels. Four Vanadium Crucible steel blades. Bearings bored to rifle. barrel accuracy are generously large—run easy, wear long. Geared with single pinion on both sides. The All Day is a popular home use mower and is especially a favorite for moderate sized lawns.

Net Prices, 14-inch, \$15.00; 16-inch, \$18.00; f. o. b., Stockton.

DEWEY


Cylinder with 4 blades. Driving Wheel, 8 inches. Diameter of Cylinder, $5\frac{1}{8}$ inches. Single Pinion. Geared both sides.

A strictly high-grade lawn mower, preferred by owners of small lawns. It has 8-inch solid drive wheels. Bearings are bored to extreme accuracy. Geared both sides with single pinion. Vanadium Crucible steel blades.

Net Price-14-inch, \$12.50; f. o. b., Stockton



M



Lawn Grass Seed

A smooth velvety lawn surrounding a house adds not only to the value, but enhances the enjoyment of every home. The most important thing to consider in selecting seed for a lawn is to obtain a proper mixture of several varieties. By properly choosing early, medium and late grasses a smooth even green lawn is assured from early spring to late autumn. A given area can support only so many grass plants of one kind, for they all absorb the same kind of food, but if several varieties are sown the same area will support many more plants, as different sorts live on various elements in the soil.

LAWN MIXTURE.

Our lawn mixture is especially recommended for recreation on grounds and other places which are subjected to hard usage. It stands drought well and wherever used gives the utmost satisfaction. It is composed of the finest English Grasses and Kentucky Blue Grass. Lb., 60c; 10 lbs., \$5.00.

SHADY LAWN MIXTURE—In many lawns where there are large shady trees there are shady places where ordinary mixtures thrive but poorly or die out altogether. For such spots we have a special mixture of grasses which will grow in the shade as well as in the sun. If you have shady, barren places in your lawn, try our Shady Lawn Mixture. Lb., 75c; 10 lbs., \$6.50.

WHITE CLOVER—Of dwarf habit, with creeping stems, rooting at the joints, on which account it makes an excellent turf that stands constant tramping. Many of the Country Club and other large users of grass seed, are using mixtures of other grasses, with our White Clover, in order to make a more compact lawn. Easily cared for and withstands the hard usage of big crowds. Sow 8 to 10 pounds to the acre. Lb., \$1.00.

BERMUDA GRASS—Good for both pasture and hay and especially adapted for the South where other grasses will not grow. A perennial or low, creeping habit. Sow 6 pounds to the acre. Lb., 65e.

ITALIAN RYE GRASS—Thrives on almost any good soil and is unequaled for producing an abundance of feed early in the spring as well as throughout the season. Responds quickly to rich food and moisture and is a rapid grower. Sow 50 lbs. to the acre. Lb. 25c.

MEADOW FESCUE — One of the finest annual grasses for permanent pastures, highly nutritious and relished by stock. Succeeds well in all soils but best on moist land. Robust in habit and grows over a long season. Sow 60 to 70 lbs. to the acre. Lb., 40c.

Knox's Lawn Grass Mixture is made from the finest varieties of English and native grasses, with large percentage of the real Kentucky Blue Grass, and a sufficient quantity of White Clover, all thoroughly mixed.

KENTUCKY BLUE GRASS

o

U

R

R

 \mathbf{E}

S

T

Q

U A

L

I T

Y

S

 \mathbf{E}

 \mathbf{E}

D

S

The universal pasture grass of America and the finest lawn grass in the world is our own Kentucky Blue Grass. It starts like magic with the first smile of spring and is a velvet of green until winter comes again. It can be sown on the wild prairie and will catch, but the best results are to be had by getting the seed well covered. The seed we offer is strictly high grade, new crop, clean and pure. 75c per 1b., 10 1bs. \$7.00.

AUSTRALIAN or

PERENNIAL RYE GRASS

This grass has become exceedingly popular of late years; it makes a very hardy and beautiful bright green lawn, and if properly cared for, a very satisfactory one. It does particularly well in sandy lots. Valuable as a pasture grass. Sow about two bushels per acre. 25c per 1b.; 10 lbs., \$2.00.

PACIFIC RVE GRASS TO.


PACIFIC RYE GRASS—This is a fine grass for quick lawns or lawn mixtures. Also valuable for forage plants. Lb., 25c.

CHEWINGS FESCUE (Festuca Duriuscala)—This is a variety of hard fescue and is used by golf clubs in their mixtures. It is also a good pasture grass habit, makes good turf. Lb., \$2.50.

CREEPING BENT GRASS (Agrostis Stolonifera)
—The texture of this grass is fine and is valuable for lawns, grows rapidly and is of the spreading habit makes good turf. Lb., \$2.50.

CRESTED DOGS TAIL (Cynosurus Cristatus)—It does well in shady places, it roots deeply and makes a good lawn mixture and should be used in moderate quantities for permanent pasture. Lb. 65c.

RED-TOP, FANCY—This grass is used for mixing in hay or permanent pasture and succeeds almost everywhere, but does best in a moist, rich soil where it attains a height of 2 to 2½ feet. We offer only the best quality of recleaned seeds, free from chaff. Sow 32 pounds to the acre. Lb., 30c



ALFALFA OR LUCERNE CLOVER

Alfalfa or Lucerne Clover is the most talked of and most widely planted of all the varieties of clover in the world. It is said that the feeding value of a ton of Alfalfa is equal to a ton of shelled corn. Alfalfa will produce 5 to 7 tons of hay to the acre each year and in true value is worth 45% more than other clovers. It will grow 4 to 5 crops a year and it does not exhaust the soil; it enriches the soil. Its long branching roots penetrate far down, 15 to 20 feet, and so loosen the subsoil that it is a gigantic subsoiler, resists drought, and gets plant food where other crops would be a failure. When the plants are destroyed in order to raise other crops on Alfalfa land, the large roots decay and produce a vast source of fertility to be used by following crops.

Although fall sowing is preferable, fine results can be obtained from early spring sowing. Give it care and attention, especially the first year, and your trial will show you that you cannot afford to be without it.

without it.

Do not buy cheap Alfalfa seed. If it's cheap, it is not pure Alfalfa but mixed with weed seeds. Weeds are very troublesome to Alfalfa, crowding it out and ruining the quality of your hay, so be sure to get the highest grade seed and no other kind. This is absolutely essential to success. Sow in thoroughly prepared soil, either broadcast or in drills, at the rate of 20 pounds per acre.

HAIRY PERUVIAN ALFALFA—Is proving of special value in this section, where winters are mild. It is characterized by its large leaflets and by the hariness of its stems and leaves, quick recovery after cutting, and its rapid growth during the growing season, and also by its ability to grow in cooler temperatures than ordinary alfalfa. We do not hesitate to recommend your planting this variety. Lb., 30c. Larger quantities at market prices.

CHILEAN ALFALFA is the old stand by. Many preferring it to Hairy Peruvian and other varieties. While it does not grow as fast it produces a finer grade of hay. Cattle preferring it to the others. It is much longer lived than the Hairy Peruvian some fields being twenty years old and still producing paying crops. It will stand much colder weather than any other variety and is grown in every state in the Union. Lb., 30c; 10 lbs., \$2.70, not prepaid. Write for special prices in large quantities.

We carry a complete stock of certified Chilean, Modoc, Arizona, Byron, and Common Alfalfa seed, and all of it is the strongest American grown seed on the market. When ready to buy, write for our best prices

MEDIUM RED CLOVER-This is the most important of all clovers and the standard everywhere for hay and pasture. It is known as Common Red or June Clover in many sections. Lb., 35c. Larger lots at market prices.

MAMMOTH RED, or SAPLING CLOVER—Grows much larger and lasts longer than the common Red Clover; being a rank grower, it is largely used for soiling. Fifteen pounds to the acre. Lb., 30c. Large lots at market rates.

ALSIKE—Succeeds best in cold, stiff soils and in marshy lands where it is too wet for other species; is very hardy and withstands severe cold; is a good honey plant for bees. Fifteen pounds will sow an acre. Lb., 35c. Large lots at market prices.


SWEET CLOVER, BOKHARA or BEE CLOVER—will grow on any soil and is invaluable for bee food. It is greatly relished by the bees and makes superior honey. Of great value as a fertilizer. Sweet Clover will furnish the soil with bacteria for the successful growing of alfalfa. It will make sandy loams fertile. Sow 10 to 12 lbs. per acre. Lb., 25c.

machine which should be on every farm. It is light, strong and durable, and with ordinary care will last a lifetime. It will sow clover. corn, and grass seeds and fertilizers of all kinds perfectly even, and any desired quantity per acre by fol-lowing the simple directions on every machine.

Price, \$2.25, not prepaid. Weight prepaid. 5 lbs.



Will sow all kinds of grass and grain seeds from 4 to 8 acres per hour at a common walking gait. Heavy seeds, such as wheat it will throw 40 feet (20 ft. each side of operator) the lighter seeds, of course, will and not be thrown FRAM not be thrown so far. Weight MALLEANLE Price IRON \$6.00.



Knox's Farm Seeds

We claim that we sell the highest grades of Grass and Clover seeds that are offered in this country. We do not intend to compete with samples offered by commission merchants, many of whom have no knowledge of the seeds they sell, whether good, bad or indifferent. Should the seed prove poor or mixed, the loss to the planter is ten times more than the entire cost of the seed. The difference in price between choice, clean seed and second or third quality is from 1 to 2 cents per pound. Every intelligent farmer knows that the best seed that can be obtained is the cheapest in the long run. Customers, of course, understand, that the prices of Grass and Clover seeds are subject to change. Be sure to obtain our samples and prices before you buy elsewhere. Special rates on large quantities. 25 lbs. sold at 100 lb. rate.

AMERICAN or LIBERTY MILLET—Will grow on any good land and yields heavily when artificially watered; yields from 40 to 60 bushels of seed to the acre, which is excellent food for stock or poultry. A good green fodder plant. Sow 30 lbs. to the acre. Lb., 10c.

AWNLESS BROME GRASS—A valuable grass for light soils and dry situ-

AWNLESS BROME GRASS—A valuable grass for light soils and dry situations; good for both grazing and hay. Sow broadcast, 20 to 25 pounds to the acre, in spring or early summer. Llb., 40c.

ORCHARD GRASS—This grass is extremely quick to recover from close cropping and is highly valuable on account of its earliness and rapidity of growth. Succeeds on almost any soil, especially in moist, shady places. It exhausts the soil less than other grasses and withstand drought, keeping green when other grasses are burned up. It is inclined to grow in tufts and should therefore be sown very evenly. Sow 40 to 50 lbs. to the acre. Lb., 30c.

TIMOTHY-This perennial grass thrives best in moist, loamy soils, attaining a height of 4 feet, and is exceedingly nutritious, making fine hay. Sow 35 to 40 pounds to the acre. Lb., 20c.

FETERITA—Resembles Kaffir Corn but is more productive. It stands drought well and is, therefore, valuable in arid tracts. Five pounds will sow an acre. Lb., 10c. sow an acre.

RAPE, DWARF ESSEX—A splendid pasture plant for all kinds of live stock and especially valuable for fattening sheep. It can be sown at any time during the spring or summer and will be ready for pasturing within six weeks from time of sowing. Sow broadcast, 8 pounds to the acre. Lb., 15c.

SORGHUM, or EARLY AMBER CANE—If not allowed to grow too high, can be cut several times through the season and makes good sweet hay. Sow broadcast, unless the soil is quite sandy, when it is best to sow in drill.

KAFFIR CORN—An excellent fodder plant, yielding two crops of fodder during a season. It grows from four to five feet high, making a straight upright growth. For the grain, sow in rows 3 feet apart, 6 to 10 pounds of seed per acre. For fodder, sow 1 to 1½ bushels either broadcast or in drills. Lb., 10c.

PEAS, CANADIAN FIELD—These are usually sown with oats and cut when the oats head, but before the grain is ripe. For best results sow 40 lbs. of oats and 100 lbs. of peas to the acre. Lb., 10c.

EGYPTIAN CORN—A good strain for dry sections and seasons. The grain is small and can be used as chicken feed. Lb., 10c.

COWPEAS, BLACK EYE—One of the best varieties that can be secured for a green cover crop. Lb., 10c.

COWPEAS-WHIPPOORWILL-Especially good in the North and West as it matures early. Lb., 15c.

SUNFLOWER, MAMMOTH RUSSIAN—An excellent and cheap poultry food. Three pounds of seed will plant an acre. Lb., 15c.

SOJA BEAN—An excellent green fodder and silage plant, as well as a valuable forage crop or green manure. Sow after danger of frost is past, sow in drills 4 feet apart, using 4 pounds of seed to the acre. Lb., 15c.

AUSTRALIAN SALT BUSH (Atriplex semi-bacata).—This is a valuable forage plant for poor soils. It is best to sow the seed in the fall to get the benefit of the early rains. Using two pounds of seed to the acre.

HEMP, KENTUCKY—A staple crop, sown broadcast, using 25 pounds of seed to the acre. For a seed crop, should be sown in hills, 4 feet apart. Grows 12 to 14 feet high, with deep-cut,dark green, fragrant leaves. Lb., 10c.

SHALLU, or EGYPTIAN WHEAT—Is one of the most drought-resisting grain crops known. Especially suited to dry-land-farming operations and localities where the normal rainfall is limited. Under irrigated conditions it grows to best advantage. The grain is claimed to possess all the feeding values of wheat, and is especially valuable as a food for hogs, chickens and Lb., 10c.

BROOM CORN, DWARF—This is the best variety used for the manufacture of brooms. Grows very productive. Six to 8 pounds to the acre. Lb., 10c; 100 lbs., at market price.

NEW SILVER HULL BUCKWHEAT—This is a very thin-shelled buck-wheat of silver gray color; the kernels are of medium size and very sound. Lb., 10c.

COW KALE—This will yield a much heavier crop than Dwarf Essex Rape and is now considered superior to Rape in some sections. It grows to a height of 3 to 4 feet. Hogs and sheep eat it greedily. It grows well and produces heavily on most any land and the plant is quite hardy. The seed can be sown early in April or any time thereafter till midsummer. Pkt., 5c: ½ 1b., 25c; 1b., 75c.

MILO MAIZE—Very similar in manner of growth to Kaffir Corn, but is preferred by many growers who claim that it produces more grain per acre and better quality of forage than any of the non-sacharine sorghums. It is grown and handled in same manner as Amber Cane or Kaffir for hay and fodder and will make splendid ensilage if cut up with corn. Lb., 10c. COW KALE--This will yield a much beavier crop

Lb., 10c.



Sudan Grass

SUDAN GRASS—Sudan is a tall, annual grass, reaching a height of from seven to nine feet when planted in rows and allowed to mature for a seed crop; broadcasted and cut "in the bloom" for hay, about four feet.

The hay is softer than Johnson Grass or sorghum, the stems are smaller and more leafy.

It is easily cured and handled as

It is easily cured and handled as a hay crop. Stock of all kinds eat it readily and will leave any other hay for it.

For a seed crop plant 2 lbs. seed per acre in rows 36 inches apart. For hay crop broadcast or drill 12 to 20 lbs. to acre. Yields 500 to 1,000 lbs. seed or three tons cured hay per cutting per acre with three cuttings per season. Lb., 15c.

Cover-Crops

One of the best and most economical ways of restoring worn-out soil or building up poor soil is by the use of nitrogen-gathering green cover-crops. It is necessary for the orchardist to use some cover-crop to insure a profitable crop, and the following varieties are recommended for this purpose.

OREGON VETCH

(Vicia sativa)

Probably more Vetch is now planted for cover-crop than anything else. The common Vetch is the variety used almost entirely in California, and is usually planted in the fall and plowed under the following spring. It is a pea-like plant, growing about 4 feet high, and produces, perhaps, more green matter than any other legume that will with-stand the winter. Where planted for soil improve-ment, about 40 lbs. of seed are sown to the acre broadcast. broadcast.

Vetch also makes splendid hay, but if intended to be sown for this purpose, some sort of grain should be mixed with it. This for the reason that the Vetch grows so tall it will fall over, and it is necessary to give it support. It is recommended that oats or barley be used with the Vetch where planted for hay, using about 60 pounds of one of the former and 30 pounds of Vetch to the acre. Lb., 15c. Large lots at market price.

PURPLE VETCH—Makes the quickest growth of any cover-crop and can be planted later. Makes the heaviest growth of any leguminous cover-crop known. The demand for this vetch is greater than the supply. Lb., 20c.

HAIRY VETCH—The true Winter Vetch. A forage plant which has proved of highest value. It succeeds and produces good crops on poor sandy soils, and grows to a height of 3 to 5 feet. It is exceedingly nutritious, is eaten with relish and may be fed with safety to all kinds of stock. Is the earliest crop for cutting, and a full crop may be taken off the land in time for the spring crops. It serves equally well as a cover crop, for pastures, hay, or as a soil renovator. In the far North sow in the early spring; in moderate climates sow from September to January, broadcast or in drills, at the rate of 1 bushel per acre, with ½ to 1 bushel of rye, wheat, oats or barley. Cut when the vetches are in full bloom. Lb., 20c.

BUR CLOVER

(Medicago denticulata)

This is our native Clover, and one of the best nitrogen-gathering crops that is known; it is by far the very best crop for poor or dry land, as it needs but little moisture. It is also very valuable for permanent pasturage and re-seeds itself very rapidly.

While some regard Bur Clover as a pest, it is, with some regard Bur Clover as a pest, it is, nevertheless, a most valuable soil-improving and winter grazing crop, growing luxuriantly all through the winter and until summer. This seed is sown at the rate of about 20 pounds to the acre. Lb., 40c Large lots at market price.

WHITE BLOSSOM SWEET CLOVER

(Melilotus Alba)

Sweet Clover is grown for bees, for hay, for green Sweet Clover is grown for bees, for hay, for green forage, but its great importance is in its value as a pasture plant and as a fertilizer. It is a biennial leguminous plant of tall, shrublike growth, somewhat like a coarse alfalfa. Its blossoms, which rarely appear until the second year, are white and give a strong smell of honey, quite perceptible some distance away. If not allowed to reseed, it will die out the second year. Its value is just beginning to become known; it certainly deserves more credit than it has received from the farmer as well as the beekeeper. Prices, bulled seed: Prices, by mail, postpaid, lb., 25c; large lots at market price. postpaid, Ib., 25c; large lots at market price.

Due to changes in the price of field seeds it is necessary for us to make all prices in field seeds subject to change without notice. We, however, will have in mind our customers' welfare and prices will be consistent with the prevailing market.

YELLOW BLOSSOM SWEET CLOVER

(Melilotus Indica)

This variety of seed is now receiving special mention, particularly in southern California. It has wonderful nitrogen-gathering properties, and opens up the soil well for irrigation by reason of the big tap-root it sends into the ground. The seed is sown at the rate of about 20 pounds to the acre, and is more economical to plant than any other variety of seed used for soiling purposes. Lb., 10c. Large lots at market price. lots at market price.

PEAS, CANADIAN FIELD—These are usually sown with oats and cut when the oats head, but before the grain is ripe. For best results sow 40 lbs. of oats and 100 lbs. of peas to the acre. Lb., 10c.



Use FARMOGERM, the original seed Inoculant. oculated legumes are Nature's fertilizer, the leapest in the world. Leguminous crops, with Inoculated legumes are Nature's fertilizer, the cheapest in the world. Leguminous crops, with their nitrogen-fixing bacteria, give a fertility to the soil that no other crop does.

Special bacteria for every crop. In ordering, be sure and state what crop you want inoculation for. Good for Alfalfa, Alsike, Clover, Burr Clover, Red Clover, Sweet Clover, Meiliotus Ind, White Clover, Garden Peas, Canada Peas, Cow Peas, Soy Beans, Garden Beans, Vetch, Peanuts, Sweet Peas. Prices: 44 acre size, 50c; 1 acre size, \$1.00; 3 acre size, \$2.50; 12 acre size, \$9.

BIRD SEED




Canary, 1b15e
Hemp. lb10c
Rape, Imported, lb15c
Rape, Domestic, lb 10c
Millet, lb10c
Mixed Bird Seed, lb15c
SPRATT'S BIRD FOOD

	Bird Bitters, vial35e Bird Manna, pkg15e Cuttle Bone, 3 for10e Song Restorer, vial25e Orange Color Food, jar25e Moulting Pepper, bx 25e
Mocking-bird Food, jar . Nestling Food, box Nestling Hair, box Silver Gravel, lb	Mite Exterminator, box 25c Mexican Salve, box 25c 25c 15c 10c

SPRATT'S DOG FOODS

Dog Cakes,Pkg., Puppy Cakes,	 Pkgs.	40c
Ovals		40C

Distemper Tablets	5e
Eczema and Sarcoptic Mange	60e
Tonic and Condition Tablets	
Worm Capsules	
Puppy Worm Capsules	ve



Flower Seeds

ASTERS

(See back cover)

ASTERS (See back cover)

The Asters, in the beautiful double varieties, are unsurpassed for bedding and cut flowers. They are very profitable for the florist and also one of the most satisfactory for the home garden. The many delicate shades and beautiful colors, the size, form and long blooming season, all make for the great popularity of these charming flowers. Asters are very hardy and may be planted outdoors as soon as the soil is warm and dry. You can start them indoors or in a cold-frame in January or February and transplant outdoors after killing frost danger is past. Plant in well prepared good garden soil in rows 18 to 24 inches apart; cover seed with ¼ inch fine soil firmly pressed down and when plants are 2 inches high, thin to 15 inches apart in row. Seeds may be planted in beds outdoors and transplanted when 2 or 3 inches high. Keep plants well watered in warm and dry weather, watering in morning or evening 2 or 3 times a week. For late flowering, seed may be sown in May or June. By disbudding, letting only a few flowers come on each plant, much larger flowers will form, as large as and more beautiful than ordinary chrysanthemums.

AMERICAN BRANCHING ASTERS

AMERICAN BRANCHING ASTERS

A type of very strong growing Asters, blooming in late July and August in this latitude. Full petalled extra large flowers of fine form are produced on long stems. The petals are long, rather broad, of good substance and the flowers last a long time after being cut; shipping well. The plants grow 24 to 30 inches high and are branching in habit. These are the latest varieties to come in habit. These are the latest varieties to come in bloom and they produce very large flowers of the deepest and finest, colors and are very prolific. American Branching, mixed Pkt., 10c.

GIANT COMET ASTERS

Also known as Ostrich Plume because of their at-Also known as Ostrich Plume because of their attractive, light, feathery appearance. There are no finer Asters than these. They bloom in mid-season with flowers of the largest size, fully double, and their graceful forms on long, strong stems are made even more beautiful by having very long petals that are decidedly curled and twisted. The plants are branching tnd very vigorous growers. Giant Comet Asters, mixed, pkt., 10c.

BRANCHING COMET ASTERS

Our new Giant Comet type of full double-branching Asters is marvelous for size, beauty and full petals, making the most perfect and fullest flowers of the Comet type. Plants sturdy and vigorous, branching freely and showing scores of finest flowers. These are of extraordinary size. full, double and of wonderful clear tones of color. Branching Comet, mixed, pkt., 10c.

ACROCLINIUM

(Everlasting)

A very pretty, half hardy double daisy-like flower, about one and one-half inches in diameter. Each flower-head is borne singly on a very long stem leaves small, narrow, alternate. Mixed, pkt. 10e

AGERATUM

A beautiful, hardy annual of neat bushy habit. The attractive feathery flowers borne in dense clusters are very useful for bouquets. Very desirable for outdoor bedding and borders, being covered with bloom nearly all summer. Mixed. Pkt., 10c.

ALYSSUM

The annual varieties can be grown very readily either outdoors or in the house and by cutting back the plants properly an almost constant succession of bloom may be had. Seed can be sown in open ground very early in spring, or may also be sown outdoors in fall.

Sweet (Maritimum). This very hardy annual for borders, edging or massing in small beds, comes into bloom early in the spring, covering itself with clusters of trusses of small, pure white cruciform flowers. They have a peculiar, delicate fragrance and are useful in small bouquets. Usually not over eight inches high but spreading. Pkt., 10c.

AMARANTHUS

These plants afford brilliant contrasts of color, being useful for tall borders, groups and foliage effects. The leaves and stems are of different shades of red, blended usually with green; two to three feet high. Seed may be sown in open ground early in spring, covering one-fourth inch deep; thin two to three feet apart. Pkt., 10c.

AMPELOPSIS

QUINQUEFOLIA (Virginia Creeper)—A very popular climber. Hardy perennial. Seed may be sown any time of the year. During the summer the foliage is green changing to various shades of bronze red during the fall. Pkt., 10c.

VEITCHI (Boston Ivy)—A valuable perennial climber which grows rapidly, clinging to brick and wood. The leaves are deep green, changing to scarlet in the fall. Pkt., 10c.

SNAP-DRAGON or ANTIRRHINUM—This flower is next to the sweet peas in popularity. Flowers of the most brilliant colors, which remain in bloom form early in July until frost. Seeds may be sown in a sunny situation the first part of May. If real early blossoms are desired they may be started in a box or hot bed and set out when danger of frost is past. Mixed, pkt., 10c.

ASPARAGUS FERN

PLUMOSUS NANUS (Lace Fern) .- Most delicately graceful foliage. A dainty pot plant for indoor decoration. Pkg., 15c.

SPRENGERI (Emerald Feather). — Of drooping growth. Makes a pretty and graceful plant for hanging baskets. **Pkg.**, 15c.

AQUILEGIA or COLUMBINE

Aquilegias or Columbines are among the most beautiful of hardy spring and early summer flowers, and unlike many perennials the best varieties are produced from seed. They are very effective when grown in the herbaceous border and make charming specimens for vases and table decoration.

AMERICAN HYBRID COLUMBINE--The highest per-AMERICAN HYBRID COLUMBINE—The highest perfection attained in the development of this favorite flower. The plants are extremely robust with large handsome foliage; the flower stems often 40 inches in height, carrying magnificent clusters of immense long spurred single flowers which last a long time in bloom. The large unique, long-spurred flowers, gracefully hung on long stems, are not only brilliantly effective on the plant, but equally as desirable when cut for vase and house decoration. Pkt. able when cut for vase and house decoration. Pkt., 10 cents.

BALSAM

The old Fashioned Flower Touch-Mc-Not or Lady Slipper

The old and familiar Touch-Me-Not or Lady-Slip-The old and familiar Touch-Me-Not or Lady-Slipper improved until those familiar with the old forms would hardly recognize the large waxy flowers with their elegant shades of color and variegations as belonging to the same class. They grow luxuriantly all through the West with little attention in any good garden soil, and well repay one for the little trouble, Sow in open ground after danger of frost is past, or earlier in protected boxes. For the best growth and effect plants should be set about 18 inches apart. Mixed. Pkt., 10c.



Columbine BALSAM APPLE

Quick growing climber, ornamental foliage, interesting and valuable fruits which are esteemed for medicinal purposes. The fruits burst and throw the seeds a considerable distance a source of amusement for the children. It is often used with other climbing plants for shading porches, balconies and outdoor seats. Packet, 10c.

BALLOON VINE

Interesting climber from the East Indies. A general favorite. Rapid growing annual climber delighting in warm weather. Small white flowers, followed by inflated seed vessels like miniature balloons. This most interesting climbing plant is fine for shading porches or outdoor seats and the novelty of its little balloon-like fruits never wears off. Try a packet of it this year. Packet 10c.

BLUE LACE FLOWER

(Didiscus Coerulea) .- A delightful annual which produces flowers of a sky-blue color. The flower itself ranges from 1½ to 2 inches in diameter, and in formation is similar to the Scabiosa. Should be started under glass or in a seed bed, and then transplanted to its permanent position. It is especially fine for forcing under glass. Half shady position is beet. Part 102. best. Pkt., 10c.

BRACHYCOME

(Swan River Daisy) A free flowering annual, covered during the greater part of the summer with a profusion of pretty blue or white flowers, suitable for edging, small beds or pot culture. Pkt., 10c.

BUTTERFLY FLOWER—(Schizanthus)

The sight of a few well-grown plants would induce anyone to grow them. They are simply elegant for decorative use in pots or for cutting. Hybrida grandiflora compacta. These are large flowered with wonderfully beautiful color combinations in the same flower; 15 inches high. Pkt., 10c.

CALENDULA (Pot Marigold)

A free flowering dwarf bushy annual, the bright colored flowers are borne on long stems and bloom continuously from

flowers are borne on long stems and bloom continuously from early summer until late fall. An ideal pot plant for winter. Height one foot.

ORANGE KING.—One of the most striking and most beautiful flowers possible to grow. Exceptionally free blooming and the flower retains a vivid orange color that is most fascinating and attractive. To those of our customers not familiar with it we urge a trial. Is hardy, vigorous and a beautiful sight in the garden. The flowers attain an immense size. Pkg., 10c.

CAMPANULA or CANTERBURY BELLS

CAMPANULA UI (Perennial)

Large, bell-shaped flowers, of exquisite colors—blue, pink and white. They are very ornamental plants with perfect masses of bloom, often bearing 100 to 200 blossoms on one spike. Sow seed in the open ground, cover lightly and thin plants to stand 12 inches apart. Single mixed. Pkt. 10c.

CARNATIONS

Carnations are a great favorite with most people who take pride in their old-fashioned garden. They have the most beautiful colors and are easily raised from seed the first year.

MARGUERITE—Finest double mixed. Our strain of this variety is extra fine. flowers borne on long stems with an abundance of large double flowers.

Pkt., 10c.

CANARY BIRD VINE

A rapid growing climber of the Nasturtium family, with handsome, finely cut foliage, producing an abundance of bright, canary-yellow, bird-like blossoms from July until frost. An excellent winter window vine. Height, fifteen feet. Pkg., 10c.

CANNAS

One of the most effective of showy foliage plants. The seed should be cut off or filed at one end. Plant indoors one-half inch deep in rich soil and keep moist until sprouted.

FINEST MIXTURE—Contains many large flowering varieties. Pkg., 15c.

CARDINAL CLIMBER

A strong, rapid grower, attaining a height of thirty feet or more, with beautiful fern-like lacinated foliage, covered with fiery cardinal-red flowers from midsummer till frost. The flowers are about 1½ inches in diameter, and are borne in clusters of five to seven blossoms each. It delights in a warm, sunny situation and good soil. Pkt., 10c.

CASTOR BEAN

(Ricinus)

Tall majestic plants for lawns or driveways; with broad, beautifully lobed, palm-like leaves of glossy green, brown or bronzed metallic hue and long spikes of scarlet, or of green, prickly seed pods. Makes a rapid growth in rich soil. Sow seed outdoors after danger from frost is over, preferably in light rich soil, or for earlier blooms start indoors and transplant. For best development each plant should have at least four feet each way. Its rich, luxuriant growth makes it very attractive for a long distance either grown singly or in groups or as center plants with Cannas, Dahlias, etc., giving a semi-tropical effect. Seed beautifully striped or mottled. Tender annual; six to fifteen feet high. Pkt., 10c.

CELOSIA OR COCKSCOMB

Plants produce bright red combs which can be cut and dried for winter use. Its bright color will attract attention anywhere. Seed may be started in boxes or sown out of doors in May. Thrives best in rather light soil. Pkt., 10c.

CHILDSH—(Woolflower)

Bloom starts early with a center head, round and globular, which at times reaches the immense size of 2 feet in circumference. When in full bloom looks like an immense bouquet. Deep crimson scarlet. Plant 2 to 3 feet high. Pkt., 10c.

CANDYTUFT—Iberis Umbellata

Candytuft is one of the most prized garden annuals. Easily grown from seed and does not need transplanting. Fine for cut flowers. Mx., Pkt., 10c

CALLIOPSIS

Half-hardy perennial of quick growth and bearing a profusion of bright-colored flowers. When cut with a part of the foliage, they make a very attractive bouquet. Sow the seed thinly where the plants are to bloom in a well prepared seed bed as early in spring as the soil can be dug.

FINEST MIXTURE CALLIOPSIS—Magnificent, new dwarf compact strain. Pkg., 10c.

PLUMOSA — (Thompsoni Magnifica).

The finest mixture of the ostrich feathered sorts. Plants of branching habit and each stem tipped with graceful plumes, varying in color through all shades of yellow and red. Annual. Height, thirty inches. Pkg., 10c.

COSMOS

Very effective for autumn flowering in broad very effective for autumn flowering in broad masses or backgrounds. A hardy and rapid growing annual, forming bush-like plants with feathery green foliage, four to six feet high, covered with large flowers somewhat resembling the single dahlia. They are gracefully poised on long stems and very useful for decorative purposes.

Sow outdoors early in spring in rather light soil, not too rich, and preferably in a sunny situation. Cover the seed with one-fourth to one-half inch of fine soil firmly pressed down. If planted in rows, make the rows about two feet apart and when the young plants are well up, thin from four to six inches apart in the row.

EARLY FLOWERING COSMOS—These early flow-ering strains are about four feet high and bloom profusely four to six weeks earlier than the giant sorts. The flowers are of good size: well adapted to northern latitudes. Mixed colors. Pkt., 10c.

LATE GIANT COSMOS—This variety should be planted in late spring and summer for fall blooming. The plants often reach a height of six feet and make a splendid background. One may have a wealth of bloom from a few plants and they are excellent cut flowers. Mixed. Pkt., 10c each.



Cosmos

COLEUS

(Perennial) .--These beautiful and ornamental folage plants, producing the most attractive colors, are a most interesting subject to grow from seed. To watch the foliage change into a variety of colors as it grows day by day, is wonderful. Choice Mixed Pkt., 15c.

CENTAUREAS

Generally known for their nardy flowering annuals, which include some of our most graceful and showy garden flowers that have been favorites for years, especially for cutting. The tall, slender, straight or slightly branching plants with narrow leaves produce bright colored flowers on long, graceful stems. Easily grown in any garden soil for cutting, beds or borders. Pkt., 10c.

BACHELOR'S BUTTON

Cornflower, Blue Bottle, Ragged Sailor or Ragged Robin—Centaurea Cyanus. Known under all these names, the very easily grown flower is always included in old-fashioned gardens and usually reseeds itself every year. It blooms all the summer long and should be in every garden. All Colors Mixed—Pkt., 10c.

SWEET SULTAN

This superb new strain of the "Sweet Sultan" is splendid. Produces long-stemmed blossoms 3 to 4 inches across and very fragrant. Colors from white through shades of red, blue, lilac, royal purple, etc. Of strong, bushy form, and of easiest culture. Does best planted very early in season to allow for fine cut flowers before hot weather. Pkt., 10c.

CHRYSANTHEMUMS

Summer blooming, beautifully colored, daisy-like flowers, ne for cutting. Wonderful improvements have been made fine for cutting. Wonderfu in this old garden favorite.

CORONARIUM. Double Mixed. Pkt., 10c.

CINERARIA

Cinerarias are easily grown from seed in the green-ouse. The large heads of brilliant daisy-like howers of lany colors, usually sharply margined and with dark eye, re very desirable in pots. The plants are often as broad shigh and the velvety leaves are shaded on the under are

HYBRIDA, CHOICEST MIXED. Large flowering.

CLARKIA

Beautiful, hardy annuals with rose colored, white and purple flowers, in delicate but very brilliant shades. The plants are about one and one-half to two feet high and are profuse bloom-

Sow in light, warm soil, as early in the spring as the ground can be worked, or if planted in August they will bloom the following summer. Double mixed. **Pkt.**, **10c.**

CLEMATIS

Paniculata. One of the finest hardy perennial climbers. Of robust habit, and covered from the ground to the summit with pure white fragrant flowers. The flowers are followed by pretty pods of bronzy-red; 12 feet. Pkt., 10c.

COBAEA

A rapid growing climber with beautiful dark green foliage, bearing on graceful stems, large, bell-shaped flowers, green at first but rapidly changing to a beautiful deep violet blue.

SCANDENS. Large, bell-shaped. Pkt., 10c.

COIX LACHRYMAE

(Job's Tears) Curious ornamental grass with broad corn-like leaves and seeds of a light slate color. Valuable for winter bouquets with everlasting flowers. Strings of handsome beads are made from the seeds. Hardy annual; three feet high. Pkt., 10c.

COREOPSIS

LANCEOLATA, GRANDIFLORA—A most showy flower with its cloud of bright yellow blossoms from June till fall. The plant grows 3 to 4 feet tall with very long stemmed blossoms that have few equals for cutting. Pkt., 10c.

CYPRESS VINE

A popular climber noted for dainty fern-like foliage and star-shaped flowers. Finest mixed. Pkt., 10c.

DELPHINIUM—Perennial Larkspur

These handsome, stately border plants produce long bold flower spikes ranging in color from the palest sky blue to the darkest shades of indigo and violet, and are unrivaled for producing blue effects in the summer border. If after the first flowering the stems are cut down close to the ground to induce fresh growth, they will bloom again in autumn gain in autumn. BELLADONNA.—Cambridge blue, white center. again

Pkt., 10e.



Shasta Daisy

DAISY, SHASTA

Our choice Alaska variety with flowers of purest glistening white with broad overlapping petals, one of the finest and most attractive flowers grown. These flowers are much larger than common daisies, often 5 inches across, and make fine cut flowers with long stems, lasting a week or two after being cut. Grows 2 to 2½ feet high and excellent for beds, borders, clumps and cutflowers. It lasts for years and makes fine borders and clumps. Pkt., 10e.

DAISY, DOUBLE ENGLISH

(Bellis Perennis)

(Bellis Perennis)

The true English Daisy, perfectly hardy and suited to cool, rather moist locations. Blooms in earliest spring and late fall. Sow seed early in boxes or shallow drills; then transplant to permanent location. Treat same as violets. Can be flowered through the winter if placed in boxes in pits or planted out in cold frames. Flowers very double. Plants spread rapidly in rich soil and last for years. They make the finest low borders and margins and are beautiful in clumps about the lawn. Grow 6 to 10 inch high. Mixed. Pkt., 10c.

DAHLIAS

DATILIAS

It is not generally realized that most beautiful Dahlias may be grown and flowered in late Summer and Autumn from Spring sown seed. Many of them, differing from any of the named varieties on the market, and some from seed are equally beautiful, the production of novel forms and combinations of colorings being most interesting.

SINGLE GIANT PERFECTION — This variety produces flowers of immense size of the most bewildering variety of color. Pkt., 10c.

DOUBLE LARGE FLOWERING— Double show and fancy sorts. Pkt., 10c.

DATUIDA — (Angale Trumpet)

DATURA—(Angels Trumpet)

A vigorous growing plant producing immense flowers ranging in color from white to pure yellow. They are well suited for borders or for specimen plants on the lawn, or for the center of ornamental beds. Pkt., 10c.

DIANTHUS. OR PINK

Few flowers can equal these in beauty and profusion of bloom. They comprise many beautiful markings, rich and varied in colors. The plants bloom until frost.

DOUBLE MIXED—All the most beautiful and showy double varieties. Pkt., 10c.

SINGLE MIXED — Fringed flowers of various colors. Pkt., 10c.

DIGITALIS—(Foxglove).

Hardy perennial, blooming the second year from seed. The bell-shaped flowers are borne on long spikes, and come in shades of purple, lavender, rose and white, all spotted lightly inside. Thrives well in cool, shady locations. Fine mixture. Pkt., 10c.

DIMORPHOTHECA—(African Daisy)

AURANTIACA.—A rare, extremely showy and greatly improved annual which has become a general favorite. The bushy plants grow about fifteen inches high. The flowers are often three inches across, of unique, rich, glossy orange gold color. Blooms until late fall. Pkg., 10c.

DOLICHOS—(Hyacinth Bean)

A tender climbing annual; fllowers profusely and in clusters of white, purple and lilac shades. The flower spikes are followed profusely by ornamental seed-pods. Height 10 to 20 feet. Mixed colors. Pkt., 10c.

EVERLASTING FLOWERS

See Acroclinium, Gomphrena, Helichrysum.

ESCHSCHOLTZIA — (California Poppy).

A hardy annual, with fine-cut, feathering foliage and beautiful, velvety, cup-shaped flowers. Seeds may be sown in fall and any time thereafter until the following April, where plants are to remain, as they do not transplant easily. Height, 2 feet. CALIFORNIA—Large, pale yellow. Pkt., 10c.

FORGET-ME-NOT—(Myosotis)

Hardy perennial of easy culture. Blooms first year from seed. The flowers are small and starshaped, borne in clusters on long stems.

ALPESTRIS. Blue Pkt., 10c.

FOUR O'CLOCK

Plants are covered for months with innumerable silky flowers of the most ravishing colors, and exhaling a delightful perfume. It is an evening

TOM THUMB, YELLOW LEAVED--Mixed colors.
A new dwarf strain of great beauty. Grows only twelve inches high, and each plant is a compact mass of lovely yellowish leaves which in evening are hidden by hundreds of gay blossoms. Pkt., 10c.



Gaillardia

GAILLARDIA (Blanket Flower)

The flowers are dazzling and brilliant in colors, red and yellow predominating. Easy to grow from seed, and will produce in profusion a continuous supply of exquisite flowers on long stems. Blooms from early spring until late fall. Will thrive in poor soil and are not affected by extremes of weather. Plants of strong growth with grayish foliage. Height, eighteen inches.

GRANDIFLORA—Mixed colors. Pkg., 10c.

GODETIA

Hardy annual, about one foot high, of compact growth, bearing a profusion of beautiful cupshaped flowers. Colors, Deep Red, Pink, and White. Fine mixed. Pkt., 10c.

FUCSHIA—(Lady's Eardrop)

ALPESTRIS, VICTORIA — Flowers large; bright azure, blue with yellow canters. Plants bush-like, covered with blooms. Pkt., 25c.

One of the easiest of house-plants to grow. Fine for window-boxes and conservatories. Is most successful in both growth and bloom if given only a small amount of direct sun, particularly in the middle of the day; grows well when completely shaded. Single and Double, Mixed. Pkt., 25c.

GERANIUMS

An old garden favorite and its popularity has not diminished with the years. They are generally grown from slips but they will produce almost as easily from seed and we offer an assortment of mixed varieties, giving different shades in coloring. The seeds should be started indoors early in the spring. The geranium is probably the best known and most admired of any garden flower and the geranium bed is always a beautiful sight and you may expect flowers from early summer until frost.

CHOICE MUSTUPE Seed sayed from large flow.

CHOICE MIXTURE—Seed saved from large flowering varieties and will produce a mixture of colored blooms. Pkt., 25e.

GOMPHRENA—(Globe Amaranth)

A showy annual everlasting with clover-like heads. Mixed, white, red and pink. Pkt., 10c.

GYPSOPHILA

Free flowering, elegant plants. The annuals are adapted for rustic rockwood and edging. The perennials are perfectly hardy, succeeding in any garden soil.

PANICULATA (Baby's Breath) -- Perennial. mass of the finest leaves and branches, covered with tiny white, star-shaped flowers. Pkt., 10c.

ELEGANS-Annual. Small, white flowers. Pkt.,

GOURDS—(Ornamental Climber)

Well-known climbers, with odd-shaped fruit. Fine for training over fences or trellises, and always sure to attract the attention of the children, who love to play with the pretty striped and oddly crooked fruits. Mixed Gourds, **Pkt.**, **10c**.

HELICHRYSUM

(Straw Flower)

Everylasting flowers suitable for mixed borders. The flowers retain their shape and color for years, but it is necessary to gather them before they are fully expanded, and hung upside down to dry. Useful for winter bouquets, decorating, etc. Annual. Choice Mixed Colors. Pkt. 10c

HIBISCUS

GIANT GOLDEN BOWL—Very large flowers, 6 to 8 inches, of deep cream color with velvety maroon center. Plants grow from 3 to 5 feet and are perennial and bear profusely. Pkt., 10c.

LUPINS

One of our most attractive and easiest grown native flowers. The plants frow 2 to 3 ft. high and have handsome spikes of flowers which are fine for cutting. If the plants are not allowed to go to seed they flower for several months in the spring. Annual Mixed—Pkt., 10c.

HELIOTROPE

A universal favorite on account of its delicious fragrance. Excellent for cutting. Seed sown in early spring will make fine plants during summer. Partial shade suits it best. Annual. Mixed colors, Pkt., 10c.

HUMULUS—(Japanese Hop)

A rapid growing ornamental climber covering arbors, trellises, etc., in one season. The foliage resembles the common Hop and is very luxuriant naking a dense vine. Will stand extreme heat and remain green until frost. An annual.


Japonicus-Green foliage. Pkt., 10c.

Japonicus Variegatus—Beautifully splashed and striped with silver. Pkt., 10c.

HOLLYHOCKS

Our Hollyhocks are far superior to the old single and semi-double sorts. Once established they grow and bloom freely for years. Sow in early spring, in boxes or beds, and when 6 to 8 inches high transplant to their permanent place in open ground, placing them 1½ to 2 feet apart. Give them rich soil in a moist location, or where plenty of water can be given and they will grow 5 to 8 feet tall. The Hollyhock is an old-fashioned flower and perhaps no other flower leaves such an impression as does the Hollyhock. The beautiful long spikes filled with tissue paper-like blooms, 3 inches across crushed closely together, give a beautiful and artistic background or tall border. There could hardly be an old-fashioned garden without them. Plant some this year and you will have them for years to come. You should plan your flower garden for permanency and Hollyhocks are very valuable as they can fit in with most any plan.

DOUBLE HOLLYHOCKS, MIXED COLORS—Our mixture of the finest varieties. Packet, 10c.



ICE PLANT

Mesembryanthemum crystallinum.—A most interesting plant, with delicate, succulent almost transparent branches and leaves. Of drooping habit, adapted to baskets, vase work and rockeries. Prized for its singular foliage, which looks as though covered with particles of ice. Pkt., 10c.

KUDZU VINE

(Pueraria Thunbergiana)

Jack-and-the-Bean-Stalk-Vine. The most remarkable rapid-growing hardy perennial extant. In rich soil will grow 70 feet in one season. Three months of its growth will equal five years of most vines. Starts into growth slowly, but after three or four weeks grows almost beyond belief. Leaves in shape like lina bean; color, dark green; texture soft and wooly. For porches, arbors, old trees, etc., we know of nothing its equal. Pkt., 10c.

KOCHIA—Mexican Burning Bush

A splendid and novel plant. An easily grown annual suitable for all parts of the West. Sown thinly in spring when leaves begin to appear on the trees, it soon forms a cypress-like hedge of symmetrical form and of lively green color; by midsummer it attains a height of about 3 feet and on approach of cool weather the whole plant becomes a deep red. One of the most novel and interesting plants that can be grown from seed in any flower garden. Packet, 10c.

LANTANA

Tender perennial, growing from 2 to 3 feet high, bearing verbenalike clusters of flowers in orange, white, rose and other colors. Good for bedding. Choice mixed. Pkt., 10c.

LARKSPUR—Annual

A quick-growing very free flowering annual, producing erect spikes of beautiful flowers of various colors. Sow in early spring, thinly in shallow drills. Thin out after well up, to 10 or 12 inches apart. This makes a pleasing display and is very satisfactory.

LARKSPUR, Tall Double European Mixed—Grows 2 feet in height. The tall, rocket-like spikes are profusely covered with fully double flowers of various colors. Packet, 10c.

LINARIA-KENILWORTH IVY

Very pretty hardy evergreen creepers, well adapted for growing in pots or for covering walls or crevices. Cymbalaria, Pkt., 10c.

LINUM

(Grandiflora Rubrum "Scarlet Flax")—A very effective and showy bedding plant having fine foliage and delicate stems. The flowers are a brilliant scarlet crimson. Plant about one foot. Pkt., 10c.

LOBELIA

Exceedingly useful plants for edging flower beds, their free-blooming qualities and brilliant shades of blue and white making a pleasing contrast to the masses of reds and yellows so prevalent in bedding. They are splendid for hanging baskets, pot culture, etc. All are annuals except Lobelia cardinalis, which is a hardy perennial.

CRYSTAL PALACE COMPACTA .- Dark blue. For borders and bedding. Pkt., 10c.

MORNING GLORIES—(Ipomoea)

Free flowering, beautiful climbers with rich and varied colored flowers; very useful for covering lattice work, verandas, etc., where they are exceedingly effective. Soak the seed for several hours in warm water before planting.

IMPERIAL JAPANESE—They are beyond question the handsomest of all Morning Glories. Of the easiest culture; can be sown in the open ground in a warm and settled climate. The foliage is luxuriant, open ground in a warm and settled climate. The foliage is luxuriant, distinct and varied, green, silvery and yellow leaves; many are mottled light and dark green, white and gray. The giant flowers are beyond description; the self or solid colors range from snow white to black purple, an endless rumber having flowers spotted, marbled, striped, flaked, splashed, etc. Pkt., 10c.

TALL MORNING GLORY-The old favorite in all colors, mixed. Pkt., 10c.

MOON FLOWER

The Ipomeas (Moonflowers) are popular everywhere as climbers for shade on porches, trellises and arbors. They make a rapid growth and a dense shade, protecting porches from the hot rays of the sun. They grow 20 feet high in good soil, branching freely, and at night and during cloudy days are covered with large flowers. Seeds should be planted after all danger of frost is past, where plants are to stand, about 10 inches apart. They can be planted earlier in pots in the house and transplanted when 6 inches high. The seeds are very hard, and to insure germination cut or file through this hard outer shell before planting.

A most interalmost transpoping habit, ckeries, Prized ks as though the control of the white. Flowers very large and of a deep sky blue with reddish, purple rays. There is nothing in a blue color excelling the shade of the "Heavenly Blue." It is becoming much more popular than the white. Packet, 10c.

MARIGOLDS

The African and French Marigolds are valuable for their flowers in late summer and autumn and can be grown to advantage in little clumps, with other plants, in the front of shrubbery or in the garden border. The African varieties are the taller in growth, and produce large self-colored blossoms. The French varieties are smaller, some of them being elegantly striped and spotted. The dwarf-growing kinds make extremely handsome borders, being neat compact plants and remaining in full bloom until killed by frost. Seeds can be sown in the open border, or earlier, in a coldframe, and the young plants transplanted late in the spring to where they are to remain. They succeed best in a light soil, with full exposure to the sun. Annual.


TALL DOUBLE AFRICAN, MIXED—Extra

TALL DOUBLE AFRICAN, MIXED—Extra large flowers, grows 15 to 30 inches tall. Various shades of yellow and orange. A bed of these will please you. Pkt., 10c.

DWARF FRENCH—Grows 6 to 8 inches high, rather small highly colored. Pkt., 10c.

MIGNONETTE


By its sweet yet delicate odor the Mignonette has, for many years, endeared itself to
every true lover of flowers. Fragrant as the
violet, constantly in bloom, and easily grown,
the modest Mignonette is found not only in
the greenhouse of the millionaire, but in
many a lowly garden and window box. Seed sown early in the garden will give flowers all through
the summer and fall. The finest spikes of bloom are produced during cool, moist weather. For winter
blooming, seed is usually sown in pots and brought on in succession, keeping the growing plants in a
cool room. SWEET (Reseda odorata grandiflora). A well known fragrant plant, Pkt., 10c.



NIGELLA DAMASCENA-Love-in-a-Mist.

Growing easily from seed and having a great abundance of long-stemmed flowers, which are the most beautiful cornflower blue. Mixed. Pkt., 10c

NASTURTIUM



TALL OR CLIMBING VARIETIES—Pkt., 10e; oz., 25e, DWARF VARIETIES—Pkt., 10e; oz., 25e.

PASSION FLOWER

(Passiflora)

A half hardy perennial climber, shedding its leaves in winter. A very satisfactory climber of immense growth, as it will cover a porch or small cottage in one summer. Pkt. 10c.

PHLOX DRUMONDII

For beds and massing nothing can surpass these beautiful annuals. They produce immense trusses of large, brilliant flowers of numberless hues throughout the summer. This strain has beautiful round petaled flowers, larger than in the older sorts; showy and constant. Pkt., 10c.

STAR PHLOX

A decidedly unique variety. While the petals of all other Phloxes are entire, in this variety they are partly fringed and partly toothed; the central teeth of the petals are five or six times as long as the lateral ones, and project like little spines, giving the flowers a regular star-like form. The beauty of the flower is enhanced by a white margin which borders the edges of the petals. There are many distinct colors. Best Varieties Mixed. Pkt., 10c.

PORTULACA

(Rose Moss)—A low spreading plant with fernlike leaves of a dark green color. It produces an abundance of bright flowers in all colors. It will thrive in hot sun where other plants refuse to grow and will stand an unusual amount of drought. They begin to bloom in early spring and continue a mass of bloom until frost. Single Finest Mixed, in numerous rich colors, Pkt., 10c; Double Mixed, extra fine quality, Pkt., 10c.



Nasturtium



MASTODON PANSIES

These magnificent giant pansies are without a doubt, the most wonderful pansies of the day, with a robust vigor unknown in any other strain. These blossoms are almost four inches across and are of a most wonderful variety of colors and variegations. They bloom from two to four weeks earlier than any other variety of pansies. It is impossible to paint a word picture that will do justice to these flowers. You will never regret it, if you have them in your garden or porch box. Mixed. 10e Pkt., Greenhouse 10c.

Pansies thrive best in a moist, sunny location and in rich loamy soil. Seed should be sown in the autumn for early spring blossoms, or can be sown ealy in the year for good flowers later in the spring. The plants must be transplanted twice in order to get the largest flowers; once from the seed box to a chosen bed, and again to the open garden. This is important for large size pansies; use manure liberally. The blossoms are usually larger in the spring and again in the fall, and while they bloom freely all summer, the blossoms are small during the hot months.

PETUNIAS

No bedding plants make a more pleasing display than Petunias. The distinct colors and marking make a brilliant show.

First, be sure that the soil is well pulverized then sow the seeds on the surface, pressing them into the soil by using a small, smooth board and cover very lightly with sand or fine soil. Seed sown in a hotbed or the house early in the spring will produce flowering plants in June. Set plants about eighteen inches apart.

KNON'S SUPERB GIANT Pkt., 10e
SINGLE MIXED COLORS Pkt., 10e
MONSTROUS RUFFLED Pkt., 50e

PRIMULAS—Half-Hardy Sorts

Poppies are very showy and come in many bright and charming colors. Some are hardy annuals, others are perennials and should be sown where they are to remain, as soon as the ground can be prepared.

DUBLE CARNATION-FLOWERED—Annual. Fringed; colors are dazzling. Mixed. pkt., 10e. SHIRLEY—Annual. The range of color, extending from white through delicate shades of pink, rose and carmine to deepest crimson. Fine for cutting. Best Single Mixed. Pkt., 10e.


PRIMULUS—Half-Hardy Sorts

Useful for pot culture or for rockeries and borders. While hardy under favorable conditions of soil and moisture, it is prudent to protect them over winter, particularly against saturation of soil by water.

Veris Elatior. Choice mixed. Pkt., 10c.

PYRETHRUM

Very showy flowers of easy cultivation: valuable for cutting. The daisy-like blossoms borne in great abundance and a variety of colors. One of the best hardy perennials. Pkt., 10c.





Scabiosa

SWEET WILLIAM

SWEET WILLIAM

We are pleased to see that the merits of this sturdy old-fashioned flower are being more generally recognized and its cultivation greatly extended. Beautiful, fragrant and easily grown, it is worthy of a place in every garden. The best varieties of Sweet William are of exceedingly beautiful colors, and the large fragrant flowers are borne in trusses of great size. They make a splendid show in the garden or hardy border and last well as cut flowers. Seed, may be sown at any time from spring to mid-summer. Blooms the second season. Blooms during June and July. Perfectly hardy. Pkt., 10c.

ANNUAL SINGLE MIXED—A fine mixture blooming the first year from seed. Pkt., 10c.

SUNFLOWER

We have in this class plants of very stately growth with immense gaudy flowers, fine for wild gardens, along fences or garden walls.

DOUBLE CHRYSANTHEMUM FLOWERED -Pkt., 10c.

SPENCER SWEET PEAS

No description can do justice to these Giants among Sweet Peas. The large flowers of exquisite shape, borne in threes and fours on long stout stems are of incomparable magnifi-cance. The vines are robust in growth and produce an abundance of bloom for a longer period than the old but popular Grandiflora type. Rather than confuse our customers we have discarded conflicting types and list here all the distinct colors.

Asta Ohn. Lavender, tinted mauve. 10c. Blanche Ferry, Carmine-rose, white wings,

10c.
Countess Spencer. Pale pink. 10c.
Hercules—Clear pink. 10c.

Hluminator—Brilliant orange-scarlet. 10c. King White, pure white, 10c. Masterpiece—Large wavy lavender, tinted auve. 10c.

mauve. Mrs. Hugh Dickinson. Buff and apricot rose.

10c. Othello. Deep maroon.

10c. Othello. Deep maroon. 10c.
Primrose. Clear primrose. 10c.
Royal Purple. Rich, royal purple. 10c.
Rosabelle Spencer. Bright rose. Pkt. 10c.
Apple Blossom Spencer. Rose and Blush. 10c
Warrior. Spencer-Rich maroon. 10c.
Wedgewood. Silvery blue. 10c.
Mixed Spencers. A blend of the choicest and
best varieties of Spencers. Pkt., 10c; oz., 25c.

SCABIOSA (or Mourning Bride).

A new, double, large-flowered type descended from the "Sweet Scabious" or "Mourning Bride" of old gardens, but are much improved in size, colors and doubleness. Many of the flowers measure 6 to 8 inches in circumference, are double clear to the center, and have long stems. They are very free bloomers; very effective for garden decorations and valuable for bouquets, vases, etc. Annuals. 1½ to 2 feet high. Mixed colors. Pkt., 10c.

SALIPGLOSSIS

These annuals are considered by many to be nong the most satisfactory. They start easily among the most satisfactory. They start easily from seed and very soon commence to produce their showy, rich, dark-colored, bell-shaped flowers in great profusion, and continue in bloom until cut down by frost. Fine mixed. bloom un Pkt. 10e.

SALVIA—(Flowering Sage).

Half hardy perennials, blooming the first year from seed, which should be sown as early as possible either indoors or in a hot-bed, and the young plants transferred to their flowering quarters when the weather has become settled warm.


SPLENDENS—One of the finest of the Scarlet Sages, growing in a compact bush about 2 feet high by 2 feet in diameter. Its erect spikes of flowers of brilliant scarlet stand clear above the dark green foliage and completely cover the plant. One of the most gorgeous plants in cultivation. vation. Pkt., 10c.

SMILAX

A graceful greenhouse climber, indispensable for table decorations, bouquets, etc. Pkg., 10e.

STOCKS, DOUBLE TEN WEEKS (Gilli Flower).

These popular flowers are easily grown, and are so highly fragrant and of such beauty that they deserve a place in every garden. They are great improvements over the Gilli-flowers of the olden times, being much larger and more densely double, and of a greater variety of colors. Mixed colors. Pkt. 10c.



Spencer Sweet Peas

THUNBERGIA-Black-Eyed Susan

Beautiful rapid growing annual climber. Pre-fers a sunny position. All colors mixed. Pkt.,

MAMMOTH VERBENA

Free flowering, half hardy perennial of low spreading growth, usually treated as an annual. Plants grown from seeds are much cheaper than cuttings and more vigorous. They make fine beds and edging. Verbenas have been carefully selected and improved and we can recommend them as the very best you can obtain. The trusses and individual flowers of our Mammoth Verbenas are of the largest size, of brilliant colors, free-blooming and are vigorous growers. Sow in early spring in boxes or in open ground after danger of frost is past. Transplant when 3 to 4 leaves are formed or thin out to 2 feet apart each way in a sunny location with good soil. Plants grow rapidly to a foot high and spread to 2 feet across the top. About a dozen single flowers form in each cluster or truss and colors and stripes range from white to deep purple and red.

GIANT BLUE.—Pkt., 10c.
GIANT PUNK.—Pkt., 10c.
GIANT PURPLE.—Pkt., 10c.
GIANT PURPLE.—Pkt., 10c.
GIANT SCARLET.—Pkt., 10c.
MAMMOTH MIXED.—Pkt., 10c.

MAMMOTH MIXED .- Pkt., 10c.

VIOLETS (Viola odorata)

Beautiful for clumps, or edgings, forming a compact mass of foliage, with a profusion of purple, mauve-colored and violet blossoms. The seed should be sown early in cold frame, and the young plants removed to the border where they are to bloom.


Single Sweet-Scented. Blue. Pkt., 10c.

WALLFLOWER — (Cheiranthus Cheiri)

Produces spikes of beautiful, exceedingly fragrant flowers. Should be planted more extensively all over the country. Blooms in May. Half hardy perennial. Pkt., 10c.



Giant Dahlia Flowered Zinnia



Giant Verbena

ZINNIAS

transplanted if desired.

ZINNIA, NEW DAHLIA FLOWERED

The plants are very sturdy and produce many flowers with stout stems. The flowers in full bloom often measure four inches in depth and six to eight inches in diameter.

The colors range from various shades of yellow and orange through pink, rose, crimson, to purple. As many as twenty colors and shades may be found in this Dahlia Flowered mixture and the Giant strain.

The flowers differ from other Zinnias in the way the petals turn in toward the center which gives each flower a deep instead of flat appearances. Some won-derful new colors are offered this year.

Dahlia Flowered Mixed .- Pkt., 15c.

ZINNIA, GIANT FLOWERED MIXED

This is an improved strain of the old and popular zinnia, producing double flowers of great size, often three to four inches in diameter and in colors cover a wide range. The plants grow about fifteen inches high and the double flowers are produced in great abundance on short stems. They bloom all summer and until late in the fall. Splendid effect can be produced in heds and borders with these magnificent flowers. We offer a mixture of well balanced colors ranging from white, pink and rose through the various shades of yellow to the darker shades of scarlet and crimson. Pkt., 10e.

WILD FLOWER GARDEN MIXTURE

These mixed flower seeds embrace more than a hundred varieties of such easy growing and pretty flowers as are suitable for forming a wild flower garden. They are very useful for woodland walks, roadsides, alongside of fences and on untidy bare spots which, if properly cared for and kept free from weeds, can bloom during the Summer. Pkt., 10c.

AIDS IN SELECTING FLOWER SEED FOR SPECIAL PURPOSES

Celosia

Pea,

Nasturtium,

Dwarf

Pryethrum

aureum

Poppy Pyrethrum

Scabiosa

Stock

Zinnia

Smilax

Salpiglossis

Schibanthus

Sweet Pea Sweet William

Sweet William Sweet Sultan Verbena Wallflower

BACKGROUNDS AND BORDERS

Large, Showy Annuals
Larkspur Ric
a Marigold, Tall Sal
Poppy, Tall Sur Ricinus Amaranthus Colosia plumosa Poppy, Tar Zinnia Cosmos Sunflower

Dwarfer Sorts

Alyssum, hardy Godetla Candytuft, hardy Dianthus Pinks, hardy Sweet William Violet Carnation Myosotis Pansy
GING WALKS, ETC.
Lobelia compacta Sweet F
Marigold, Dwarf Cupid.
Nasturti Daisy, Double

EDGING Ageratum Alyssum Asters. Dwarf Myosotis Candytuft Dusty Miller (Centaurea)

Amaranthus

Phlox, Dwarf Pinks, Chinese Zinnia, Dwarf Pyrethrum
UNUSUAL FOLIAGE
Centaurea M Marvel of Peru

gyninocarpa

CUTTING

Delphinium

Gaillardia

Larkspur

Marigold

Myosotis

Pansy

Matricaria

Mignonette

Nasturtium

Helianthus

Dianthus Eschscholtzia

Coleus

Acroclinium Antirrhinum Aquilegia Aster Calendula Calliopsis Centaurea Campanula Carnation Chrysanthemum Coreonsis Cosmos

> Proposition of the second seco SHERWIN-WILLIAMS

PRODUCTS DRY LIME. SULFUR

The second second second

DROOPING PLANTS FOR VASES, BASKETS,
VERANDA BOXES, ETC.

Petunia Alyssum Lobelia Nasturtium PLANTS SUITABLE FOR POTS THAT MAY BE GROWN FROM SEEDS

Cineraria Ageratum Nasturtium, Antirrhinum, Dwarf Petunia Dwarf Asters, Dwarf Cyclamen Heliotrope Primrose Begonias Mignonette Carnation Myosotis

BEDS AND MASSING Chrysanthemum Pansy Coreopsis Petun Alyssum Ageratum Antirrhinum Dablia Aster Dianthus Balsam Eschscholtzia Calendula Gaillardia Calliopsis Lobelia com-Candytuft Carnation pacta

Petunia Drum-Phlox mondii Poppy Portulaca Salvia splendens Stocks Marigold Nasturtium, Vinca Zinnia Dwarf PARTLY SHADED PLACES

Myosotis Poppies, hardy Ricinus Coreopsis, Antirrhinum hardy Delphinium Aquilegia Delphini Begonia tuberosa Digitalis Schizanthus Paasy Hardy Primrose Canterbury Bells Matricaria

CLIMBING VINES, ANNUAL

Balloon Vine Scarlet Runner Humulus or Balsam Japanese Hop Moonflower Ipomoea, all Morning G Bean Morning Glory Nasturtium, T Cypress Vine kinds Ta 11 Gourds. Momordica or Orna-Sweet Peas mental

CLIMBING VINES, PERENNIAL

Australian Pea Cobaea scandens Lathyrus Heliotrope Kudzu Vine latifolius Vine Clematis Smilax

DRY LIME-SULFUR

(The Original)

Ory Lime-Sulfur is the most valuable new spraying product that has been developed in recent years. For a long time Lime-Sulfur Solution had been the standard dormant and summer spray for apples, pears, plums and many other tree fruits. Sherwin-Williams Dry Lime-Sulfur is a true Dry Lime-Sulfur. It is not a substitute for Lime-Sulfur Solution, but is standard 33 degrees Baume Lime-Sulfur Solution in dry powdered form. It dissolves readily in water and will control insects and diseases just as effectively as Lime-Sulfur Solution.

Sherwin-Williams Dry Lime Sulfur is an effective remedy for San Jose and Peach-Leaf Curl, Peach Blight, Peach Twig Borer, Apple and Pear Scab, Powdery Mildew of Apples, Red Spiders, Mites and Thrips of Citrus fruits, 1 lb. can, 35c; 5 lbs., \$1.25; 10 lbs., \$2.25; 25 lbs., \$5.00; 50 lb, \$7.50; 100 lb., \$12.00; 200 lb., \$22.00.

FUNGI-BORDO.

Sherwin-Williams Fungi-Bordo is an extremely fine, fluffy Bordeaux Mixture in dry powdered form. It is made of the best grade of lime and blue vitriol. S-W Fungi-Bordo mixes readily with water and stays well in suspension. It is also very effective when applied as a dust.

Because it contains equal parts blue vitriol and lime, 6 lbs. to 50 gallons of water will give a 3-3-50 Bardeaux Mixture, 8 lbs. a 4-4-50, 10 lbs. a 5-5-50, and 12 lbs. to 50 gallons of water a 6-6-50 Bordeaux Mixture.

Sherwin-Williams Fungi-Bordo will control most fungous diseases of apples, pears, cherries, grapes, strawberries, and those of vegetables. The use of Fungi-Bordo eliminates all of the inconvenience connected with the making of homemade Bordeaux. It is better than commercial paste Bordeaux Mixture because it is more easily mixed with water, will not deteriorate, and is more effective in the control of fungous diseases.

1 lb., 40c; 5 lb., \$1.50; 10 lb., \$3.00; 25 lb., \$6.25; 50 lb., \$11.25; 100 lb., \$18.00; 200 lb., \$34.00.

DRY POWDERED ARSENATE OF LEAD

Sherwin-Williams Dry Powdered Arsenate of Lead is the lightest and fluffiest arsenate of lead made. These properties insure good mixing and suspension and uniform and effective control of chewing insects. This material contains from 30 to 33 per cent of arsenic oxide and less than 1 per cent water soluble arsenic oxide. Consequently maximum insect-killing is obtained without any injury to friut or foliage. Whether used as a wet spray or as a dust, S-W Dry Powdered Arsenate of Lead will give maximum results.

1 lb., 50c; 4 lb., \$1.40. Packed 48 lbs. to the case. Case lots 30c lb.

PARIS GREEN

Sherwin-Williams Paris Green is recognized by potato and tobacco growers as an old reliable and effective brand. It is also effective against grasshoppers, army-worms and cut-worms. S-W Paris Green will kill insects quickly because it contains about 56 per cent of arsenious oxide, which is in excess of that required by the government. S-W Paris Green contains less than 3½ per cent water soluble arsenious ovide.

S-W Paris Green is extremely fine and excells all other brands in suspension qualities when used as a wet spray and is more economical and effective when used as a dust.

used as a dust.

1/4 lb., 25e; 1/2 lb., 40e; 1 lb., 75e; 2 lbs., \$1.25.




SHERWIN-WILLIAMS PRODUCTS FUNGI BORDO



SHERWIN-WILLIAMS PRODUCTS

Orchard and Garden Supplies

AMERICAN BEAUTY DUSTER



The best dry powers uster on the market. duster on the market. For Orchard. Vineyard, Garden and Field. If in-terested write for circu-

Because of its bellows capacity, it can be used where no other knap-sack sprayer could possibly reach.

Its spiral agitator and fine screens cause it to deliver a finer dust deliver a finer dust than any other machine, hence it is more thor-ought and economical.

Standard size, wt. 15 lbs., \$20, f. o. b. Stockton

ANCHOR SULPHUR

It has been proven and recommended by the niversity of California so recommended by the University of California that if you sulphur your grape vines and orchards six times they will not be affected by Mildew or Red Spider.

Anchor Brand Velvet Flowers of Sulphur, packed in double sacks the fluf-flest and purest sulphur that money can buy; the best for vineyards; the for vineyards; the for bleaching pures, leaving no ash. Per 10c; \$5.25 per sack of lbs., F. O. B. Stockton. best poses.



TO INCREASE CROP YIELDS



Experiments conducted during the past few years by noted soil chemists and practical cultivators have revealed that Sulphur.

1—Improves Alkali Soil.
2.—Promotes Nitrification.
3—Transforms Latent Potash and Phosphates into available Plant Food.

It renders the potash and phosphoric acid soluble in water. These minerals in solution, together with Sulphur in the form of sulphates, are eagerly absorbed by plants, with the result that crops are increased even four and five fold.

4.—Increases protein and feeding value.
5.—Destroys the spores of Fungi and the larvae of injurious insects in the soil. Prevents Potato Scab, Wire Worms, Eel Worms, or Nematodes, Etc.



SLUG SHOT

Used from ocean to ocean.

A light composite, fine powder, easily distributed either by duster, bellows, or in water by spraying. 6 in. water by spraying. Thoroughly reliable in killing Currant Worms, Potato Bugs, Cabbage Worms, Lice, Slugs, Sow Bugs, etc.. and is also strongly impregnated with fungicides. Put up in popular packages at popular prices. 1 lb. popular prices. 1 lb. pkg. 20e; 5 lbs., 65e; 10 lbs., \$1.20, f. o. b. Stockton.



This is a medium-sized duster for use in the home garden. It

GARDEN DUSTER in applying Garthat are difficult to reach with any other duster. If you have any dusting at all to do this little gun will please you. Each \$1.00, f. o. b. Stockton.

GRAFTING WAX

A Lion Brand preparation for healing wounds on trees, caused by pruning. Very excellent also for spreading around the graft in grafting propagation. Three sizes: Lb., 60c; ½ 1b., 35c, and ¼ 1b., 20c.

OKAY GOPHER POISON

Ready and easy to use. No mixing, no waste, never loses strength. The only thing that will get a pocket gopher, and will kill ten where a trap will get one. Not mailable. Pkg., 35c.—60c.

GARDEN TROWELS



No. 80.—Garden Trowel. One piece pressed steel. Handsomely finished in black baked enamel. Length of blade 6 in. Ground and polished points.. Shipping weight? of blade 6 in. weight 2 lbs. Each 25c.

TRANSPLANTING TROWELS



31.—Transplanting Trowel. One piece pressed Handsomely finished in black and baked en-Length of blade 6 in. Width 134 in. Ground lished points. Shipping weight 2 lbs **Each 25c.** steel. amel. and polished points.

STEEL GARDEN WEEDERS



No. S2-Garden Weeder. One piece pressed steel.

LINE finished in enamel. Has

fingers, and is one of the most useful and handlest garden tools made. Ground and polished points.

Shipping weight 2 lbs., Each 25c.

GALVANIZED GARDEN TROWEL



No. 85.—Garden Trowel. Made of a single piece of heavy galvanized steel. Handle and blade all in one piece. No wood handles to break or come off.

An excellent tool at a low price. Length of blade 6 in. Each 10c. GARDEN HOSE

This is the hignest grade of garden hose, being made entirely from New Para Rubber, and will outlast cheap hose three times over. We guarantee it to stand a 300-lb, water pressure, and it will be as resilient in three or four years' time as when new while cheap hose of that age will be hard and rotten. Every length of hose is fitted with the new water-tight couplings, without extra charge. (Hose in furnished only in 25-feet and 50-feet length; the size ¾ inch refer to the internal diameter of the bore).

Prices—¾-inch bore, per 25-foot length, \$3.00; per 50-foot length, \$6.00.

Orchard and Garden Supplies--Continued

Black Leaf 40"

NICOTINE SULPHATE

Million of Court

Smart Imprets

Price, \$3.50

"BLACK LEAF 40."

Nicotine Sulphate—40% Nicotine

This is the insecticide that This is the insecticide that is so highly recommended by Experiment Stations. It destroys Aphis (plant lice), Thrips, Leaf-hoppers on all tree, brush and vine fruits, vegetables, field crops, flowers and shrubs; also Apple Red Bug, Pear Psylla and similar soft-bodied sucking insects—all without injury to sects-all without injury foliage.

May be combined with other sprays. Highly concentrated. Soluble in water—easy to mix—does not clog nezzles.

You cannot go wrong by ordering "Black Leaf 40" for sucking insects.

PRICES:

1 oz.—35c—Makes 6 gallons spray. ½ lb.—\$1.25—Makes 40 to 120 gallons. 2 lb.—\$3.50—Makes 160 to 500 gallons. 10 lb.—\$13.50—Makes 800 to 2500 gallons.

FISH SOAP

FISH OIL SOAP CAKE—For destroying lice and insects on plants and rose bushes, dissolve one pound in ½ gallon of hot water, and add enough cold water to make five gallons of spray. 1 lb., 25c. Packed 40 lbs. to can for use as a spreader for other sprays. Price, 40 lb. can, \$6.50.

HOT KAPS.

A new invention that is taking the market gardeners by storm. So constructed that the wind cannot blow these plant covers away, because the machine places dirt around the edges. They are already folded ready for use. One man can do the work of four. After setting, the field looks uniform, like a well kept garden. Price per 1,000, \$6.25. Less than 1000 lots 1c each. Write for prices in larger quantities in larger quantities.

SLUG-GO.

A preparation for ridding the place of slugs. Sprinkle around the garden or plants, and the slugs will disappear. Will not harm the flowers or shrubs. Per package, 50c.

GRASSHOPPER POISON.

Guaranteed Brand is prepared for both army worms and grasshoppers. It is an arsenic preparation in a semi-solid form. A 7 lb. can is mixed with 25 lbs. of bran and is poison mash enough for five acres. It is highly recommended by the California State Department of Agriculture, the United States Department of Agriculture and the University of California.

Price \$1.50 not prepaid. Cannot be sent by mail.

MAPCO MISCIBLE OIL.

The Miscible Oil is an ideal preparation for making emulsions. Most of the miscible oils on the market contain a certain amount of cresol, which is generally objectionable because of its strong action on foliage. The MAPCO Miscible Oil does not contain any cresol (of course latter can be added if desired) and therefore can be more generally used without fear. Mixed with water it makes and maintains a nice milky emulsion. When using Miscible Oil, care must be taken to add a softener if the water is hard (basic sodium phosphate 1 to 2 lbs. per 100 gals. is a very good softener).

The Mapco Miscible Oil is used in the proportion of 3 to 6 gals. to 100 gals. of water. It is used against aphides and all kinds of scales, to destroy the winter eggs, etc. Can be used in combination with Nicotine and with soluble sulphur.

7/2 gal. cans each 80c Quart cans each 50c Pint canseach 30c



Two heaping t a b lespoonfuls for each 10 gallons or 1½ lbs. for each 200 gallons of diluted spray.

Sacks, paper lined, of 100 lbs., per lb. 20c Sacks, paper-lined, of 50 lbs., per lb., 21c.



Sacks, paper-lined, of 10 lbs. (baled), per lb. 231/2e Cartons holding 1½ lbs., 30 cartons per case, per ... 25c: 1½ lb. pkg. 50c. lb., 25c; 11/2 lb. pkg.

FERTILIZERS

FRUIT AND VINE is a complete fertilizer use on slow growing crops such as onions, potatoes and trees. It contains 4% nitrogen, 8% phosphoric acid and 3% potash. It is used very extensively by market gardeners and orchardists. When applied at the rate of 600 lbs. to the acre astonishing results will be obtained.

For use in vineyard and orchard use at the rate of 700 lbs. per acre. Do not apply too near the tree but out about five or six feet from the trunk so that it will go straight down to the roots. Water well.

Per 100 lbs., \$4.00, f. o. b. Stockton.

NITRATE OF SODA—Valuable solely for the nitrogen it contains. It is chiefly a stimulant, used in addition to other fertilizers. It is quick in action and hastens crops to maturity. Being extremely soluble, it is easily applied after the plants are above ground at the rate of 100 to 500 pounds per acre. 15c lb.; 3 lbs. 35c; 100 lbs., \$5.00.

FISH MEAL-Fishmeal is made from ground fish rish MEAL—Fishmeal is made from ground isn and contains a great deal of nitrogen. Nitrogen produces quick results and should be used on quick growing crops such as celery and lettuce. It is used very extensively by the market gardeners. Apply at the rate of 500 lbs per acre. Price per 100 lbs., \$4.50, f. o. b. Stockton.

Write for ton prices

WONDER FERTILIZER—Is an odorless chemical fertilizer especially prepared for use on lawns and flowers. It is very strong and should be used sparingly. For lawns apply at the rate of one pound to two hundred square feet of lawn. It must be thoroughly watered as soon as it is applied. Write for free booklet of its many uses. Packed in 25 lb. white cotton bags and 2 lb. cartons. A 25 lb. bag is sufficient for the average home for lawn, flowers and pot plants.

Prices 25 lb. bag, \$2.25, 2 lb. carton 35c., f. o b. Stockton.

STIM-U-PLANT

PLANT TABLETS—The most modern, efficient and scientific method of fertilizing growing plants. It is plant food in tablet form, containing 11% nitrogen, 12% phosphoric acid and 15% potash. Stim-U-Plant tablets are the richest plant food sold highly concentrated, immediately available forms of plant food for use in stimulating all fruit, flower, vegetable and ornamental plants. These plant tablets promote a luxuriant, vigorous growth of branch, leaf and flower. Try them on your house plants and they will become strong and healthy. Complete directions with package. Small size, 25c. Stim-U-Plant makes a Wonder Garden.

Stim-U-Plant makes a Wonder Garden.

TALCIMIZED SODIUM FLUORIDE

(T. S. F.)

Talcimized Sodium Fluoride (call it T.S.F.) is a special processed brand of Sodium Fluororand of Sodium Fluoride prepared for poultry use and labeled with the Government's complete instructions for administering. It comes in a form instantly ready for the poultryment to use the poultryman to use, in a special convenient in a special convenient package to keep it covered and dry Poultry raisers should insist on Talcimized Sodium Fluoride (T. S. F.) for their convenience and convenience and

safety.


14 lb. pkg., 35c; lb. 60c
Postage extra.

SPIR-OL LEG **BRANDS**

Made in all colors and zes. Please state breed sizes. of chickens when ordering



		Chick	Large
	bands	\$.10	\$.15
25	bands	.20	.30
	bands	.35	.50
	bands	.50	.75
	bands	2.50	4.50
5000	bands	10.00	18.50



<u>Semi-Solid But</u>

It assures you not only the fullest feeding value, but also the full tonic and medicinal effects which have made Semi-Solid famous.

HOW LONG WILL A PACKAGE LAST.

(Write for booklet) When fed to 100 100 lb. pigs hens 500 lb. barrel ..34 days 100 days 100 lb. can 50 lb. pail days 20 days 10 days 3 days

Parker's Magic Wonder Discovery

Brand

—is a simple, liquid com-pound. By putting a half teaspoonful to gallon of fowls the fowls'
drinking water or food,
five or six
days, twice a
month, rids
them of lice
and mites like

and intesting and intesting of fowls. Saves hours of labor or handling and dusting of fowls. Free them of lice and mites. Then listen to them. They are contented; contented hens lay more eggs. 50c and \$1.00 per bottle, a season's supply for 500 fowls. Postage extra.



BLATCHFORD'S CALF MEAL



Is absolutely the only milk-substitute which contains all the elements the calf requires for rapid

and healthy growth.

First on the Market—First in Quality—First in Results. Prices-25 lbs., \$1.75; 50 lbs., \$3.25; 100 lbs.. \$6.00.

Feed and Poultry Supplies



COULSON'S EGG FOOD—Coulson's Egg Food is the best and only successful balanced ration for Dry Hopper Feeding. It can also be fed as a morning mash. Write for prices, COULSON'S SCRATCH FOOD—Coulson's Scratch Food is made from the best grades of grain, blended together in such a manner as to make a perfect scratching food. Prices on application.

application.

COULSON'S GROWING MASH—Coulson's Growing Mash should be fed when the chicks reach an age of six weeks until they are three months old. Write for prices.

COULSON'S GRAIN FOR PULLETS—Coulson's Grain for Pullets should be fed in conjunction with the Growing Mash. The two feeds form an ideal ration. Prices on application.

COULSON'S CHICK FOOD—Coulson's Special Chick Feed contains the ingredients that are best adapted to give nourishment to young chicks. Write for prices.

COULSON'S BABY CHICK MASH—Coulson's Baby Chick Mash write for prices.

COULSON'S PIGEON FEED—Coulson's Pigeon Feed is a balanced ration made up of grains and peas.



STAR CHICK FEEDER and FOUNTAIN



Just the fountain you have been looking for. It feeds wa-ter, grain, grit, oyster shells, etc., and is the most Sanitary etc., and is the most Sanitary Fountain on the market, having a glass reservoir which is easily cleaned, and you can always see just how much water it contains without taking hold of it, and is so simple any child can fill it. Any size Mason glass jar fits it.

FOUNTAINS

This fountain fills the breeders' requirements for a good in-expensive article. Made in two pieces accurately stamped and pieces accurately stamped and formed. Easily filled and cleaned. Made of best quality galvanized iron in three popular sizes.

No. 19, 1 Qt., 2 lbs., Each 40c. No. 20, 2 Qts. 3 lbs., Each 50c No. 24, 1 Gal., 4 lbs., Each 65c



MOE'S DRY MASH HOPPERS

A Dry Mash Hopper of great merit, made of heavy galvanized iron. The curved bottom keeps the feed within easy reach of the birds. The wire grid and the wires running from the flange through the wire grid prevent the fowls from throwing out or wasting the feed. The sloping top prevents them from roosting on the hopper. When both covers are closed it is rat, mouse and weather around. proof.

Made in four sizes.

KRESO DI IS WORTH CROWING FOR



KEEPS POULTRY HEALTHY

EXTERMINATES LICE AND MITES

and used freely as a disinfectant it proves a sanitary protection against the common poultry diseases.

Use it on All Livestock

Kill Insect Parasites and Help Prevent Contagious Diseases.

Efficient-Easy to Use-Economical

Write for free descriptive booklets.

Kreso Dip No. 1 in Original Packages

19 Qts., Ship. Wt., 5 lbs., **\$1.65** 14 Qts., Ship Wt., 7 lbs., **\$2.20** 22 Qts., Ship Wt., 10 lbs. **\$2.50**

MOE'S DOUBLE FEEDING TROUGH

ROUND FEEDER

No. 11—Diameter 6 in. with 8 holes. Price each, 15c; per doz., \$1.80.
No. 12—Diameter 8 ¼ in., with 12 holes. Price each 25c; per doz., \$3.00



accurately stamped with dies. No sharp or rough edges to injure the chicks. Sliding top. Easy to fill and clean.

Made in three sizes.

No. 58, 12 in., each 45c; No. 59, 18 in., each 60c; No. 60, 24 in. each 70c.

McCandlish CHICK FEEDERS

CARBOLA

Disinfects and Paints at the Same Time at the Same Time—Saving Labor, Money and Time.

Carbola is two things in one—a paint and a disinfectant. It is not a whitewash or a kalsomine. Stays white, and has

no disagreeable odor.

1 lb., 30e; 10 lbs., \$1.25; 50 lbs., \$5.00.



s.. 50c; Qts., 75c; ½ gal., \$1.25; gal. \$2.00; 5 gal., \$9.00. Not prepaid.



DR. HESS'S POULTRY PAN-A-CE-A

makes poultry heal-thy; makes hens lay; not a stimulant, but a tonic, that tones up the dormant egg or-gans, brings back the scratch and cackle; and compels each here and compels each hen to put her share of eggs in the market basket.

contains internal also septics that counteract disease; insures a healthy, singing poultry flock. Cost but a trifle—a penny's worth enough for 30 hens per day. 1½ lbs., 30c; 5 lbs., 60c; 12 lbs, \$1.20. Not Postpaid.




INSTANT LOUSE KILLER

Kills lice on poultry, horses, cattle: sheep ticks; bugs on cucumber, squash and melon vines; cabbage worms: slugs on rose bushes, etc. Sold in sifting-top cans—look for the word "Instant" before buying.

DR. HESS FLY CHASER

Drives flies away. One application lasts six hours. Prevents milk slump. Keeps cattle and horses contented during the fly season. Most humane idea of the age. Its use during humane idea of the age. Its use during sunmer months will insure good profits.







. .



CONKEY'S LICE POWDER

The strongest and most effective Lice Powder for body lice ever made. It doesn't scare, stun or drive the lice away—it kills them on the spot. Lice simply cannot live where Con-key's Lice Powder is properly used. Try it today and free your fowls from these parasites.

Prices, 15 ozs., 30e; 48 ozs., 60e. Express extra.

CONKEY'S REMEDIES

Conkey's	Gape Remedy	30e	60e
Conkey's	Scaly Leg Remedy	30)e
Conkey's	Roup Reniedy 30c	60e	\$1.20
Conkev's	Poultry Tonic	, 30e	60e
Conkey's	Head Lice Ointment	30c	60e
Conkey's	White Diarrhoea	30e	60c
Conkey's	Poultry Worm Remedy	30c	60c
Conkey's	Chicken Pox	30с	60 c

PRATT'S POULTRY REGULATOR

It builds up vitality, insures sound digestion, sharpens appetite and prewinning blue ribbons. Pratts is the original Poultry Regulator of America and is in use by the most successful poultry reisers everywhere ica and is in use by the most successful poultry raisers everywhere. When regularly used, hens lay throughout the year. It will prevent chicken cholera, gapes, roup, rheumatism, expel worms, prevent leg weakness and egg eating. It will greatly improve turkeys, geese, ducks, pigeons and guineas, insuring quick growth and keep them free from disease.

Packages, 30c, 60c, \$1.20.



ANIMAL REGULATOR

No nutritive properties are claimed for Pratts Animal Regulator. (All animals receive nutriment from their regular grain rations and other bulk feeding stuffs). Pratts Animal Reg-ulator, however, is a medicinal tonic and regulator, to be used in small doses as directed, and mixed with the animal's regular feed. It is not sold as a feeding stuff, nor is it to be fed in place of grain or any other bulk feed. bulk feed.



60c per package.

PRATT'S REMEDIES

	THE PROPERTY OF THE PARTY OF TH	
Pratt's	Roup Remedy30c	60e
Pratt's	Lice Powder30c	60e
Pratt's	White Diarrhoea Remedy30c	60e
Pratt's	Chicken Cholera Remedy30c	60e
Pratt's	Sore Head-Chicken-Pox Remedy30c	60e
Pratt's	Scaly Leg Remedy	30e



LEE'S LICE KILLER

Lee's Lice Killer has been for twenty years the poultryman's stand-by in keeping chickens and poultry house free from lice, mites and scaly-leg. A liquid, simply painted on roosts.

Sizes 65c, \$1.00 and \$1.50


GERMOZONE

GERMOZONE

Germozone is the most popular med-

most popular medicine for poultry and yet stock and the most generally effective. For roup, canker, chicken-nox, sore head, skin disease, bowel trouble, sores, wander. wounds.

40c, 75c and \$1.50



Germozone Tablets—This is the same as the liquid, only in a more convenient form. When dissolved in water they act the same way as the Germozone liquid.

In three sizes, 25c, 75c and \$1.50



Lee's Louse Powder is big value in both size and quality. 14-lb. pkg. for 30c; 3 lb., 60c. Round sprinkler top cartons. Very effective.

EGG-O-LATUM

Egg-O-Latum is a new and valuable egg preserver. An antiseptic wax. Rubbed on eggs it keeps them fresh from spring and summer to following winter. Easy to fix a dozen a min-

ute. Simply laid away in a cool cellar. 50c per jar. Enough for 600 eggs.

BARNES' WORM EMULSION

Is an invigorating, nourishing fluid. It increases the assimilating juices in the intestinal tract, will kill the worm, it will be digested and returned to the nourishment of the chicken. Qt., \$1.00; gal. \$3

The Reliable Hover

IT RAISES THEM ALL.

This is a blue flamed wickless, oil heated colony hover. The most popular, efficient and economical hover we have ever offered. It is made of heavy galvanized steel, cone shaped, with ventilation at the top, and is equipped with a wickless oil burner and a needle valve which regulates the flow of oil. It is made in sizes ranging from 18 inches in diameter to 55 inches. The larger sizes are furnished with a one-gallon oil glass container and the smaller size furnished with a one-half gallon galvanized tank. There is nothing to wear out in this hover; no corners; no crowding; it is made in such a shape so as to radiate the heat evenly over the chicks and there is plenty of room for them to move around. Send for catalog. Prices as per list attached.

We recommend this hover very highly. It is used by government experiment stations throughout the country and is giving everlasting satisfaction. If you are in doubt as to the kind of brooder you should buy, buy a Reliable.



No.	Size	Weight	Capacity	Price
0	30-inch	40 lbs.	350 chicks	\$19.00
1	42-inch	45 lbs.	500 chicks	21.00
2	55-inch	55 lbs.	1000 chicks	25.00
Δ1	1 prices f o	h Stockton		

Jubilee Incubators



We wish to call your attention to only a few of the main reasons why the Jubilee Incubator is such a success.

First—The material used is clear dry California Redwood built by efficient workmen.

Second—The egg chamber is lined with heavy wool felt covered with a non-absorbent paper.

Third—The regulator is simple, sensitive and durable.

Fourth—The ventilation is correct in theory, and more important, is correct in practical operations.

Fifth—Moisture with the Jubilee system can be added or decreased without opening the door of the machine.

Sixth—The egg trays are framed from angle steel, galvanized, are easily washed and kept sanitary.

For further information ask for Jubilee leaflet. Made in the following sizes:

Capacity	Weight				Din						Price
108-egg	110 lbs.	2	ft.	8	in.	х	3	ft.			\$35.00
216-egg	150 lbs.	3	ft.	8	in.	\mathbf{x}	3	ft.	3	in.	46.00
324-egg	200 lbs.	3	ft.	8	in.	\mathbf{x}	5	ft.	3	in.	58.00
504-egg	260 lbs.	3	ft.	2	in.	x	7	ft.	2	in.	75.00
F. O. B.	Stockton.										


The Buckeye Standard Colony Brooder

Since January 1, 1915, 100,000 Standard Bucksye Brooders have been sold. This machine has such a wonderful record among poultry raisers that it is not necessary for us to go into detail describing it. It is a coal burner, burns either soft or hard coal; self-regulating; can be operated in any room in any temperature. It is the simplicity of the Standard and its reasonable price that makes it the most popular brooder on earth. The Standard is made in two sizes:

No. 18. capacity 500 chicks, weight 74 lbs., price \$27.75.

No. 19. capacity 1000 chicks, weight 94 lbs., Price \$34.25.

F. O. B. Stockton.



Sprays for Every Purpose



BUCKET PUMP

A bucket pump that is with-out a doubt the best bucket pump ever offered for sale. It is light, strong, and a life time. and reliable and will last

It is used by poultry-raisers, truck gardeners and by home gardeners throughout the coun-

Double-acting.

All the working parts are brass, not subject to corrosion.

Bronze ball valves. Suited to any use where a pump of this kind is required.

Price \$5.00.

UTILITY No. 40 PORTABLE OUTFIT.

Same as No. 40-A without pressure tank.

Very useful for painting, whitewashing, and dis-infecting warehouses, factories, barns, trees and greenhouses.

greenhouses.

Tank larger than most similar outfits, made of heavy galvanized iron, reinforced at top and bottom with heavy band iron rings.

Pump—The cylinder is made of heavy brass tubing and has brass plungers packed with specially treated cotton wick to resist action of chemicals: can be tightened or expanded without removing from cylinder. Valves and all parts that come in contact with liquids are brass. Iron handle of good length makes pumping easy; 175 pounds pressure is easily maintained. Mechanical agitator keeps liquids thoroughly mixed. Outfit equipped with our patented Utility Angle Nozzle No. 65, which controls spray at discharge and regardless of what length pole is used. A fine strainer at suction end prevents sediment getting into working parts of pump.

Frame substantially built of steel, well braced

Frame substantially built of steel, well braced and balanced.

Equipment—Capacity, 18 gallons; 10 feet ½-inch 5 ply spray hose, 4-foot spray rod; 1 patented Utility Angle Nozzle No. 65. Shipping weight, complete, crated 85 pounds.

No. 40—Portable Outfit. Price, each \$30.00.



Auto-Spray No. 22.—For all kinds of small spraying and disinfecting. This atomizer is made of heavy tin and holds one quart. It is a single acting atomizer that throws a fine misty spray. This pump is fitted with an oil treated leather cup that lasts more than one season. Price, 60c.

cup that lasts more than one season. Price, 60c.

Auto-Spray No. 4.—Barrel
pump is designed so that it is light and durable.
For that reason it is comparatively inexpensive. It
is only made to accommodate one lead of hose although it can be used with an attachment for
using two nozzles in a cluster. The long air chamber has sufficient capacity for storing up enough
reserve pressure so that the nozzle throws a fine
continuous spray. The agitator is connected to
the plunger rod and works continuously when the
pump is being used. In fact the working parts of
the Auto-Spray No. 4 are the same as the working
parts of the Auto-Spray No. 3 which we have
manufactured for the past 15 years with a great
deal of success. deal of success.

In Detail: The casting on the top of the pump is iron. The air chamber is made of iron. Both the valves at the bottom of the pump are in a brass casting. The valves are both ball valves.

The pum-cylinder is 1½ inches in diameter and the plunger head is made of brass. The packing is graphite composition made by the Garlock Packing

Shipping Weight: The pump only in paper carton, net 22½ lbs., shipping weight 25 lbs.

Price, \$10.00.

UTILITY NO. 10 KNAPSACK SPRAYER

The only sprayers that can be operated as desired in one's natural position. The Utility Knapsack is an extra high pressure Sprayer, especially adapted for spraying trees, poultry houses, outbuildings, barns, and vegetation of all kinds; also used for whitewash, cold water paint, bordeaux mixtures and paris-green.

10 or heavy brass tubing with bronze ball check valve contained within brass cage which does not deteriorate like rubber. Pump and filling cap held securely by screw top. No. twisting action on gasket, thereby prolonging its life.

Nozzle.—Our own patent, made of brass, can be adjusted to be operated at any desired distance. Shut-off is always at nozzle end; designent clogging. Seat and valve made of brass and equipped with stuffing box.

No. 10. Utility Galvanized. With straight or angle nozzle.

Packed, one in a box, shire?

ren.

Tank.—Capacity, 3½ gallons; size, 7¼ by 20 inches.

Made of heavy galvanized iron or brass. All seams sweated and riveted. Tested at 95 lbs. Tank equipped with standard hose connection, and heads so constructed as to eliminate danger of blowing out.

Pump.—Cylinder is made of heavy brass tubing with bronze ball check valve contained within brass cage which does not deteriorate

10 pounds, each



CONTINUOUS ATOMIZER

Uses: This sprayer is designed for spraying garden crops, for use in greenhouses, for handling disinfectants and fly oils. In fact, it can be used with almost all spraying solutions.

Auto-Spray No. 26 is manufactured with either a brass or a tin reservoir, as listed below:

Auto-Spray No. 26-A, 1 qt., all tin.........\$1.00

Auto-Spray No. 26-C, 1 qt., brass pump brass tank\$1.25

\$1.25 tank

UTILITY No. 40-A PORTABLE OUTFIT



Same in construction as our No. 40, but equipped with an air pressure tank mounted on pump casting. This makes a one man outfit. By obtaining 250 pounds pressure considerable spraying can be

done without pumping.

Equipment—18 gallons; 10 feet ½-inch. 5-ply spray hose, 4-foot spray rod; 1 patented No. 65 Utility Angle Nozzle.

Shipping weight, complete crated, 100 pounds.

No. 40-A—Portable Outfit. Price, each \$40.00.



Knox's Giant Asters See Page 32

SPECIAL COLLECTION No. 1

12 Pkts. Flowering Annuals \$1.00, prepaid. Value \$1.20

Zinnias 10e Calendula 10e Centaureas 10e Gaillardia 10e Larkspur 10e Scabiosa 10e	Snapdragon 10c Cosmos 10c Job's Tears 10c Gypsophila 10c Double Poppies 10c Alvssum 10c
60e	60e

SPECIAL COLLECTION No. 2

6 Pkts. Flowering Spencer Sweet Peas 50c, prepaid. Value 60c.

Othelio (Maroon)10	Asta Ohm (Tinted Mauve) 10c Hercules (pink)10c Primrose (Primrose)10c
20	200

OUR MOTTO:
SEEDS, SERVICE, SATISFACTION

KNOX SEED COMPANY

223-225 East Weber Ave.

STOCKTON, CALIFORNIA